



	SD	EC
EN 685	34/43	34/43
EN 14041	OK	OK
	19	15
EN 428	2.0 mm / 3.0 mm*	2.0 mm / 3.0 mm*
EN 427	610 x 610 mm	610 x 610 mm
	615 x 615 mm*	615 x 615 mm*
	613 x 1226 mm*	613 x 1226 mm*
EN 430	3.2 kg/m <sup>2</sup>	3.2 kg/m <sup>2</sup>
IEC 61340-4-1	10 <sup>6</sup> ≤ R ≤ 10 <sup>8</sup> Ω	5 x 10 <sup>4</sup> ≤ R ≤ 10 <sup>6</sup> Ω
IEC 61340-4-5**	-	7.5 x 10 <sup>5</sup> ≤ R ≤ 3.5 x 10 <sup>7</sup> Ω
EN 1081	R ≤ 10 <sup>8</sup> Ω	R ≤ 10 <sup>6</sup> Ω
IEC 61340-4-5	< 70V	< 30V
EN 13419-2	SVOC: 64µg/m <sup>2</sup> x h, 28 days	SVOC: 64µg/m <sup>2</sup> x h, 28 days
EN 13893	µ: 0.6	µ: 0.6
DIN 51130	R9	R9
EN 13501-1	B <sub>fl</sub> s1	B <sub>fl</sub> s1
EN 660-1	group M	group M
EN 425	OK	OK
EN 433	0.035 mm	0.035 mm
EN ISO 105-B02-3	7- 8	7- 8
	suitable for floor heating	suitable for floor heating
EN 423	OK	OK
EN 434	0.05%	0.05%

\* available upon request, restrictions may apply \*\* with ESD shoes

Stockholm Forbo Flooring AB  
Box 172, 401 22  
Göteborg  
Tel 031-89 20 00  
Fax 031-28 44 47  
Tel 08-602 34 00  
info.sweden@forbo.com  
www.forbo.se

Forbo Flooring AS  
Hagaløkkveien 7  
1383 Asker  
Norway  
Tlf. 66 77 12 00  
Fax 66 77 12 40  
info.norway@forbo.com  
www.forbo.no

Forbo Flooring A/S  
Produktionsvej 14  
2600 Glostrup  
Denmark  
Tlf. 44 92 85 00  
Fax 44 92 85 20  
info.denmark@forbo.com  
www.forbo.dk

Forbo Flooring AB Finland  
Kumpulantie 7  
00520 Helsinki  
Finland  
Puhelin (09) 862 30 300  
Faksi (09) 862 30 301  
info.finland@forbo.com  
www.forbo.fi

# Forbo ColoRex® SD/EC



CONDUCTIVE TILE  
PROJECT VINYL



## ColoRex® SD/EC

HOMOGENEOUS CONDUCTIVE TILE  
PROJECT VINYL



creating better environments

