
MARMOLEUM STRIATO & WALTON

FORBO FLOORING SYSTEMS
RESILIENT LINOLEUM FLOOR COVERING

Marmoleum Striato Colour Colour 5243 "Peacock Blue" and 5221 "Colour Stream"





FLOORING SYSTEMS

Marmoleum the most globally used brand of linoleum has been manufactured by Forbo for more than 150 years. Marmoleum is produced having low environmental impacts as a result of the combination of natural renewable materials and high recycle content.

Forbo was the first flooring manufacturer to publish a complete Life Cycle Assessment (LCA) report verified by CML in 2000.In addition Forbo is now to publish Environmental Product Declarations (EPD) for all products including full LCA reports. This EPD is using all recognized flooring Product Category Rules and is including additional information to show the impacts on human health and eco-toxicity. By offering the complete story we hope that our stakeholders will be able to use this document as a tool that will translate the environmental performance of Marmoleum into the true value and benefits to all our customers and stakeholders alike. For more information visit;

www.forbo-flooring.com





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

This declaration is an environmental product declaration (EPD) in accordance with ISO 14025. EPDs rely on Life Cycle Assessment (LCA) to provide information on a number of environmental impacts of products over their life cycle. <u>Exclusions</u>: EPDs do not indicate that any environmental or social performance benchmarks are met, and there may be impacts that they do not encompass. LCAs do not typically address



the site-specific environmental impacts of raw material extraction, nor are they meant to assess human health toxicity. EPDs can complement but cannot replace tools and certifications that are designed to address these impacts and/or set performance thresholds – e.g. Type 1 certifications, health assessments and declarations, environmental impact assessments, etc. Accuracy of Results: EPDs regularly rely on estimations of impacts, and the level of accuracy in estimation of effect differs for any particular product line and reported impact. Comparability: EPDs are not comparative assertions and are either not comparable or have limited comparability when they cover different life cycle stages, are based on different product category rules or are missing relevant environmental impacts. EPDs from different programs may not be comparable.

PROGRAM OPERATOR	UL Environment 333 Pfingsten Road Northbrook, IL 60611				
DECLARATION HOLDER	Forbo Flooring B.V. Industrieweg 12 P.O. Box 13 NL-1560 AA Krommenie				
DECLARATION NUMBER	4788294459.120.1				
DECLARED PRODUCT	Marmoleum Striato & Walton 2.5mm	Resilient Linoleum Floor Covering			
REFERENCE PCR	EN 16810: Resilient, Textile and Lam declarations – Product category rules	ninate floor coverings – Environmental product			
DATE OF ISSUE	January 1, 2019				
PERIOD OF VALIDITY	5 Years				
Product definition and information ab Information about basic material and Description of the product's manufact Indication of product processing Information about the in-use condition Life cycle assessment results Testing results and verifications		the material's origin			
The PCR review was conducte	ed by:	PCR Review Panel			
This declaration was independ 14025 by Underwriters Labora □ INTERNAL	lently verified in accordance with ISO tories ⊠ EXTERNAL	Grant R. Martin Grant R. Martin, UL Environment			
This life cycle assessment was accordance with ISO 14044 ar	s independently verified in	Thomas Strin			
		Thomas P. Gloria, Industrial Ecology Consultants			

This EPD conforms with EN 15804



Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Product Definition

Product Classification and description

Marmoleum is a resilient floor covering complying with all the requirements of EN-ISO 24011: Specification for plain and decorative linoleum. Marmoleum is made from natural raw materials making it a preferable ecological and durable floor covering with a beautiful and colorful design. The key raw materials include linseed oil, which comes from the flax plant seeds, gum rosin from pine trees, recycled wood waste of wood from controlled forests, limestone and jute from the jute plant which is used for the backing. Because of the use of natural raw materials Marmoleum can be composted in an appropriate composting facility.

Linoleum is produced by Forbo Flooring for more than 150 years and our well-known brand Marmoleum is sold worldwide.

This declaration refers to Marmoleum Striato and Walton sheet of 2.5 mm nominal thickness covering a broad range of designs and colors:

Striato original, Striato Colour, Striato Textura, Walton Uni

Marmoleum is build up in 3 layers as illustrated in figure 1.




Figure 1: Illustration of Marmoleum

These three layers form one homogeneous product by the cross linking bondings formed during the oxidative curing process :

- 1. **Surface layer:** This layer gives Marmoleum its design and color. After finishing the product at the trimming department a factory finish is applied to protect the surface layer.
- 2. Intermediate layer: This layer is calendared on the jute backing and contains reused Linoleum.
- 3. Backing: The backing is woven jute.

The declaration refers to the declared/functional unit of 1m² installed flooring product.





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Range of application

Marmoleum is classified in accordance with EN-ISO 24011 to be installed in the following use areas defined in EN-ISO 10874:

Area of application	Domestic	Commercial	Industrial	
Marmoleum sheet 2½ mm			43	

Product Standard

The products considered in this EPD have the following technical specifications:

- Meets or exceeds all technical requirements in ASTM F 2034 Standard Specification for Linoleum Sheet Flooring.
- Meets or exceeds all technical requirements in EN-ISO 24011 Specification for plain and decorative Linoleum.



Marmoleum meets the requirements of EN 14041

Fire Testing:

- Class 1 when tested in accordance with ASTM E 648/NFPA 253, Standard Test Method for Critical Radiant Flux.
- Meets 450 or less when tested in accordance with ASTM E 662/NFPA 258, Standard Test Method for Smoke Density.
- Class C when tested in accordance to ASTM E 84/NFPA 255, Standard Test Method for Surface Burning Characteristics.
- FSC1-150; SD-160 when tested in accordance to CAN/ULC S102.2, Standard Test Method for Flame Spread Rating and Smoke Development.

Emission testing:

- o AgBB requirements following EN ISO 16000-9 Indoor Air Emissions : TVOC at 28 days
- French act Grenelle: A+
- Compliant with CHPS 01350 requirements for VOC emissions and indoor air quality.





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Accreditation

- o ISO 9001 Quality Management System and ISO 14001 Environmental Management System
- o OHSAS 18001 Occupational Health and Safety Management Systems
- o SA 8000 Social Accountability standard
- o SWAN
- o Nature Plus
- o Umwelt zeichen
- o Der Blaue Engel

















Delivery Status

Table 1: Specification of delivered product

rane in opcomeation of active of product					
Characteristics	Nominal Value	Unit			
Product thickness	2.5	mm			
Product Weight					
2.5 mm	3000	g/m²			
Rolls Width	2.00	meter			
Length	< 32				

Material Content

Material Content of the Product

Table 2: Composition of Marmoleum

Component	Material	Availability	Amount [%]	Origin
	Linseed oil	Bio based crop	24	USA/Canada/Europe
Binder	Gum rosin	Bio based crop	2	Indonesia/China
Dilidei	Tall oil	Bio based waste product from paper Industry	12	USA
	Wood flour	Bio based waste product from wood	31	Germany
Filler		processing		
	Calcium carbonate	Abundant mineral	17	Germany
Diamont	Titanium dioxide	Limited mineral	3	Global
Pigment	Various other pigments	Limited mineral	1	Global
Backing	Jute	Bio based crop	9	India/Bangladesh
Finish	Lacquer		1	Netherlands





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Production of Main Materials

Linseed oil: Linseed oil is obtained by pressing the seeds of the flax plant. After filtering a clear golden yellow liquid remains.

Gum rosin: Rosin is obtained by wounding pine trees. The crude gum is collected and is separated into turpentine and rosin by distillation.

Tall oil: Tall oil is a post industrial waste product coming from the paper industry and is consisting of vegetable oil and rosin.

Wood flour: Postindustrial bio based soft wood waste from the wood industry, which is milled into flour.

Calcium carbonate: An abundant mineral found in all parts of the world as the chief substance in rocks (i.e., marble and limestone). It can be ground to varying particle sizes and is widely used as filler.

Titanium dioxide: A white pigment produced from the mineral rutile, a naturally occurring form of titanium dioxide. The production of the pigment is a large-scale chemical process

Various other pigments: The vast majority of the used color pigments are iron oxide based.

Jute: Jute fiber is extracted from the stem of the jute plant by floating it in water. For yarn production fiber bands are obtained by carding, stretching, spinning, warping and sizing. Finally the yarn is woven.

Lacquer: The factory applied lacquer – Topshield 2 – is a waterborne UV cured double layer factory coating – acrylate hybrid dispersion.

Production of the Floor Covering



Figure 2: Illustration of the Production process





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Marmoleum is produced in several stages starting with the oxidation of linseed oil mixed with tall oil and rosin. With the influence of oxygen from the atmosphere a tough sticky material is obtained called linoleum cement. The linoleum cement is stored in containers for a few days for further reaction and after this it is mixed with wood flour, calcium carbonate, reused waste (if applicable), titanium dioxide and pigments. This mixture is calendared on a jute substrate and stored in drying rooms, to cure till the required hardness is reached. After approximately 14 days the material is taken out from the drying room to the trimming department where the factory finish is applied on the surface of the product and the end inspection is done. Finally the edges are trimmed and the sheet is cut to length into rolls of approximately 32 meter. The trimmings and the rejected product are reused.

Health, Safety and Environmental Aspects during Production

- ISO 14001 Environmental Management System
- OHSAS 18001 Occupational Health and Safety Management Systems
- SA 8000 Social Accountability standard

Production Waste

Rejected material and the cuttings of the trimming stage are being reused in the manufacturing process. Packaging materials are being collected separately and externally recycled.

Delivery and Installation of the Floor Covering

Delivery

A worldwide distribution by truck and container ship is considered. On average every square meter of Marmoleum is transported as follows:

Transport distance 40 t truck
 Transport distance 7.5t truck (Fine distribution)
 Capacity utilization trucks (including empty runs)
 Transport distance Ocean ship
 Capacity utilization Ocean ship
 48%

Installation

Because of the specific techniques used during the installation of Marmoleum an average of 6% of the material is cut off as installation waste. For installation of Marmoleum on the floor an average scenario has been modeled (assuming 0.280 kg/m2 of adhesive is required).

Waste during the installation process may be recycled as floor covering through the manufacturers' facilities or thermally recycled in a waste incineration plant. Since the major part of Marmoleum is sold in Europe the European electricity grid mix is used in the calculations for the energy recovery during incineration.

Health, Safety and Environmental Aspects during Installation

Forbo flooring recommends to use a low emission EC1 adhesive for installing Marmoleum.





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Waste

Waste during the installation process may be recycled as floor covering through the manufacturers' facilities or thermally recycled in a waste incineration plant. Since the major part of Marmoleum is sold in Europe the European electricity grid mix is used in the calculations for the energy recovery during incineration.

Packaging

Cardboard tubes and packaging paper can be collected separately and should be used in a local recycling process. In the calculation model 100% incineration is taken into account for which there is a credit received.

Use stage

The service lifetime of a floor covering for a certain application on a floor is too widespread to give one common number. For this EPD model the reference service lifetime (RSL) is set to one year. This means that all impacts for the use phase are based on the cleaning and maintenance model for one year. Depending on the area of use, the technical lifetime advised by the manufacturer and the estimated time on the floor by the customer, the service lifetime can be determined. The use phase impacts should be calculated with the foreseen service life to arrive at the total environmental impact.

Cleaning and Maintenance

Level of use	Cleaning Process	Cleaning Frequency	Consumption of energy and resources
Commercial/Residential/Industrial	Vacuuming	Twice a week	Electricity
	Damp mopping	Once a week	Hot water Neutral detergent

For the calculations the following cleaning regime is considered:

- Dry cleaning with a 1.5 kW vacuum cleaner for 0.21 min/m², twice a week. This equates to 0.55 kWh/m²*year.
- Once a week wet cleaning with 0.062 l/m² water and 0.0008 kg/m² detergent. This result in the use of 3.224 l/m²*year water and 0.04 kg/m²*year detergent. The wet cleaning takes place without power machine usage. Waste water treatment of the arising waste water from cleaning is considered.

The cleaning regime that is recommended in practice will be highly dependent on the use of the premises where the floor covering is installed. In high traffic areas more frequent cleaning will be needed compared to areas where there is low traffic. The use of an entrance mat of at least four steps will reduce the cleaning frequency.

The cleaning regime used in the calculations is suitable for high traffic areas.

Prevention of Structural Damage

All newly laid floor covering should be covered and protected with a suitable non-staining protective covering if other building activities are still in progress. Use protective feet on chairs and tables to reduce scratching. Castor wheels should be suitable for resilient floor coverings.





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Health Aspects during Usage

Marmoleum is complying with:

- AgBB requirements
- o French act Grenelle: A+
- CHPS section 01350

End of Life

The deconstruction of installed Marmoleum from the floor is done mechanically and the electrical energy needed for this is estimated to be 0.03 kWh/sqm. This amount of energy is taken into account for the calculations. For the end of life stage no landfilling is taken into account, since the vast majority of the countries in which Marmoleum is sold are having a non landfill policy. Because of the high calorific value of Marmoleum the incineration is very profitable as a waste to energy conversion.

Life Cycle Assessment

A full Life Cycle Assessment has bee carried out according to ISO 14040 and ISO 14044.

The following Life Cycle Stages are assessed:

- A1-3: Product Stage (Raw material acquisition, transportation to Manufacturing and Manufacturing)
- A4-5: Construction process stage (Transport Gate to User, installation flooring)
- O B2: Use Stage (Maintenance of the floor)
- O C1-4: End of Life Stage (Deconstruction, transport, waste processing, Disposal)
- D: Benefits and loads beyond the system boundary (Reuse, recovery, recycling potential)




Figure 3: Flow chart of the Life Cycle Assessment

Comparisons of different floor coverings are only allowed, where EN 15804 consistent and/or preverified background data and EN 15804 consistent calculation methods and database versions are used and when the building context is taken into account, i.e. on the basis of the same use-classification (EN ISO 10874), same service life and comparable assumptions for the end of life.





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Description of the Declared Functional Unit

The functional unit is one square meter of installed product and the use stage is considered for one year of service life.

Cut off Criteria

The cut-off criteria shall be 1% of renewable and non-renewable primary energy usage and 1% of the total mass of the unit process. The total neglected input flows per module shall be a maximum of 5% of energy usage and mass.

In practice, in this assessment, all data from the production data acquisition are considered, i.e. all raw materials used as per formulation, use of water, electricity and other fuels, the required packaging materials, and all direct production waste. Transport data on all considered inputs and output material are also considered.

Allocations

In the present study some allocations have been made. Detailed explanations can be found in the chapters below.

Co-product allocation

No co-product allocation occurs in the product system.

Allocation of multi-input processes

The Production and End of Life stage include incineration plants. In these processes different products are treated together within a process. The allocation procedures followed in these cases are based on a physical classification of the mass flows or calorific values.

Credits from energy substitution are allocated to the production stage, because the gained energy from energy substitution is lower than the energy input in this stage. The same quality of energy is considered.

Allocation procedure of reuse, recycling and recovery

The installation waste and end of life waste is fed into incineration processes. Incineration processes include cogeneration processes which give thermal and power energy as outputs. It is assumed that this recovered energy offsets that produced by the European average grid mix and thermal energy generation from natural gas.

Description of the allocation processes in the LCA report

The description of allocation rules in of this LCA report meets the requirements of the PCR.

LCA Data

As a general rule, specific data derived from specific production processes or average data derived from specific production processes have been used as the first choice as a basis for calculating an EPD.





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

For life cycle modeling of the considered products, the GaBi 6 Software System for Life Cycle Engineering, developed by THINKSTEP AG has been used. All relevant LCA datasets are taken from the GaBi 6 software database. The datasets from the database GaBi are documented in the online documentation. To ensure comparability of results in the LCA, the basic data of GaBi database were used for energy, transportation and auxiliary materials.

Data Quality

The requirements for data quality and LCA data correspond to the specifications of the PCR.

Foreground data are based on 1 year averaged data (year 2017). The reference ages of LCA datasets vary but are given in the table in the Appendix. The time period over which inputs to and outputs from the system is accounted for is 100 years from the year for which the data set is deemed representative. The technological LCA of the collected data reflects the physical reality of the declared product. The datasets are complete, conform to the system boundaries and the criteria for the exclusion of inputs and outputs and are geographical representative for the supply chain of Forbo flooring.

For life cycle modeling of the considered products the GaBi 6 Software System for Life Cycle Engineering, developed by THINKSTEP AG, is used. All relevant LCA datasets are taken from the GaBi 6 software database. The last revision of the used data sets took place within the last 10 years.

System Boundaries

<u>Production Stage</u> includes provision of all materials, products and energy, packaging processing and its transport, as well as waste processing up to the end-of waste state or disposal of final residues during the product stage.

<u>Transport and Installation Stage</u> includes provision of all materials, products and energy, as well as waste processing up to the end-of-waste state or disposal of final residues during the construction stage. These information modules also include all impacts and aspects related to any losses during this construction stage (i.e. production, transport, and waste processing and disposal of the lost products and materials). For the transportation a worldwide distribution is considered.

<u>Use Stage</u> includes provision and transport of all materials, products and related energy and water use, as well as waste processing up to the end-of-waste state or disposal of final residues during this part of the use stage. These information modules also include all impacts and aspects related to the losses during this part of the use stage (i.e. production, transport, and waste processing and disposal of the lost products and materials).

<u>End of Life Stage</u> includes provision and all transports, provision of all materials, products and related energy and water use. It also includes any declared benefits and loads from net flows leaving the product system that have not been allocated as co-products and that have passed the end-of-waste state in the form of reuse, recovery and/or recycling potentials.

Power mix

The selection of LCA data for the electricity generation is in line with the PCR.

The products are manufactured in Assendelft, the Netherlands. The GaBi 6 Hydropower dataset has therefore been used (reference year 2018). The energy supplier is providing Forbo with a certificate every year.





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

CO₂-Certificates

No CO₂-certificates are considered in this study.

Life Cycle Inventory Analysis

In table 3 the environmental impacts for one lifecycle are presented for Marmoleum Striato & Walton. In tables 4 the environmental impacts are presented for all the lifecycle stages.

Table 3: Results of the LCA - Environmental impacts one lifecycle (one year) - Marmoleum Striato & Walton

Impact Category : CML 2001 – Jan. 2016	Marmoleum Striato & Walton	Unit
Global Warming Potential (GWP 100 years)	5,65E+00	kg CO2-Equiv.
Ozone Layer Depletion Potential (ODP. steady state)	2,00E-08	kg R11-Equiv.
Acidification Potential (AP)	4,42E-02	kg SO2-Equiv.
Eutrophication Potential (EP)	1,08E-02	kg Phosphate-Equiv.
Photochem. Ozone Creation Potential (POCP)	1,64E-03	kg Ethene-Equiv.
Abiotic Depletion Potential Elements (ADPE)	2,96E-06	kg Sb-Equiv.
Abiotic Depletion Potential Fossil (ADPF)	6,27E+01	[MJ]

Table 4: Results of the LCA – Environmental impact for Marmoleum Striato & Walton (one year)

•	Category : Manufacturing Installation		lation	Use (1yr)	yr) End of Life			Credits	
Parameter	Unit	A1-3	A4	A5	B2	C1	C2	C3	D
GWP	[kg CO ₂ -Eq.]	-1,10E-01	4,47E-01	6,61E-01	3,16E-01	2,17E-01	1,96E-02	5,06E+00	-9,62E-01
ODP	[kg CFC11-Eq.]	1,76E-08	7,08E-15	3,23E-10	2,06E-09	9,63E-13	5,34E-16	1,07E-13	-2,12E-12
AP	[kg SO ₂ -Eq.]	3,82E-02	3,63E-03	8,48E-04	7,82E-04	6,15E-04	4,75E-05	1,66E-03	-1,63E-03
EP	[kg PO ₄ 3 Eq.]	9,82E-03	4,76E-04	1,34E-04	1,07E-04	5,77E-05	1,21E-05	4,15E-04	-1,76E-04
POCP	[kg Ethen Eq.]	1,61E-03	-1,06E-04	7,92E-05	5,51E-05	3,85E-05	-1,64E-05	1,06E-04	-1,27E-04
ADPE	[kg Sb Eq.]	2,80E-06	1,74E-08	8,80E-08	1,58E-07	1,15E-07	1,60E-09	5,28E-08	-2,75E-07
ADPF	[MJ]	5,69E+01	3,66E+00	8,06E+00	3,53E+00	2,31E+00	2,66E-01	1,22E+00	-1,32E+01

GWP = Global warming potential; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential of land and water; EP = Eutrophication potential; POCP = Formation potential of tropospheric ozone photochemical oxidants; ADPE = Abiotic depletion potential for non-fossil resources; ADPF = Abiotic depletion potential for fossil resources.






Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

The relative contribution of each process stage to each impact category for Marmoleum Striato & Walton is shown in figure 4.

Figure 4: relative contribution of each process stage to each impact category for Marmoleum Striato & Walton for a one year usage.



Interpretation

The interpretation of the results has been carried out considering the assumptions and limitations declared in the EPD, both methodology- and data-related for a <u>one year usage</u>.

The LCA for GWP reflects the use of renewable raw materials for the production of Marmoleum (linseed oil and jute). Carbon dioxide, a greenhouse gas, is locked in from the atmosphere in the course of the plant growth via photosynthesis and stored during the use stage. This carbon dioxide is not released until the end of life when it is incinerated with energy recovery – this process accounts for the greatest emission of greenhouse gases in the life cycle of the product.

For the production stage of Marmoleum Striato & Walton the uptake of CO₂ is higher than the emission of greenhouse gasses resulting in a slightly negative life cycle stage.





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

In the other 6 impact categories (ODP, AP, EP, POCP, ADPE, ADPF) the production stage has the main contribution to the overall impact. For these categories the main contributor in the production stage is the raw material extraction and processing with a share of 66-100% of total impacts from the production stage.

Forbo declares in the EPD a worldwide distribution by truck (796 km) and container ship (2290 km). For this scenario the transport has a relevance of 4%-8% in the impact categories GWP, AP, EP and ADPF.

The negative impact for POCP for the transportation stage is remarkable, but it is assumed that NO and CO reduces the accumulated ozone to NO2, CO2 and O2. This means, that high concentrations of ozone do not often occur near hydrocarbon emission sources. Higher ozone concentrations more commonly arise in areas of clean air, such as forests, where there is less NO and CO.

For GWP and ADPF the adhesive for the flooring installation has a significant impact. The LCA for the installation is based on an assumption of 280 g/m² adhesive.

The use stage is calculated for one year of service life time with a conservative scenario based on a cleaning regime suitable for high traffic areas. The electricity and detergent used to clean the floor are the main contributors for this life cycle stage.

Energy recovery from incineration and the respective energy substitution at the end of life results in a credit as reported in the End of Life stage.

Resource use

In table 5 the parameters describing resource use are presented for all the lifecycle stages for a one year usage.

Table 5: Results of the LCA - Resource use for Marmoleum Striato & Walton (one year)

		Manufacturing	Instal	lation	Use (1yr)		End of Life	9	Credits
Parameter	Unit	A1-3	A4	A5	B2	C1	C2	C3	D
PERE	[MJ]	5,91E+01	-	-	-	-	-	-	-
PERM	[MJ]	1,16E+01	-	-	-	-	-	1	-
PERT	[MJ]	7,07E+01	1,40E-01	2,94E-01	1,58E+00	1,49E+00	1,47E-02	1,87E-01	-3,28E+00
PENRE	[MJ]	1,90E+01	-	-	-	-	-	-	-
PENRM	[MJ]	4,09E+01	-	-	-	-	-	-	-
PENRT	[MJ]	5,99E+01	3,68E+00	8,25E+00	5,40E+00	3,96E+00	2,67E-01	1,41E+00	-1,68E+01
SM	[kg]	4,75E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
RSF	[MJ]	2,21E-09	1,33E-29	3,53E-21	3,48E-24	0,00E+00	1,44E-30	1,75E-23	0,00E+00
NRSF	[MJ]	2,60E-08	2,02E-28	4,15E-20	4,09E-23	5,88E-30	2,19E-29	2,06E-22	-1,29E-29
FW	[m ³]	5,71E-02	2,58E-04	1,98E-03	2,38E-03	2,03E-03	2,71E-05	1,16E-02	-4,47E-03

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRT = Total use of non-renewable primary energy resources; SM = Use of secondary materials; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; PENRT = Total use of net fresh water





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Waste categories and output flows

In table 6 other environmental information describing different waste categories and output flows are presented for all the lifecycle stages.

Table 6: Results of the LCA - Output flows and Waste categories for Marmoleum Striato & Walton (one year)

	Manufacturing	Transport	Installation	Use (1yr)		End of Li	fe/credits	
Unit	A1-3	A4	A5	B2	C1	C2	C3	D
[kg]	7,24E-08	1,43E-07	3,26E-09	2,17E-09	1,86E-09	1,54E-08	7,95E-10	-6,87E-09
[kg]	2,53E-01	2,14E-04	3,54E-03	1,30E-02	2,79E-03	2,24E-05	1,08E-02	-7,27E-03
[kg]	1,20E-03	4,82E-06	7,46E-05	7,17E-04	6,56E-04	3,65E-07	7,46E-05	-1,44E-03
[kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
[kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
[kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
[MJ]	0,00E+00	0,00E+00	3,79E-01	0,00E+00	0,00E+00	0,00E+00	5,77E+00	0,00E+00
[MJ]	0,00E+00	0,00E+00	6,75E-01	0,00E+00	0,00E+00	0,00E+00	1,02E+01	0,00E+00
	[kg] [kg] [kg] [kg] [kg] [MJ]	Unit A1-3 [kg] 7,24E-08 [kg] 2,53E-01 [kg] 1,20E-03 [kg] 0,00E+00 [kg] 0,00E+00 [kg] 0,00E+00 [MJ] 0,00E+00	Unit A1-3 A4 [kg] 7,24E-08 1,43E-07 [kg] 2,53E-01 2,14E-04 [kg] 1,20E-03 4,82E-06 [kg] 0,00E+00 0,00E+00 [kg] 0,00E+00 0,00E+00 [kg] 0,00E+00 0,00E+00 [MJ] 0,00E+00 0,00E+00	Unit A1-3 A4 A5 [kg] 7,24E-08 1,43E-07 3,26E-09 [kg] 2,53E-01 2,14E-04 3,54E-03 [kg] 1,20E-03 4,82E-06 7,46E-05 [kg] 0,00E+00 0,00E+00 0,00E+00 [kg] 0,00E+00 0,00E+00 0,00E+00 [kg] 0,00E+00 0,00E+00 3,79E-01	Unit A1-3 A4 A5 B2 [kg] 7,24E-08 1,43E-07 3,26E-09 2,17E-09 [kg] 2,53E-01 2,14E-04 3,54E-03 1,30E-02 [kg] 1,20E-03 4,82E-06 7,46E-05 7,17E-04 [kg] 0,00E+00 0,00E+00 0,00E+00 0,00E+00 [kg] 0,00E+00 0,00E+00 0,00E+00 0,00E+00 [kg] 0,00E+00 0,00E+00 0,00E+00 0,00E+00 [MJ] 0,00E+00 0,00E+00 6,75E-01 0,00E+00	Unit A1-3 A4 A5 B2 C1 [kg] 7,24E-08 1,43E-07 3,26E-09 2,17E-09 1,86E-09 [kg] 2,53E-01 2,14E-04 3,54E-03 1,30E-02 2,79E-03 [kg] 1,20E-03 4,82E-06 7,46E-05 7,17E-04 6,56E-04 [kg] 0,00E+00 0,00E+00 0,00E+00 0,00E+00 0,00E+00 [kg] 0,00E+00 0,00E+00 0,00E+00 0,00E+00 0,00E+00 [kg] 0,00E+00 0,00E+00 0,00E+00 0,00E+00 0,00E+00 [MJ] 0,00E+00 0,00E+00 6,75E-01 0,00E+00 0,00E+00	Unit A1-3 A4 A5 B2 C1 C2 [kg] 7,24E-08 1,43E-07 3,26E-09 2,17E-09 1,86E-09 1,54E-08 [kg] 2,53E-01 2,14E-04 3,54E-03 1,30E-02 2,79E-03 2,24E-05 [kg] 1,20E-03 4,82E-06 7,46E-05 7,17E-04 6,56E-04 3,65E-07 [kg] 0,00E+00 0,00E+00 0,00E+00 0,00E+00 0,00E+00 0,00E+00 [kg] 0,00E+00 0,00E+00 0,00E+00 0,00E+00 0,00E+00 0,00E+00 [MJ] 0,00E+00 0,00E+00 3,79E-01 0,00E+00 0,00E+00 0,00E+00	Unit A1-3 A4 A5 B2 C1 C2 C3 [kg] 7,24E-08 1,43E-07 3,26E-09 2,17E-09 1,86E-09 1,54E-08 7,95E-10 [kg] 2,53E-01 2,14E-04 3,54E-03 1,30E-02 2,79E-03 2,24E-05 1,08E-02 [kg] 1,20E-03 4,82E-06 7,46E-05 7,17E-04 6,56E-04 3,65E-07 7,46E-05 [kg] 0,00E+00 0,00E

HWD = Hazardous waste disposed; NHWD = Non-hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EE = Exported energy per energy carrier

Additional Environmental Information

To be fully transparant Forbo Flooring does not only want to declare the environmental impacts required in the PCR, but also the impacts on human health and eco-toxicity

Toxicity

For this calculations the USEtoxTM model is used as being the globally recommended preferred model for characterization modelling of human and eco-toxic impacts in LCIA by the United Nations Environment Programme SETAC Life Cycle Initiative.

According to the "ILCD Handbook: Recommendations for Life Cycle Impact Assessment in the European context" the recommended characterization models and associated characterization factors are classified according to their quality into three levels:

- Level I (recommended and satisfactory),
- level II (recommended but in need of some improvements)
- o level III (recommended, but to be applied with caution).

A mixed classification sometimes is related to the application of the classified method to different types of substances. USEtoxTM is classified as Level II / III, unlike for example the CML impact categories which are classified as Level I.

Table 7: Results of the LCA - Environmental impacts one lifecycle (one year) - Marmoleum Striato & Walton

Impact Category : USEtox	Marmoleum Striato & Walton	Unit
Eco toxicity	3,96E-03	PAF m3.day
Human toxicity, cancer	2,99E-10	Cases
Human toxicity, non-canc.	6,97E-11	Cases





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

In the following table the impacts are subdivided into the lifecycle stages.

Table 8: Results of the LCA - Environmental impact for Marmoleum Striato & Walton (one year)

	•		,	, ,		
Impact Category : USEtox	Unit	Production	Transport	Installation	Use (1yr)	End of Life
Eco toxicity	PAF m3.day	2,12E-03	8,55E-04	8,29E-04	4,43E-04	-2,79E-04
Human toxicity, cancer	cases	3,19E-10	8,09E-13	1,47E-11	1,23E-11	-4,74E-11
Human toxicity, non-canc.	cases	1,66E-11	3,49E-13	5,29E-11	7,13E-13	-9,12E-13

Interpretation

The interpretation of the results has been carried out considering the assumptions and limitations declared in the EPD, both methodology- and data-related for a <u>one year usage</u>.

The Eco-toxicity is mostly dominated by the production stage in which the raw materials are having the biggest impact with a share of around 44%. The other main contributors in the production stage are the thermal energy and the packaging of the end product during manufacturing. Other main contributor of the total life cycle are the transport to the customer and the adhesive used for installing the floor.

In the Human toxicity (cancer) the largest contribution is coming from the production stage where the thermal energy used in the manufacturing is contributing 70% to the total impact. Other minor contributions come from the Installation (Adhesive) and Use stage (Electricity). For the End of Life stage energy recovery from incineration and the respective energy substitution at the end of life results in a credit.

For Human toxicity (non-canc.) by far the biggest impact of 74% is coming from the installation stage, where the contribution of the adhesive is predominating this life cycle stage. A much smaller but significant contribution to the total impact is coming from the production stage where the main contributor is the raw material extraction and processing with a factor of 78%.





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

References

THINKSTEP AG; GaBi 6: Software-System and Database for Life Cycle Engineering. Copyright, TM. Stuttgart, Echterdingen, 1992-2017. GaBi 6: Documentation of GaBi 6: Software-System and Database for Life Cycle Engineering. Copyright, TM. Stuttgart, Echterdingen, 1992-2017. GaBi 6: Documentation of GaBi 6: Software-System and Database for Life Cycle Engineering. Copyright, TM. Stuttgart, Echterdingen, 1992-2017. IUL Environment PE 2012 ILCD Handbook: General guide for Life Cycle Assessment - Description of Selected Impact Categories, Thinkstep AG, 2012 European Commission-Joint Research Centre - Institute for Environment and Sustainability. International Reference Life Cycle Data System (ILCD) Handbook-Recommendations for Life Cycle Impact Assessment in the European context. First edition November 2011. EUR 24571 EN. Luxemburg. Publications Office of the European Union; 2011 STANDARDS AND LAWS DIN EN ISO 14044 Environmental management - Life cycle assessment - Requirements and guidelines (ISO 14044:2006); English version EN ISO 14044 ISO 14025 2006 Environmental management - Life cycle assessment - Type III environmental declarations — Principles and procedures Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Resilient, textile and laminate floor coverings - Environmental product declarations - Product category rules Resilient floor coverings - Specification for plain and decorative linoleum REGULATION (EU) No 305/2011 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC		
Cycle Engineering. Copyright, TM. Stuttgart, Echterdingen, 1992-2017. http://documentation.gabi-software.com/ UL Environment's Program Operator Rules Description of Selected Impact Categories, Thinkstep AG, 2012 European Commission-Joint Research Centre - Institute for Environment and Sustainability: International Reference Life Cycle Data System (ILCD) Handbook: Recommendations for Life Cycle Impact Assessment in the European context. First edition November 2011. EUR 24571 EN. Luxemburg. Publications Office of the European Union; 2011 STANDARDS AND LAWS DIN EN ISO 14044 Environmental management - Life cycle assessment - Requirements and guidelines (ISO 140442:006); English version EN ISO 140444 ISO 14025 2006 Environmental management - Life cycle assessment - Type III environmental declarations — Principles and procedures Environmental management - Life cycle assessment - Principles and framework (ISO 14040 2006 (ISO 14040 2006 Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Sustainability of construction works - Environmental product declarations — Methodology for selection and use of generic data; German version CEN/TR 15941 Resilient, textile and laminate floor coverings - Environmental product declarations - Product category rules Resilient floor coverings - Specification for plain and decorative linoleum REGULATION (EU) No 305/2011 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC	GABI 6 2012	THINKSTEP AG; GaBi 6: Software-System and Database for Life Cycle Engineering. Copyright, TM. Stuttgart, Echterdingen, 1992-2017.
PE 2012 ILCD Handbook: General guide for Life Cycle Assessment - Detailed guidance Betailed guidance ILCD Handbook: General guide for Life Cycle Assessment - Detailed guidance ILCD Handbook: General guide for Life Cycle Assessment - Detailed guidance ILCD Handbook: General guide for Life Cycle Assessment - Detailed guidance ILCD Handbook: Recommendations for Life Cycle Impact Assessment in the European context. First edition November 2011. EUR 24571 EN. Luxemburg. Publications Office of the European Union; 2011 ILCD Handbook: General guide for Life Cycle Assessment in the European Commission-Joint Research Centre - Institute for Environment and Sustainability: International Reference Life Cycle Data System (ILCD) Handbook-Recommendations for Life Cycle Impact Assessment in the European Union; 2011 ILCD Handbook: General guide for Life Cycle Assessment in the European Union; 2011 ILCD Handbook: General guide for Life Cycle Assessment in the European Union; 2011 ILCD Handbook: General guide for Life Cycle Assessment in the European Union; 2011 ILCD Handbook: General guide for Life Cycle Assessment in the European Union; 2011 ILCD Handbook: General guide for Life Cycle Assessment in the European Union; 2011 ILCD Handbook: General guide for Life Cycle Assessment in the European Union; 2011 ILCD Handbook: General guide for Life Cycle Assessment in the European Union; 2011 ILCD Handbook: General guide for Life Cycle Assessment in the European Union; 2011 ILCD Handbook: General guide for European Union; 2011 ILCD Handbook: General guide for European Parklament And Generative Information For Harmbook: Generative For Harmbook: Generative Information For Harmbook: Generative Fo	GABI 6 2012D	GaBi 6: Documentation of GaBi 6: Software-System and Database for Life Cycle Engineering. Copyright, TM. Stuttgart, Echterdingen, 1992-2017. http://documentation.gabi-software.com/
PE 2012 ILCD Handbook: General guide for Life Cycle Assessment - Detailed guidance European Commission-Joint Research Centre - Institute for Environment and Sustainability: International Reference Life Cycle Data System (ILCD) Handbook- Recommendations for Life Cycle Impact Assessment in the European context. First edition November 2011. EUR 24571 EN. Luxemburg. Publications Office of the European Union; 2011 STANDARDS AND LAWS DIN EN ISO 14044 Environmental management - Life cycle assessment - Requirements and guidelines (ISO 14044:2006); English version EN ISO 14044 ISO 14025 2006 Environmental management - Life cycle assessment - Type III environmental declarations — Principles and procedures Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Environmental management	UL ENVIRONMENT	UL Environment's Program Operator Rules
Environmental management - Life cycle assessment - Requirements and guidelines (ISO 14044:2006); English version EN ISO 14044 EN ISO 14025: Environmental labels and declarations — Type III environmental declarations — Principles and procedures Environmental management - Life cycle assessment - Principles and framework (ISO 14040 2006); English version EN ISO 14040 Sustainability of construction works - Environmental product declarations - Methodology for selection and use of generic data; German version CEN/TR 15941 EN 16810 Resilient, textile and laminate floor coverings - Environmental product declarations - Product category rules Resilient floor coverings - Specification for plain and decorative linoleum REGULATION (EU) No 305/2011 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC	ILCD Handbook: General guide for Life Cycle Assessment -	European Commission-Joint Research Centre - Institute for Environment and Sustainability: International Reference Life Cycle Data System (ILCD) Handbook- Recommendations for Life Cycle Impact Assessment in the European context. First edition November 2011. EUR 24571 EN. Luxemburg.
DIN EN ISO 14044 guidelines (ISO 14044:2006); English version EN ISO 14044 EN ISO 14025: Environmental labels and declarations — Type III environmental declarations — Principles and procedures Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Sustainability of construction works - Environmental product declarations - Methodology for selection and use of generic data; German version CEN/TR 15941 EN 16810 Resilient, textile and laminate floor coverings - Environmental product declarations - Product category rules Resilient floor coverings - Specification for plain and decorative linoleum REGULATION (EU) No 305/2011 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC	STANDARDS AND LAWS	
ISO 14025 2006 CEN/TR 15941 Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040 Sustainability of construction works - Environmental product declarations - Methodology for selection and use of generic data; German version CEN/TR 15941 Resilient, textile and laminate floor coverings - Environmental product declarations - Product category rules Resilient floor coverings - Specification for plain and decorative linoleum	DIN EN ISO 14044	Environmental management - Life cycle assessment - Requirements and guidelines (ISO 14044:2006); English version EN ISO 14044
ISO 14040 2006 (ISO 14040); English version EN ISO 14040 Sustainability of construction works - Environmental product declarations - Methodology for selection and use of generic data; German version CEN/TR 15941 Resilient, textile and laminate floor coverings - Environmental product declarations - Product category rules Resilient floor coverings - Specification for plain and decorative linoleum REGULATION (EU) No 305/2011 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC	ISO 14025 2006	EN ISO 14025: Environmental labels and declarations — Type III environmental declarations — Principles and procedures
Methodology for selection and use of generic data; German version CEN/TR 15941 Resilient, textile and laminate floor coverings - Environmental product declarations - Product category rules Resilient floor coverings - Specification for plain and decorative linoleum REGULATION (EU) No 305/2011 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC	ISO 14040 2006	Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040
Resilient floor coverings - Specification for plain and decorative linoleum REGULATION (EU) No 305/2011 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC	CEN/TR 15941	Methodology for selection and use of generic data; German version CEN/TR
REGULATION (EU) No 305/2011 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC Regulator textile and laminate floor coverings. Classification	EN 16810	Resilient, textile and laminate floor coverings - Environmental product declarations - Product category rules
CPR THE COUNCIL of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC	ISO 24011	Resilient floor coverings - Specification for plain and decorative linoleum
EN-ISO 10874 Resilient, textile and laminate floor coverings – Classification	CPR	REGULATION (EU) No 305/2011 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC
	EN-ISO 10874	Resilient, textile and laminate floor coverings – Classification





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Life Cycle Assessment

Marmoleum Striato & Walton



LCA study conducted by:
Forbo Flooring
Industrieweg 12
1566 JP Assendelft
The Netherlands

December 2018





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Authors:

Floris Zeitler, Forbo

Forbo Flooring BV Industrieweg 12

1566 JP Assendelft, The Netherlands
Tel. +31 (0) 75 6477477
Fax +31 (0) 75 6477707
E-mail floris.zeitler@forbo.com
Internet www.forbo-flooring.com

Nomenclature

Abbreviation Explanation

ADPF Abiotic Depletion Potential Fossil
ADPE Abiotic Depletion Potential Elements

AP Acidification Potential

BLBSB Benefits and Loads Beyond the System Boundary

CRU Components for re-use

EE Exported energy per energy carrier

EP Eutrophication Potential

EPD Environmental Product Declaration FCSS Floor covering standard symbol

FW Use of net fresh water **GWP** Global Warming Potential **HWD** Hazardous waste disposed LCA Life Cycle Assessment LCI Life Cycle Inventory analysis Life Cycle Impact Assessment **LCIA** Materials for energy recovery MER Materials for recycling MFR

NRSF Use of non-renewable secondary fuels
ODP Ozone Layer Depletion Potential

PENRE Use of non-renewable primary energy excluding non-renewable primary energy resources used as

raw materials

PENRM Use of non-renewable primary energy resources used as raw materials

PENRT Total use of non-renewable primary energy resources

PERE Use of renewable primary energy excluding renewable primary energy resources used as raw

materials

PERM Use of renewable primary energy resources used as raw materials

PERT Total use of renewable primary energy resources

PCR Product Category Rules

POCP Photochemical Ozone Creation Potential RSF Use of renewable secondary fuels

RSL Reference Service Life
RWD Radioactive waste disposed
SM Use of secondary material





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

General

The present LCA study of the company Forbo Flooring, a manufacturer of resilient floor coverings, has been performed by Forbo Flooring and has been conducted according to the requirements of the European Standard EN16810 "Resilient, textile and laminate floor coverings – Environmental product declarations – Product category rules". The LCA report was sent to verification on 14/12/18

Scope

This document is the LCA report for the "Environmental Product Declaration" (EPD) of "Marmoleum Striato & Walton". The provision of an LCA report is required for each EPD of the EPD-program holder (UL Environment). This document shows how the calculation rules were applied and describes additional LCA information on the Life Cycle Assessment in accordance with the requirements of ISO 14040 series.

Content, structure and accessibility of the LCA report

The LCA report provides a systematic and comprehensive summary of the project documentation supporting the verification of an EPD.

The report documents the information on which the Life Cycle Assessment is based, while also ensuring the additional information contained within the EPD complies with the requirements of ISO 14040 series.

The LCA report contains all of the data and information of importance for the details published in the EPD. Care has been given to all explanations as to how the data and information declared in the EPD arises from the Life Cycle Assessment.

The verification of the EPD is aligned towards the structure of the rule document based on ISO 14025, EN 15804 and EN16810.

Goal of the study

The reason for performing this LCA study is to publish an EPD based on EN 16810, EN15804 and ISO 14025. This study contains the calculation and interpretation of the LCA results for Marmoleum Striato & Walton complying with EN-ISO 24011.

Manufactured by Forbo Flooring BV Industrieweg 12 1566JP Assendelft The Netherlands.

The following life cycle stages were considered:

- Product stage
- Transport stage
- Installation stage
- Use stage
- End-of-life stage
- Benefits and loads beyond the product system boundary

The main purpose of EPD is for use in business-to-business communication. As all EPD are publicly available on the website of UL Environment and therefore are accessible to the end consumer they can also be used in business-to-consumer communication.

The intended use of the EPD is to communicate environmentally related information and LCA results to support the assessment of the sustainable use of resources and of the impact of construction works on the environment





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Scope of the study

Declared / functional unit

The declaration refers to the declared/functional unit of 1m² installed flooring product.

Declaration of construction products classes

The LCA report refers to a manufacturer declaration of type 1a): Declaration of a specific product from a manufacturer's plant.

These products are also known under the following brand names:

Marmoleum Striato original, Striato Colour, Striato Textura, Walton Uni

They are produced at the following manufacturing site: Forbo Flooring BV Industrieweg 12 1566JP Assendelft The Netherlands





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Product Definition


Product Classification and description

Marmoleum is a resilient floor covering complying with all the requirements of EN-ISO 24011: Specification for plain and decorative linoleum. Marmoleum is made from natural raw materials making it a preferable ecological and durable floor covering with a beautiful and colorful design. The key raw materials include linseed oil, which comes from the flax plant seeds, gum rosin from pine trees, recycled wood waste of wood from controlled forests, limestone and jute from the jute plant which is used for the backing. Because of the use of natural raw materials Marmoleum can be composted in an appropriate composting facility.

Linoleum is produced by Forbo Flooring for more than 150 years and our well-known brand Marmoleum is sold worldwide. This declaration refers to Marmoleum Striato & Walton sheet 2.5 mm nominal thickness covering a broad range of designs and colors:

Striato Original, Striato Colour, Striato Textura, Walton Uni

Marmoleum is build up in 3 layers as illustrated in the figure 1. These three layers form one homogeneous product by the cross linking bondings formed during the oxidative curing process :



- Surface layer: This layer gives Marmoleum its design and color. After finishing the product at the trimming department a factory finish is applied to protect the surface layer.
- 2. Intermediate layer: This layer is calendared on the jute backing and contains reused Linoleum.
- 3. Backing: The backing is woven jute.

The declaration refers to the declared/functional unit of 1m² installed flooring product.

Range of application

Marmoleum is classified in accordance with EN-ISO 24011 to be installed in the following use areas defined in EN-ISO 10874:

Area of application	Domestic Commercial		Industrial	
Marmoleum sheet 2½ mm			43	





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Product Standard

The products considered in this EPD have the following technical specifications:

Meets or exceeds all technical requirements in ASTM F 2034 Standard Specification for Linoleum Sheet Flooring. Meets or exceeds all technical requirements in EN-ISO 24011 Specification for plain and decorative Linoleum.

 ϵ

Marmoleum meets the requirements of EN 14041

EN 13501-1 Reaction to fire Cfl - s1 EN 13893 Slip resistance DS: \geq 0.30 EN 1815 Body voltage < 2 kV

EN 12524 Thermal conductivity 0.17 W/mK

Fire Testing:

Class 1 when tested in accordance with ASTM E 648/NFPA 253, Standard Test Method for Critical Radiant Flux.

Meets 450 or less when tested in accordance with ASTM E 662/NFPA 258, Standard Test Method for Smoke Density.

Class C when tested in accordance to ASTM E 84/NFPA 255, Standard Test Method for Surface Burning Characteristics.

FSC1-150; SD-160 when tested in accordance to CAN/ULC S102.2, Standard Test Method for Flame Spread Rating and Smoke Development.

Emission testing:

AgBB requirements following EN ISO 16000-9 Indoor Air Emissions: TVOC at 28 days

French act Grenelle: A+

Compliant with CHPS 01350 requirements for VOC emissions and indoor air quality.

Accreditation

- ISO 9001 Quality Management System and ISO 14001 Environmental Management System
- OHSAS 18001 Occupational Health and Safety Management Systems
- SA 8000 Social Accountability standard
- SWAN
- o Nature Plus
- Umwelt zeichen
- Der Blaue Engel





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Delivery status

Characteristics	Nominal Value	Unit
Product thickness	2.5	mm
Product Weight		
2.5 mm	3000	g/m²
Rolls Width	2.00	meter
Length	< 32	

Material Content

Component	Material	Availability	Amount [%]	Origin
	Linseed oil	Bio based crop	24	USA/Canada/Europe
Binder	Gum rosin	Bio based crop	2	Indonesia/China
Dilluei	Tall oil	Bio based waste product from	12	USA
		paper Industry		
	Wood flour	Bio based waste product from	31	Germany
Filler		wood processing		_
	Calcium carbonate	Abundant mineral	17	Germany
Diamont	Titanium dioxide	Limited mineral	3	Global
Pigment	Various other pigments	Limited mineral	1	Global
Backing	Jute	Bio based crop	9	India/Bangladesh
Finish	Lacquer	Fossil limited	1	Netherlands

Production of Main Materials

- Linseed oil: Linseed oil is obtained by pressing the seeds of the flax plant. After filtering a clear golden yellow liquid remains.
- Gum rosin: Rosin is obtained by wounding pine trees. The crude gum is collected and is separated into turpentine and rosin by distillation.
- Tall oil: Tall oil is a post industrial waste product coming from the paper industry and is consisting of vegetable oil and rosin.
- Wood flour: Postindustrial bio based soft wood waste from the wood industry, which is milled into flour.
- Calcium carbonate: An abundant mineral found in all parts of the world as the chief substance in rocks (i.e., marble and limestone). It can be ground to varying particle sizes and is widely used as filler.
- Titanium dioxide: A white pigment produced from the mineral rutile, a naturally occurring form of titanium dioxide. The production of the pigment is a large-scale chemical process
- Various other pigments: The vast majority of the used colour pigments are iron oxide based.
- Jute: Jute fibre is extracted from the stem of the jute plant by floating it in water. For yarn production fibre bands are obtained by carding, stretching, spinning, warping and sizing. Finally the yarn is woven.
- Lacquer: The factory applied lacquer Topshield 2 is a waterborne UV cured double layer factory coating acrylate hybrid dispersion.






Marmoleum Striato & Walton
Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Production of the Floor Covering



Marmoleum is produced in several stages starting with the oxidation of linseed oil mixed with tall oil and rosin. With the influence of oxygen from the atmosphere a tough sticky material is obtained called linoleum cement. The linoleum cement is stored in containers for a few days for further reaction and after this it is mixed with wood flour, calcium carbonate, reused waste (if applicable), titanium dioxide and pigments. This mixture is calendared on a jute substrate and stored in drying rooms, to cure till the required hardness is reached. After approximately 14 days the material is taken out from the drying room to the trimming department where the factory finish is applied on the surface of the product and the end inspection is done. Finally the edges are trimmed and the sheet is cut to length into rolls of approximately 32 meter. The trimmings and the rejected product are reused.

Health, Safety and Environmental Aspects during Production

- o ISO 14001 Environmental Management System
- OHSAS 18001 Occupational Health and Safety Management Systems
- SA 8000 Social Accountability standard

Production Waste

Rejected material and the cuttings of the trimming stage are being reused in the manufacturing process. Packaging materials are being collected separately and externally recycled.

Delivery and Installation of the Floor Covering

Delivery

A worldwide distribution by truck and container ship is considered. On average every square meter of Marmoleum is transported as follows:

0	Transport distance 40 t truck	634 km
0	Transport distance 7.5t truck (Fine distribution)	162 km
0	Capacity utilization trucks (including empty runs)	85 %
0	Transport distance Ocean ship	2290 km
0	Capacity utilization Ocean ship	48%





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Installation

Because of the specific techniques used during the installation of Marmoleum 6% of the material is cut off as installation waste. For installation of Marmoleum on the floor an average scenario has been modeled (assuming 0.280 kg/m² of adhesive is required).

Waste during the installation process may be recycled as floor covering through the manufacturers' facilities or thermally recycled in a waste incineration plant. Since the major part of Marmoleum is sold in Europe the European electricity grid mix is used in the calculations for the energy recovery during incineration.

Health, Safety and Environmental Aspects during Installation

Forbo flooring recommends to use a low emission EC1 adhesive for installing Marmoleum.

Waste

Waste during the installation process may be recycled as floor covering through the manufacturers' facilities or thermally recycled in a waste incineration plant. Since the major part of Marmoleum is sold in Europe the European electricity grid mix is used in the calculations for the energy recovery during incineration.

Packaging

Cardboard tubes and packaging paper can be collected separately and should be used in a local recycling process. In the calculation model 100% incineration is taken into account for which there is a credit received.

Use stage

The service lifetime of a floor covering for a certain application on a floor is too widespread to give one common number. For this EPD model the reference service lifetime (RSL) is set to one year. This means that all impacts for the use phase are based on the cleaning and maintenance model for one year. Depending on the area of use, the technical lifetime advised by the manufacturer and the estimated time on the floor by the customer, the service lifetime can be determined. The use phase impacts should be calculated with the foreseen service life to arrive at the total environmental impact.

Cleaning and Maintenance

Level of use	Cleaning Process	Cleaning Frequency	Consumption of energy and resources
Commercial/Residential/Industrial	Vacuuming	Twice a week	Electricity
	Damp mopping	Once a week	Hot water
			Neutral detergent

For the calculations the following cleaning regime is considered:

- Dry cleaning with a 1.5 kW vacuum cleaner for 0.21 min/m², twice a week. This equates to 0.55 kWh/m²*year.
- Once a week wet cleaning with 0.062 l/m² water and 0.0008 kg/m² detergent. This result in the use of 3.224 l/m²*year water and 0.04 kg/m²*year detergent. The wet cleaning takes place without power machine usage. Waste water treatment of the arising waste water from cleaning is considered.

The cleaning regime that is recommended in practice will be highly dependent on the use of the premises where the floor covering is installed. In high traffic areas more frequent cleaning will be needed compared to areas where there is





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

low traffic. The use of an entrance mat of at least four steps will reduce the cleaning frequency. The cleaning regime used in the calculations is suitable for high traffic areas.

Prevention of Structural Damage

All newly laid floors should be covered and protected from with a suitable non-staining protective covering if other building activities are still in progress.

Use protective feet on chairs and tables to reduce scratching. Castor wheels should be suitable for resilient floor coverings

Health Aspects during Usage

Marmoleum is complying with:

- o AgBB requirements
- o French Act Grenelle: A+
- o CHPS section 01350

End of Life

The deconstruction of installed Marmoleum from the floor is done mechanically and the electrical energy needed for this is estimated to be 0.03 kWh/sqm. This amount of energy is taken into account for the calculations. For the end of life stage no landfilling is taken into account, since the vast majority of the countries in which Marmoleum is sold are having a non landfill policy. Because of the high calorific value of Marmoleum the incineration is very profitable as a waste to energy conversion.





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Life Cycle Assessment

A full Life Cycle Assessment has been carried out according to ISO 14040 and ISO 14044.

The following Life Cycle Stages are assessed:

- A1-3: Product Stage (Raw material acquisition, transportation to Manufacturing and Manufacturing)
- o A4-5: Construction process stage (Transport Gate to User, installation flooring)
- o B2: Use Stage (Maintenance of the floor)
- C1-4: End of Life Stage (Deconstruction, transport, waste processing, Disposal)
- D: Benefits and loads beyond the system boundary (Reuse, recovery, recycling potential)




Figure 3: Flow chart of the Life Cycle Assessment

Comparisons of different floor coverings are only allowed, where EN 15804 consistent and/or preverified background data and EN 15804 consistent calculation methods and database versions are used and when the building context is taken into account, i.e. on the basis of the same use-classification (EN ISO 10874), same service life and comparable assumptions for the end of life.

Description of the declared Functional Unit

The functional unit is one square meter of installed product and the use stage is considered for one year of service life.

Cut off Criteria

The cut-off criteria shall be 1% of renewable and non-renewable primary energy usage and 1% of the total mass of the unit process. The total neglected input flows per module shall be a maximum of 5% of energy usage and mass.

In practice, in this assessment, all data from the production data acquisition are considered, i.e. all raw materials used as per formulation, use of water, electricity and other fuels, the required packaging materials, and all direct production waste. Transport data on all considered inputs and output material are also considered.

LCA Data

As a general rule, specific data derived from specific production processes or average data derived from specific





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

production processes have been used as the first choice as a basis for calculating an EPD.

For life cycle modeling of the considered products, the GaBi 6 Software System for Life Cycle Engineering, developed by THINKSTEP AG, has been used. All relevant LCA datasets are taken from the GaBi 6 software database. The datasets from the database GaBi are documented in the online documentation. To ensure comparability of results in the LCA, the basic data of GaBi database were used for energy, transportation and auxiliary materials.

Data Quality

The requirements for data quality and LCA data correspond to the specifications of the PCR.

Foreground data are based on 1 year averaged data (year 2017). The reference ages of LCA datasets vary but are given in the table in the Appendix. The time period over which inputs to and outputs from the system is accounted for is 100 years from the year for which the data set is deemed representative. The technological LCA of the collected data reflects the physical reality of the declared product. The datasets are complete, conform to the system boundaries and the criteria for the exclusion of inputs and outputs and are geographical representative for the supply chain of Forbo flooring.

For life cycle modeling of the considered products the GaBi 6 Software System for Life Cycle Engineering, developed by THINKSTEP AG, is used. All relevant LCA datasets are taken from the GaBi 6 software database. The last revision of the used data sets took place within the last 10 years.

Table 3: LCA datasets used in the LCA model

Data set	Region	Reference year
Linseed oil	Germany	2012
Limestone flour	Germany	2018
Tall oil	Europe	2012
Iron oxide	Germany	2012
Pigment	Germany	2007
Titanium dioxide	Europe	2012
Wood flour	Europe	2017
Colophony	France	2012
Jute	India	2012
Urethane / acrylic hybrid dispersion	Europe	2018
Water (desalinated; deionized)	Germany	2018
Detergent (ammonia based)	Germany	2007
Adhesive for resilient flooring	Germany	2012
Waste incineration of particle board	Europe	2018
Paper/cardboard incineration	Europe	2018
Electricity from Hydro power	Norway	2018
Power grid mix	Europe	2018
Thermal energy from natural gas	Netherlands	2018
Thermal energy from natural gas	Europe	2018
Trucks	Global	2018
Municipal waste water treatment (50% agricultural sludge application, 50% sludge incineration).	Germany	2018
Municipal waste water treatment (Sludge incineration).	Germany	2018
Waste incineration of paper/cardboard	Europe	2018





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Data set	Region	Reference year
Container ship	Global	2018
Diesel mix at refinery	Europe	2018
Heavy fuel oil at refinery (1.0wt.% S)	Europe	2018
Corrugated board	Europe	2018
Kraft liner (paper)	Europe	2018
Tap water	Europe	2018

The documentation of the LCA data sets can be taken from the GaBi documentation.

System Boundaries

<u>Production Stage</u> includes provision of all materials, products and energy, packaging processing and its transport, as well as waste processing up to the end-of waste state or disposal of final residues during the product stage.

<u>Transport and Installation Stage</u> includes provision of all materials, products and energy, as well as waste processing up to the end-of-waste state or disposal of final residues during the construction stage. These information modules also include all impacts and aspects related to any losses during this construction stage (i.e. production, transport, and waste processing and disposal of the lost products and materials). For the transportation a worldwide distribution is considered.

<u>Use Stage</u> includes provision and transport of all materials, products and related energy and water use, as well as waste processing up to the end-of-waste state or disposal of final residues during this part of the use stage. These information modules also include all impacts and aspects related to the losses during this part of the use stage (i.e. production, transport, and waste processing and disposal of the lost products and materials).

<u>End of Life Stage</u> includes provision and all transports, provision of all materials, products and related energy and water use. It also includes any declared benefits and loads from net flows leaving the product system that have not been allocated as co-products and that have passed the end-of-waste state in the form of reuse, recovery and/or recycling potentials.

Power mix

The selection of LCA data for the electricity generation is in line with the PCR.

The products are manufactured in Assendelft, the Netherlands. The GaBi 6 Hydropower dataset has therefore been used (reference year 2018). The energy supplier is providing Forbo with a certificate every year.

CO₂-Certificates

No CO₂-certificates are considered in this study.

Allocations

In the present study some allocations have been made. Detailed explanations can be found in the chapters below.

Co-product allocation

No co-product allocation occurs in the product system.





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Allocation of multi-Input processes

The Production and End of Life stage include incineration plants. In these processes different products are treated together within a process. The allocation procedures followed in these cases are based on a physical classification of the mass flows or calorific values.

Credits from energy substitution are allocated to the production stage, because the gained energy from energy substitution is lower than the energy input in this stage. The same quality of energy is considered.

Allocation procedure of reuse, recycling and recovery

The installation waste and end of life waste is fed into incineration processes. Incineration processes include cogeneration processes which give thermal and power energy as outputs. It is assumed that this recovered energy offsets that produced by the European average grid mix and thermal energy generation from natural gas.

Description of the allocation processes in the LCA report

The description of allocation rules in of this LCA report meets the requirements of the PCR.

Description of the unit processes in the LCA report

The modeling of the unit processes reported for the LCA are documented in a transparent way, respecting the confidentiality of the data present in the LCA report.

In the following tables the type and amount of the different input and output flows are listed for 1m² produced flooring; installed flooring includes the material loss during installation (6%):

Table 4: Composition of linoleum surface layer

Process data	Unit	Marmoleum Striato & Walton
Limestone flour	kg/m2	0.487
Linseed oil	kg/m2	0.677
Iron oxide (Fe ₂ O ₃)	kg/m2	0.016
Pigment	kg/m2	0.003
Colophony (rosin)	kg/m2	0.059
Tall oil (Bio based waste product from paper Industry)	kg/m2	0.333
Titanium dioxide	kg/m2	0.080
Wood flour (Bio based waste product from wood processing)	kg/m2	0.866

Table 6: Composition of linoleum substrate layer

Process data	Unit	Marmoleum	
Jute	kg/m2	0.260	
Table 7: Composition of lacquer			

Process data	Unit	Marmoleum
Urethane / acrylic hybrid dispersion	kg/m2	0.0140
Water (desalinated: demonized)	ka/m2	0.0210





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Table 8: Production related inputs/outputs

Process data	Unit	Marmoleum Striato & Walton
INPUTS	·	
Linoleum surface layer	kg	2.98
Linoleum substrate layer	kg	0.26
Lacquer	kg	0.04
Electricity	MJ	8.43
Thermal energy from natural gas	MJ	15.75
OUTPUTS		
Marmoleum	kg	2.82
Waste	kg	0.45

Table 9: Packaging requirements (per m² manufactured product)

Process data	Unit	Marmoleum Striato & Walton
Corrugated board boxes	kg	0.057
Kraftliner (paper)	kg	0.020

Table 10: Transport distances

Process data	Unit	Road	Truck size	Ship
Limestone flour	km	498	14 - 20t gross weight /	-
Linseed oil	km	212	11,4t payload capacity	2740
Iron oxide (Fe ₂ O ₃)	km	263		-
Pigment	km	379		-
Colophony (rosin)	km	246		15800
Tall oil	km	100		7060
Titanium dioxide	km	112		-
Wood flour	km	355		-
Jute	km	155		14800
Lacquer	km	2		-
Corrugated board boxes	km	115		-
Kraftliner (paper)	km	942		-
Transport to construction site :		796	34 - 40 t gross weight /	2290
-Transport distance 40 t truck		634	27t payload capacity	
	km		7,5 t - 12t gross weight	
	KIII		/ 5t payload capacity	
-Transport distance 7.5t truck (Fine distribution)		162		
Waste transport to incineration	km	100	7,5 t - 12t gross weight / 5t payload capacity	-





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Table 11: Inputs/outputs from Installation

Process data	Unit	Marmoleum 2.5 mm		
INPUTS	·			
Marmoleum	kg	2.99		
Adhesive (30% water content) - Water - Acrylate co-polymer - Styrene Butadiene co-polymer - Limestone flour - Sand	kg	0.28		
OUTPUTS				
Installed Marmoleum	kg	2.82		
Installation Waste (Marmoleum and packaging)	kg	0.17		

Table 12: Inputs from use stage (per m².year of installed product)

Process data	Unit	Marmoleum
Detergent	kg/year	0.04
Electricity	kWh/year	0.55
Water	kg/year	3.224

Table 13: Disposal

Process data	Unit	Marmoleum
Post-consumer Marmoleum to incineration	%	100

Life Cycle Inventory Analysis

In table 14 the environmental impacts for one lifecycle are presented for Marmoleum Striato & Walton. In the table 15 the environmental impacts are presented for all the lifecycle stages.

Table 14: Results of the LCA - Environmental impacts one lifecycle (one year) - Marmoleum Striato & Walton

Impact Category : CML 2001 – Jan. 2016	Marmoleum Striato & Walton	Unit
Global Warming Potential (GWP 100 years)	5,65E+00	kg CO2-Equiv.
Ozone Layer Depletion Potential (ODP. steady state)	2,00E-08	kg R11-Equiv.
Acidification Potential (AP)	4,42E-02	kg SO2-Equiv.
Eutrophication Potential (EP)	1,08E-02	kg Phosphate- Equiv.
Photochem. Ozone Creation Potential (POCP)	1,64E-03	kg Ethene-Equiv.
Abiotic Depletion Potential Elements (ADPE)	2,96E-06	kg Sb-Equiv.
Abiotic Depletion Potential Fossil (ADPF)	6,27E+01	[MJ]





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Table 15: Results of the LCA - Environmental impact for Marmoleum Striato & Walton (one year)

•	itegory : CML Jan. 2016	Manufacturing	Instal	lation	Use (1yr)	End of Life			Credits
Parameter	Unit	A1-3	A4	A5	B2	C1	C2	C3	D
GWP	[kg CO ₂ -Eq.]	-1,10E-01	4,47E-01	6,61E-01	3,16E-01	2,17E-01	1,96E-02	5,06E+00	-9,62E-01
ODP	[kg CFC11-Eq.]	1,76E-08	7,08E-15	3,23E-10	2,06E-09	9,63E-13	5,34E-16	1,07E-13	-2,12E-12
AP	[kg SO ₂ -Eq.]	3,82E-02	3,63E-03	8,48E-04	7,82E-04	6,15E-04	4,75E-05	1,66E-03	-1,63E-03
EP	[kg PO ₄ ³⁻ - Eq.]	9,82E-03	4,76E-04	1,34E-04	1,07E-04	5,77E-05	1,21E-05	4,15E-04	-1,76E-04
POCP	[kg Ethen Eq.]	1,61E-03	-1,06E-04	7,92E-05	5,51E-05	3,85E-05	-1,64E-05	1,06E-04	-1,27E-04
ADPE	[kg Sb Eq.]	2,80E-06	1,74E-08	8,80E-08	1,58E-07	1,15E-07	1,60E-09	5,28E-08	-2,75E-07
ADPF	[MJ]	5,69E+01	3,66E+00	8,06E+00	3,53E+00	2,31E+00	2,66E-01	1,22E+00	-1,32E+01

GWP = Global warming potential; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential of land and water; EP = Eutrophication potential; POCP = Formation potential of tropospheric ozone photochemical oxidants; ADPE = Abiotic depletion potential for non-fossil resources; ADPF = Abiotic depletion potential for fossil resources

Parameters describing resource use

In the table 16 the parameters describing resource use are presented for all the lifecycle stages.

Table 16: Results of the LCA – Resource use for Marmoleum Striato & Walton (one year)

		Manufacturing	Instal	lation	Use (1yr)		End of Life	;	Credits
Parameter	Unit	A1-3	A4	A5	B2	C1	C2	C3	D
PERE	[MJ]	5,91E+01	-	-	-	-	-	1	-
PERM	[MJ]	1,16E+01	-	-	-	-	-	-	-
PERT	[MJ]	7,07E+01	1,40E-01	2,94E-01	1,58E+00	1,49E+00	1,47E-02	1,87E-01	-3,28E+00
PENRE	[MJ]	1,90E+01	-	-	-	-	-	-	-
PENRM	[MJ]	4,09E+01	-	-	-	-	-	1	-
PENRT	[MJ]	5,99E+01	3,68E+00	8,25E+00	5,40E+00	3,96E+00	2,67E-01	1,41E+00	-1,68E+01
SM	[kg]	4,75E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
RSF	[MJ]	2,21E-09	1,33E-29	3,53E-21	3,48E-24	0,00E+00	1,44E-30	1,75E-23	0,00E+00
NRSF	[MJ]	2,60E-08	2,02E-28	4,15E-20	4,09E-23	5,88E-30	2,19E-29	2,06E-22	-1,29E-29
FW	[m ³]	5,71E-02	2,58E-04	1,98E-03	2,38E-03	2,03E-03	2,71E-05	1,16E-02	-4,47E-03

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources; SM = Use of secondary materials; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Use of net fresh water





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Other environmental information describing different waste categories and output flows

In the tables 17 other environmental information describing different waste categories and output flows are presented for all the lifecycle stages.

Table 17: Results of the LCA - Output flows and Waste categories for Marmoleum Striato & Walton (one year)

		Manufacturing	Transport	Installation	Use (1yr)	End of Life/credits			
Parameter	Unit	A1-3	A4	A5	B2	C1	C2	C3	D
HWD	[kg]	7,24E-08	1,43E-07	3,26E-09	2,17E-09	1,86E-09	1,54E-08	7,95E-10	-6,87E-09
NHWD	[kg]	2,53E-01	2,14E-04	3,54E-03	1,30E-02	2,79E-03	2,24E-05	1,08E-02	-7,27E-03
RWD	[kg]	1,20E-03	4,82E-06	7,46E-05	7,17E-04	6,56E-04	3,65E-07	7,46E-05	-1,44E-03
CRU	[kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
MFR	[kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
MER	[kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
EE Power	[MJ]	0,00E+00	0,00E+00	3,79E-01	0,00E+00	0,00E+00	0,00E+00	5,77E+00	0,00E+00
EE Thermal		0,00E+00	0.00E+00	6,75E-01	0.00E+00	0.00E+00	0.00E+00	1.02E+01	0,00E+00
energy	[MJ]	,	-,	,	-,	-,	-,	,-	,
HWD = Hazardous waste disposed; NHWD = Non-hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER =									

Materials for energy recovery; EE = Exported energy per energy carrier


The relative contribution of each process stage to each impact category for Marmoleum Striato & Walton is shown in figure 4.






Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804





Interpretation

The interpretation of the results has been carried out considering the assumptions and limitations declared in the EPD, both methodology- and data-related for a <u>one year usage</u>.

The LCA for GWP reflects the use of renewable raw materials for the production of Marmoleum (linseed oil and jute). Carbon dioxide, a greenhouse gas, is locked in from the atmosphere in the course of the plant growth via photosynthesis and stored during the use stage. This carbon dioxide is not released until the end of life when it is incinerated with energy recovery – this process accounts for the greatest emission of greenhouse gases in the life cycle of the product.

For the production stage of Marmoleum Striato & Walton the uptake of CO₂ is higher than the emission of greenhouse gasses resulting in a slightly negative life cycle stage.

In the other 6 impact categories (ODP, AP, EP, POCP, ADPE, ADPF) the production stage has the main contribution to the overall impact. For these categories the main contributor in the production stage is the raw material extraction and processing with a share of 66-100% of total impacts from the production stage.

Forbo declares in the EPD a worldwide distribution by truck (796 km) and container ship (2290 km). For this scenario





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

the transport has a relevance of 4%-8% in the impact categories GWP, AP, EP and ADPF.

The negative impact for POCP for the transportation stage is remarkable, but it is assumed that NO and CO reduces the accumulated ozone to NO2, CO2 and O2. This means, that high concentrations of ozone do not often occur near hydrocarbon emission sources. Higher ozone concentrations more commonly arise in areas of clean air, such as forests, where there is less NO and CO.

For GWP and ADPF the adhesive for the flooring installation has a significant impact. The LCA for the installation is based on an assumption of 280 g/m² adhesive.

The use stage is calculated for one year of service life time with a conservative scenario based on a cleaning regime suitable for high traffic areas. The electricity and detergent used to clean the floor are the main contributors for this life cycle stage.

Energy recovery from incineration and the respective energy substitution at the end of life results in a credit as reported in the End of Life stage.

Additional Environmental Information

To be fully transparant Forbo Flooring does not only want to declare the environmental impacts required in the PCR, but also the impacts on human health and eco-toxicity.

Toxicity

For this calculations the USEtoxTM model is used as being the globally recommended preferred model for characterization modelling of human and eco-toxic impacts in LCIA by the United Nations Environment Programme SETAC Life Cycle Initiative.

According to the "ILCD Handbook: Recommendations for Life Cycle Impact Assessment in the European context" the recommended characterization models and associated characterization factors are classified according to their quality into three levels:

- Level I (recommended and satisfactory),
- o level II (recommended but in need of some improvements)
- o level III (recommended, but to be applied with caution).

A mixed classification sometimes is related to the application of the classified method to different types of substances. USEtoxTM is classified as Level II / III, unlike for example the CML impact categories which are classified as Level I.

Table 18: Results of the LCA – Environmental impacts one lifecycle (one year) – Marmoleum Striato & Walton

	, , , , ,	
Impact Category : USEtox	Marmoleum Striato & Walton	Unit
Eco toxicity	3,96E-03	PAF m3.day
Human toxicity, cancer	2,99E-10	Cases
Human toxicity, non-canc.	6,97E-11	Cases





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

In the following table the impacts are subdivided into the lifecycle stages.

Table 19: Results of the LCA – Environmental impact for Marmoleum Striato & Walton (one year)

Impact Category : USEtox	Unit	Production	Transport	Installation	Use (1yr)	End of Life
Eco toxicity	PAF m3.day	2,12E-03	8,55E-04	8,29E-04	4,43E-04	-2,79E-04
Human toxicity, cancer	cases	3,19E-10	8,09E-13	1,47E-11	1,23E-11	-4,74E-11
Human toxicity, non-canc.	cases	1,66E-11	3,49E-13	5,29E-11	7,13E-13	-9,12E-13

Interpretation

The interpretation of the results has been carried out considering the assumptions and limitations declared in the EPD, both methodology- and data-related for a one year usage.

The Eco-toxicity is mostly dominated by the production stage in which the raw materials are having the biggest impact with a share of around 44%. The other main contributors in the production stage are the thermal energy and the packaging of the end product during manufacturing. Other main contributor of the total life cycle are the transport to the customer and the adhesive used for installing the floor.

In the Human toxicity (cancer) the largest contribution is coming from the production stage where the thermal energy used in the manufacturing is contributing 70% to the total impact. Other minor contributions come from the Installation (Adhesive) and Use stage (Electricity). For the End of Life stage energy recovery from incineration and the respective energy substitution at the end of life results in a credit.

For Human toxicity (non-canc.) by far the biggest impact of 74% is coming from the installation stage, where the contribution of the adhesive is predominating this life cycle stage. A much smaller but significant contribution to the total impact is coming from the production stage where the main contributor is the raw material extraction and processing with a factor of 78%.





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Interpretation main modules and flows

The interpretation of the main modules and flows contributing to the total impact in each impact category is presented in following figures and tables.

Figure 5: relative contribution of each process stage to each impact category for Marmoleum Striato & Walton for a one year usage.




Table 20: Main modules and flows contributing to the total impact in each impact category for Marmoleum Striato & Walton for a one year usage

Impact Category	Stage	Module		Main contributor	Main contributing flows
GWP Transport		Raw Material Extraction	-1.34 kg CO ₂ -equiv.	Linseed oil (-1.86 kg CO ₂ eq.) Titanium dioxide (0.34 kg CO ₂ eq.)	Production : Renewable resources, Carbon dioxide
	Production	Transport of Raw materials	0.19 kg CO₂-equiv.	Means of transport (truck, container ship) and their fuels	Production : Inorganic emissions to air, Carbon dioxide
		Manufacturing	1.03 kg CO₂-equiv.	97% Thermal energy	
	Transport	Transport Gate to User		Means of transport (truck, container ship) and their fuels	Transport & Installation : Inorganic
	Installation	Installation		51% Adhesive 45% Incineration of cutting waste	emissions to air, Carbon dioxide





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Impact Category	Stage	Module		Main contributor	Main contributing flows	
	Use	Use		72% Electricity 27% Detergent and waste water treatment	Use : Inorganic emissions to air, Carbon dioxide	
	EOL	EOL		Incineration of post-consumer linoleum flooring Energy substitution from incineration	EOL : Inorganic emissions to air, Carbon dioxide	
	Production	Raw Material Extraction	100%	36% Tall oil 26% Titanium dioxide 15% Colophony 18% Linseed oil	Production : Halogenated organic emissions	
	Production	Transport of Raw materials Manufacturing	< 0.01%	Means of transport (truck, container ship) and their fuels 100% Paper and card	to air, R114 (Dichlorotetrafluorethane)	
ODP	Transport	Transport Gate to User		packaging Means of transport (truck, container ship) and their fuels	Transport & Installation : Halogenated organic emissions to air, R114	
	Use	Installation Use		100% Adhesive 100% Detergent	(Dichlorotetrafluorethane) Use: Halogenated organic emissions to air, R11 (Trichlorofluoromethane), R114 (Dichlorotetrafluorethane)	
	EOL	EOL		Energy substitution from incineration	EOL: Halogenated organic emissions to air, R114 (Dichlorotetrafluorethane)	
	Production	Raw Material Extraction	88%	46% Linseed oil 36% Titanium dioxide 11% Jute	Production : Inorganic emissions to air, Ammonia, NO _x , Sulphur dioxide Production : inorganic emissions to fresh	
		Transport of Raw materials Manufacturing	11% 1%	Means of transport (truck, container ship) and their fuels 78% Thermal energy	water, Hydrogen chloride	
AP	Transport	Transport Gate to User		Means of transport (truck, container ship) and their fuels	Transport & Installation : Inorganic emissions to air, NO _x , Sulphur dioxide	
	Use Use	Installation Use		88% Adhesive 83% Electricity 12% Detergent	Use : Inorganic emissions to air, Nitrogen oxides , Sulphur dioxide	
	EOL	EOL		Incineration of post-consumer linoleum flooring Energy substitution from incineration	EOL : Inorganic emissions to air, Nitrogen oxide, Sulphur dioxide	
	Production	Raw Material Extraction	95%	89% Linseed oil	Production : Inorganic emissions to air, Ammonia, NO _x	
	Floduction	Transport of Raw materials Manufacturing	4% 1%	Means of transport (truck, container ship) and their fuels 73% Thermal energy	Production: Inorganic emissions to fresh water, Nitrate, Nitrogen organic bounded, Phosphate	
	Transport	Transport Gate to User		Means of transport (truck, container ship) and their fuels	Transport & Installation : Inorganic	
EP	Installation	Installation		81% Adhesive 18% Incineration of cutting waste	emissions to air, NO _x	
	Use	Use		57% Electricity 43% Detergent and waste water treatment	Use : Inorganic emissions to air, NO _x	
	EOL	EOL		Incineration of post-consumer linoleum flooring Energy substitution from incineration	EOL : Inorganic emissions to air, NO _x	
POCP	Production	Raw Material Extraction	85%	45% Linseed oil 32% Titanium dioxide 10% Jute	Production : Inorganic emissions to air, Carbon monoxide, NO _x , Sulphur dioxide Production : Group NMVOC to air, NMVOC	
		Transport of 10%		Means of transport (truck,	(unspecified)	



Environment



Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Impact Category	Stage	Module		Main contributor	Main contributing flows
		Raw materials		container ship) and their fuels	
		Manufacturing	5%	94% Thermal energy	
	Transport	Transport Gate to User		Means of transport (truck, container ship) and their fuels	Transport & Installation : Inorganic emissions to air, NO _x
	Installation	Installation		93% Adhesive	Transport & Installation : Group NMVOC to air, NMVOC (unspecified)
	Use	Use		74% electricity 26% Detergent and waste water treatment	Use : Inorganic emissions to air, Sulphur dioxide
	EOL	EOL		Energy substitution from incineration	EOL: Inorganic emissions to air, Carbon monoxide, NO _x , Sulphur dioxide EOL: Group NMVOC to air, NMVOC (unspecified), Methane
	Production	Raw Material Extraction	86%	37% Tall oil 34% Titanium dioxide 14% Linseed oil	Production : Nonrenewable elements, Copper, Lead, Phosphorus Production : Nonrenewable resources,
		Transport of Raw materials	<0,5%	Means of transport (truck, container ship) and their fuels	Sodium chloride (Rock salt)
		Manufacturing	13%	81% Electricity	
ADPe	Transport	Transport Gate to User		Means of transport (truck, container ship) and their fuels	Transport & Installation : Non renewable resources, Lead-zinc ore
	Installation	Installation		96% Adhesive 76% Electricity	Use : Nonrenewable resources, Sodium
	Use	Use		24% Detergent and waste water treatment	chloride (Rock salt)
	EOL	EOL		Incineration of post-consumer linoleum flooring Energy substitution from incineration	EOI : Nonrenewable resources, Sodium chloride (Rock salt) EOL : Nonrenewable elements, Silver, Copper, Lead
	Production	Raw Material Extraction	66%	43% Linseed oil 29% Jute 16% Tall oil 11% TiO2	Production : Crude oil resource, Crude oil (in MJ) Production : Hard coal resource, hard coal (in MJ)
		Transport of Raw materials	4%	Means of transport (truck, container ship) and their fuels	Production : Natural gas (resource), Natural gas (in MJ)
		Manufacturing	30%	98% Thermal energy	
ADPf	Transport	Transport Gate to User		Means of transport (truck, container ship) and their fuels	Transport & Installation : Crude oil resource, Crude oil (in MJ)
	Installation	Installation		99% Adhesive	Transport & Installation : Natural gas (resource), Natural gas (in MJ)
	Use	Use		69% electricity 31% Detergent and waste water treatment	Use: Hard coal resource, hard coal (in MJ), Natural gas (in MJ)
	EOL	EOL		Energy substitution from incineration	EOL : Natural gas (resource), Natural gas (in MJ)
Ecotoxicity	Production	Raw Material Extraction	44%	49% Linseed oil 13% Jute hessian 13% Titanium dioxide 10% Lacquer	Production : Hydrocarbons to fresh water, Anthracene, Phenol (Hydroxy benzene),
		Transport of Raw materials	27%	Means of transport (truck, container ship) and their fuels	Methanol
		Manufacturing	29%	55% Packaging end product 44% Thermal energy	
	Transport	Transport Gate to User		Means of transport (truck, container ship) and their fuels	Transport & installation : Hydrocarbons to fresh water, Anthracene, Phenol (Hydroxy
	Installation	Installation		98% Adhesive	benzene), Methanol
	Use	Use		10% Detergent	Use: Hydrocarbons to fresh water,





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Impact Category	Stage	Module		Main contributor	Main contributing flows	
				88% Electricity	Anthracene, Phenol (Hydroxy benzene), Methanol	
	EOL	EOL		Energy substitution from incineration	EOL: Hydrocarbons to fresh water, Anthracene, Phenol (Hydroxy benzene), Methanol	
Human toxicity, cancer	Production	Raw Material Extraction	29%	19% Linseed oil 38% Jute 18% Tall oil 14% Titanium dioxide	Production : Group NMVOC to air, NMVOC	
		Transport of Raw materials Manufacturing	1% 70%	Means of transport (truck, container ship) and their fuels 99% Thermal energy	(unspecified), Formaldehyde (Methanal)	
	Transport	Transport Gate to User	1070	Means of transport (truck, container ship) and their fuels	Transport & Installation : Group NMVOC to air, NMVOC (unspecified), Formaldehyde	
	Installation	Installation		98% adhesive	(Methanal)	
	Use	Use		15% Detergent 84% Electricity	Use: Group NMVOC to air, NMVOC (unspecified), Formaldehyde (Methanal)	
	EOL	EOL		Energy substitution from incineration	EOL : Group NMVOC to air, NMVOC (unspecified), Formaldehyde (Methanal)	
	Production	Raw Material Extraction	78%	60% Lacquer 15% Linseed oil 9% Jute	Production : Group NMVOC to air, NMVOC	
		Transport of Raw materials	2%	Means of transport (truck, container ship) and their fuels	(unspecified), Methyl Methacrylate (MMA)	
		Manufacturing	20%	99% Thermal energy		
Human toxicity, non canc.	Transport	Transport Gate to User		Means of transport (truck, container ship) and their fuels	Transport & Installation : Group NMVOC to air, NMVOC (unspecified), Hexane, Methyl	
	Installation	Installation		100% adhesive	Methacrylate (MMA)	
	Use	Use		76% electricity 23% Detergent	Use : Group NMVOC to air, NMVOC (unspecified), Xylene, Formaldehyde (Methanal)	
	EOL	EOL		Energy substitution from incineration	EOL: Group NMVOC to air, NMVOC (unspecified), Formaldehyde (Methanal), Xylene	





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Description of Selected Impact Categories

Abiotic Depletion Potential

The abiotic depletion potential covers all natural resources such as metal containing ores, crude oil and mineral raw materials. Abiotic resources include all raw materials from non-living resources that are non-renewable. This impact category describes the reduction of the global amount of non-renewable raw materials. Non-renewable means a time frame of at least 500 years. This impact category covers an evaluation of the availability of natural elements in general, as well as the availability of fossil energy carriers.

ADP (elements) describes the quantity of non-energetic resources directly withdrawn from the geosphere. It reflects the scarcity of the materials in the geosphere and is expressed in Antimony equivalents. The characterization factors are published by the CML, Oers 2010.

Are fossil energy carriers included in the impact category, it is ADP (fossil). Fossil fuels are used similarly to the primary energy consumption; the unit is therefore also MJ. In contrast to the primary fossil energy ADP fossil does not contain uranium, because this does not count as a fossil fuel.

Primary energy consumption

Primary energy demand is often difficult to determine due to the various types of energy source. Primary energy demand is the quantity of energy directly withdrawn from the hydrosphere, atmosphere or geosphere or energy source without any anthropogenic change. For fossil fuels and uranium, this would be the amount of resource withdrawn expressed in its energy equivalent (i.e. the energy content of the raw material). For renewable resources, the energy-characterized amount of biomass consumed would be described. For hydropower, it would be based on the amount of energy that is gained from the change in the potential energy of water (i.e. from the height difference). As aggregated values, the following primary energies are designated:

The total "Primary energy consumption non-renewable", given in MJ, essentially characterizes the gain from the energy sources natural gas, crude oil, lignite, coal and uranium. Natural gas and crude oil will both be used for energy production and as material constituents e.g. in plastics. Coal will primarily be used for energy production. Uranium will only be used for electricity production in nuclear power stations.

The total "**Primary energy consumption renewable**", given in MJ, is generally accounted separately and comprises hydropower, wind power, solar energy and biomass. It is important that the end energy (e.g. 1 kWh of electricity) and the primary energy used are not miscalculated with each other; otherwise the efficiency for production or supply of the end energy will not be accounted for. The energy content of the manufactured products will be considered as feedstock energy content. It will be characterised by the net calorific value of the product. It represents the still usable energy content.

Waste categories

There are various different qualities of waste. For example, waste can be classed according to German and European waste directives. The modelling principles have changed with the last GaBi4 database update in October 2006. Now



Environment



Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

all LCA data sets (electricity generation, raw material etc.) already contain the treatment of the waste with very low waste output at the end of the stage. So the amount of waste is predominantly caused by foreground processes during the production phase. This is important for the interpretation of waste amounts.

From a balancing point of view, it makes sense to divide waste into three categories. The categories overburden/tailings, industrial waste for municipal disposal and hazardous waste will be used.

Overburden / tailings in kg: This category consists of the layer which must be removed in order to access raw material extraction, ash and other raw material extraction conditional materials for disposal. Also included in this category are tailings such as inert rock, slag, red mud etc.

Industrial waste for municipal disposal in kg: This term contains the aggregated values of industrial waste for municipal waste according to 3. AbfVwV TA SiedlABf.

Hazardous waste in kg: This category includes materials that will be treated in a hazardous waste incinerator or hazardous waste landfill, such as painting sludges, galvanic sludges, filter dusts or other solid or liquid hazardous waste and radioactive waste from the operation of nuclear power plants and fuel rod production.

Global Warming Potential (GWP)

The mechanism of the greenhouse effect can be observed on a small scale, as the name suggests, in a greenhouse. These effects are also occurring on a global scale. The occurring short-wave radiation from the sun comes into contact with the earth's surface and is partly absorbed (leading to direct warming) and partly reflected as infrared radiation. The reflected part is absorbed by so-called greenhouse gases in the troposphere and is re-radiated in all directions, including back to earth. This results in a warming effect on the earth's surface.

In addition to the natural mechanism, the greenhouse effect is enhanced by human activities. Greenhouse gases that are considered to be caused, or increased, anthropogenically are, for example, carbon dioxide, methane and CFCs. *Figure A1* shows the main processes of the anthropogenic greenhouse effect. An analysis of the greenhouse effect should consider the possible long term global effects.

The global warming potential is calculated in carbon dioxide equivalents (CO₂-Eq.). This means that the greenhouse potential of an emission is given in relation to CO₂. Since the residence time of the gases in the atmosphere is incorporated into the calculation, a time range for the assessment must also be specified. A period of 100 years is customary.




Figure A1: Greenhouse effect (KREISSIG 1999)





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Acidification Potential (AP)

The acidification of soils and waters predominantly occurs through the transformation of air pollutants into acids. This leads to a decrease in the pH-value of rainwater and fog from 5.6 to 4 and below. Sulphur dioxide and nitrogen oxide and their respective acids (H₂SO₄ and HNO₃) produce relevant contributions. This damages ecosystems, whereby forest dieback is the most well-known impact.

Acidification has direct and indirect damaging effects (such as nutrients being elutriated from soils or an increased solubility of metals into soils). But even buildings and building materials can be damaged. Examples include metals and natural stones which are corroded or disintegrated at an increased rate.

When analysing acidification, it should be considered that although it is a global problem, the regional effects of acidification can vary. *Figure A2* displays the primary impact pathways of acidification.

The acidification potential is given in sulphur dioxide equivalents (SO2-Eq.). The acidification potential is described as the ability of certain substances to build and release H+ - ions. Certain emissions can also be considered to have an acidification potential, if the given S-, N- and halogen atoms are set in proportion to the molecular mass of the emission. The reference substance is sulphur dioxide.




Figure A2: Acidification Potential (KREISSIG 1999)

Eutrophication Potential (EP)

Eutrophication is the enrichment of nutrients in a certain place. Eutrophication can be aquatic or terrestrial. Air pollutants, waste water and fertilization in agriculture all contribute to eutrophication.

The result in water is an accelerated algae growth, which in turn, prevents sunlight from reaching the lower depths. This leads to a decrease in photosynthesis and less oxygen production. In addition, oxygen is needed for the decomposition of dead algae. Both effects cause a decreased oxygen concentration in the water, which can eventually lead to fish dying and to anaerobic decomposition (decomposition without the presence of oxygen). Hydrogen sulphide and methane are thereby produced. This can lead, among others, to the destruction of the eco-system.

On eutrophicated soils, an increased susceptibility of plants to diseases and pests is often observed, as is a degradation of plant stability. If the nutrification level exceeds the amounts of nitrogen necessary for a maximum harvest, it can lead to an enrichment of nitrate. This can cause, by means of leaching, increased nitrate content in groundwater. Nitrate also ends up in drinking water.



Environment



Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

Nitrate at low levels is harmless from a toxicological point of view. However, nitrite, a reaction product of nitrate, is toxic to humans. The causes of eutrophication are displayed in Figure A3. The eutrophication potential is calculated in phosphate equivalents (PO4-Eq). As with acidification potential, it's important to remember that the effects of eutrophication potential differ regionally.




Figure A3: Eutrophication Potential (KREISSIG 1999)

Photochemical Ozone Creation Potential (POCP)

Despite playing a protective role in the stratosphere, at ground-level ozone is classified as a damaging trace gas. Photochemical ozone production in the troposphere, also known as summer smog, is suspected to damage vegetation and material. High concentrations of ozone are toxic to humans.

Radiation from the sun and the presence of nitrogen oxides and hydrocarbons incur complex chemical reactions, producing aggressive reaction products, one of which is ozone. Nitrogen oxides alone do not cause high ozone concentration levels. Hydrocarbon emissions occur from incomplete combustion, in conjunction with petrol (storage, turnover, refueling etc.) or from solvents. High concentrations of ozone arise when the temperature is high, humidity is low, when air is relatively static and when there are high concentrations of hydrocarbons. Today it is assumed that the existance of NO and CO reduces the accumulated ozone to NO₂, CO₂ and O₂. This means, that high concentrations of ozone do not often occur near hydrocarbon emission sources. Higher ozone concentrations more commonly arise in areas of clean air, such as forests, where there is less NO and CO (*Figure A4*).

In Life Cycle Assessments, photochemical ozone creation potential (POCP) is referred to in ethylene-equivalents (C₂H₄-Eq.). When analyzing, it's important to remember that the actual ozone concentration is strongly influenced by the weather and by the characteristics of the local conditions.




Figure A4: Photochemical Ozone Creation Potential

Ozone Depletion Potential (ODP)

Ozone is created in the stratosphere by the disassociation of oxygen atoms that are exposed to short-wave UV-light. This leads to the formation of the so-called ozone layer in the stratosphere (15 - 50 km high). About 10 % of this ozone





Marmoleum Striato & Walton
Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

reaches the troposphere through mixing processes. In spite of its minimal concentration, the ozone layer is essential for life on earth. Ozone absorbs the short-wave UV-radiation and releases it in longer wavelengths. As a result, only a small part of the UV-radiation reaches the earth.

Anthropogenic emissions deplete ozone. This is well-known from reports on the hole in the ozone layer. The hole is currently confined to the region above Antarctica, however another ozone depletion can be identified, albeit not to the same extent, over the mid-latitudes (e.g. Europe). The substances which have a depleting effect on the ozone can essentially be divided into two groups; the fluorine-chlorine-hydrocarbons (CFCs) and the nitrogen oxides (NOX). *Figure A5* depicts the procedure of ozone depletion.

One effect of ozone depletion is the warming of the earth's surface. The sensitivity of humans, animals and plants to UV-B and UV-A radiation is of particular importance. Possible effects are changes in growth or a decrease in harvest crops (disruption of photosynthesis), indications of tumors (skin cancer and eye diseases) and decrease of sea plankton, which would strongly affect the food chain. In calculating the ozone depletion potential, the anthropogenically released halogenated hydrocarbons, which can destroy many ozone molecules, are recorded first. The so-called Ozone Depletion Potential (ODP) results from the calculation of the potential of different ozone relevant substances.

This is done by calculating, first of all, a scenario for a fixed quantity of emissions of a CFC reference (CFC 11). This results in an equilibrium state of total ozone reduction. The same scenario is considered for each substance under study whereby CFC 11 is replaced by the quantity of the substance. This leads to the ozone depletion potential for each respective substance, which is given in CFC 11 equivalents. An evaluation of the ozone depletion potential should take the long term, global and partly irreversible effects into consideration.




Figure A5: Ozone Depletion Potential (KREISSIG 1999)





Marmoleum Striato & Walton Resilient Linoleum Floor Covering

According to ISO 14025 and EN 15804

References

THINKSTEP AG; GaBi 6: Software-System and Database for Life Cycle Engineering. Copyright, TM. Stuttgart, Echterdingen, 1992-2017. GABI 6 2012

GaBi 6: Documentation of GaBi 6: Software-System and Database for Life Cycle Engineering. Copyright, TM. Stuttgart, Echterdingen, 1992-2017. http://documentation.gabi-software.com/

GABI 6 2012D

UL Environment's Program Operator Rules UL ENVIRONMENT

Description of Selected Impact Categories, Thinkstep AG, 2012 PE 2012

European Commission-Joint Research Centre - Institute for Environment and Sustainability: International Reference Life Cycle Data System (ILCD) Handbook- Recommendations for Life Cycle Impact Assessment in the European context. First edition November 2011. EUR 24571 EN. Luxemburg. Publications Office of the European Union; 2011 ILCD Handbook: General guide for Life Cycle Assessment - Detailed guidance

STANDARDS AND LAWS

Environmental management - Life cycle assessment - Requirements and guidelines (ISO 14044:2006); English version EN ISO 14044 **DIN EN ISO 14044**

EN ISO 14025: Environmental labels and declarations — Type III environmental declarations — Principles and procedures ISO 14025 2006

Environmental management - Life cycle assessment - Principles and framework (ISO 14040); English version EN ISO 14040

ISO 14040 2006

Sustainability of construction works - Environmental product declarations - Methodology for selection and use of generic data; German version CEN/TR

CEN/TR 15941 15941

Resilient, textile and laminate floor coverings - Environmental product declarations - Product category rules

EN 16810

Resilient floor coverings - Specification for plain and decorative linoleum ISO 24011

REGULATION (EU) No 305/2011 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC

Resilient, textile and laminate floor coverings – Classification **EN-ISO 10874**



Environment

CPR