

## Safety data sheet according to 1907/2006/EC, Article 31, including amending Regulation (EU) 2020/878

Printing date 23.04.2025

Version number 10.1

Revision: 23.04.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
  - **Trade name:** 522 Eurosafe Tack
  - **UFI:** CWPT-99RS-W00Y-34CR
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
  - No further relevant information available.
- **Application of the substance / the mixture** *Adhesives*
- **1.3 Details of the supplier of the safety data sheet**
  - **Manufacturer/Supplier:**  
Forbo Eurocol Deutschland GmbH  
August-Röbling-Straße 2  
99091 Erfurt  
GERMANY
  - Tel.: +49 361 730 41 0  
Fax: +49 (0)361 73041-92  
E-Mail: [Elisabeth.Reinhardt@forbo.com](mailto:Elisabeth.Reinhardt@forbo.com)  
[www.forbo-eurocol.de](http://www.forbo-eurocol.de)
- **Further information obtainable from:**
  - Laboratory  
Elisabeth Reinhardt  
[Elisabeth.Reinhardt@forbo.com](mailto:Elisabeth.Reinhardt@forbo.com)
- **1.4 Emergency telephone number:**
  - Poison information center for the states of Mecklenburg-Western Pomerania, Saxony, Saxony-Anhalt and Thuringia:  
+49-361-730730

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
  - **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

- **2.2 Label elements**
  - **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** *Danger*
- **Hazard-determining components of labelling:**  
*2-phenoxyethanol*

(Contd. on page 2)

# Safety data sheet

according to 1907/2006/EC, Article 31, including amending  
Regulation (EU) 2020/878

Printing date 23.04.2025

Version number 10.1

Revision: 23.04.2025

**Trade name: 522 Eurosafe Tack**

(Contd. of page 1)

**· Hazard statements**

H318 Causes serious eye damage.

**· Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

**· Additional information:**

EUH 208: Contains Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

**· 2.3 Other hazards****· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****· 3.2 Mixtures****· Description:** Mixture of substances listed below with nonhazardous additions.**· Dangerous components:**

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                   |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| CAS: 122-99-6<br>EINECS: 204-589-7<br>Index number: 603-098-00-9                               | 2-phenoxyethanol<br>Eye Dam. 1, H318; Acute Tox. 4, H302;<br>STOT SE 3, H335<br>ATE: LD50 oral: 1,394 mg/kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ≥3-≤10%           |
| CAS: 2634-33-5<br>EINECS: 220-120-9<br>Index number: 613-088-00-6<br>Reg.nr.: 01-2120761540-60 | 1,2-benzisothiazol-3(2H)-one<br>Acute Tox. 2, H330; Eye Dam. 1, H318;<br>Aquatic Acute 1, H400; Aquatic Chronic 1,<br>H410; Acute Tox. 4, H302; Skin Irrit. 2,<br>H315; Skin Sens. 1A, H317<br>ATE: LD50 oral: 450 mg/kg<br>LC50 (4h) inhalative: 0.21 mg/l<br>Specific concentration limit:<br>Skin Sens. 1A; H317: C ≥ 0.036 %                                                                                                                                                                                                                                           | ≥0-<0.025%        |
| CAS: 55965-84-9<br>Index number: 613-167-00-5<br>Reg.nr.: 01-2120764691-48-XXXX                | Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)<br>Acute Tox. 3, H301; Acute Tox. 2, H310;<br>Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100);<br>Skin Sens. 1A, H317, EUH071<br>Specific concentration limits:<br>Skin Corr. 1C; H314: C ≥ 0.6 %<br>Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %<br>Eye Dam. 1; H318: C ≥ 0.6 %<br>Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %<br>Skin Sens. 1A; H317: C ≥ 0.0015 % | ≥0.00025-<0.0015% |

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31, including amending Regulation (EU) 2020/878

Printing date 23.04.2025

Version number 10.1

Revision: 23.04.2025

**Trade name: 522 Eurosafe Tack**

(Contd. of page 2)

· **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

preservation agents (PHENOXYETHANOL, BENZISOTHIAZOLINONE, "2-BROMO-2-NITROPROPANE-1,3-DIOL", Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), METHYLISOTHIAZOLINONE)

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **After skin contact:**

After contact with skin, wash immediately with plenty of soap and water. Take off all contaminated clothing immediately and wash before wearing again. In case of skin irritation, consult a doctor.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Do not induce vomiting; call for medical help immediately.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

Use fire extinguishing methods suitable to surrounding conditions.

Alcohol-resistant foam. Water spray. Carbon dioxide. Extinguishing powder.

· **5.2 Special hazards arising from the substance or mixture**

In case of fire, formation of toxic gases possible. In case of fire may be released: CO and CO<sub>2</sub>

· **5.3 Advice for firefighters**

· **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.

· **Information about fire - and explosion protection:** No special measures required.

(Contd. on page 4)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31, including amending**  
**Regulation (EU) 2020/878**

Printing date 23.04.2025

Version number 10.1

Revision: 23.04.2025

**Trade name: 522 Eurosafe Tack**

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Recommended storage temperature:** 10-30°C
- **Storage class (TRGS):** 12
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### · **DNELs**

**55965-84-9 Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**

|            |                                           |                                         |
|------------|-------------------------------------------|-----------------------------------------|
| Oral       | DNEL Long-term - oral, systemic effects   | 0.09 mg/kg bw/day (general public)      |
|            | DNEL Acute - oral, systemic effects       | 0.11 mg/kg bw/day (general public)      |
| Inhalative | DNEL long-term - inhalation local effects | 0.02 mg/m <sup>3</sup> (Worker)         |
|            |                                           | 0.02 mg/m <sup>3</sup> (general public) |
|            | DNEL Acute - inhalation, local effects    | 0.04 mg/m <sup>3</sup> (Worker)         |
|            |                                           | 0.04 mg/m <sup>3</sup> (general public) |

### · **PNECs**

**55965-84-9 Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**

|                                        |              |
|----------------------------------------|--------------|
| PNEC short term, sea water             | 0.00339 mg/l |
| PNEC short term, sewage plant          | 0.23 mg/l    |
| PNEC short term fresh water sediment   | 0.027 mg/kg  |
| PNEC short term soil                   | 0.027 mg/kg  |
| PNEC short term, intermittent releases | 0.00339 mg/l |

- **Additional information:** The lists valid during the making were used as basis.

### · **8.2 Exposure controls**

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- **Hand protection**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31, including amending**  
**Regulation (EU) 2020/878**

Printing date 23.04.2025

Version number 10.1

Revision: 23.04.2025

**Trade name: 522 Eurosafe Tack**

(Contd. of page 4)

*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*



Protective gloves

· **Material of gloves**

*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

· **Eye/face protection**



Tightly sealed goggles

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

|                                                                   |                       |
|-------------------------------------------------------------------|-----------------------|
| · <b>Physical state</b>                                           | Liquid                |
| · <b>Colour:</b>                                                  | Yellowish             |
| · <b>Odour:</b>                                                   | Characteristic        |
| · <b>Odour threshold:</b>                                         | Not determined.       |
| · <b>Melting point/freezing point:</b>                            | Undetermined.         |
| · <b>Boiling point or initial boiling point and boiling range</b> | 100 °C                |
| · <b>Flammability</b>                                             | Not applicable.       |
| · <b>Lower and upper explosion limit</b>                          |                       |
| · <b>Lower:</b>                                                   | Not determined.       |
| · <b>Upper:</b>                                                   | Not determined.       |
| · <b>Flash point:</b>                                             | Not applicable.       |
| · <b>Decomposition temperature:</b>                               | Not determined.       |
| · <b>pH at 20 °C</b>                                              | 6.5                   |
| · <b>Viscosity:</b>                                               |                       |
| · <b>Kinematic viscosity at 20 °C</b>                             | 38,000 mPas           |
| · <b>Dynamic:</b>                                                 | Not determined.       |
| · <b>Solubility</b>                                               |                       |
| · <b>water:</b>                                                   | Fully miscible.       |
| · <b>Partition coefficient n-octanol/water (log value)</b>        | Not determined.       |
| · <b>Vapour pressure:</b>                                         | Not determined.       |
| · <b>Density and/or relative density</b>                          |                       |
| · <b>Density at 20 °C:</b>                                        | 1.3 g/cm <sup>3</sup> |
| · <b>Relative density</b>                                         | Not determined.       |
| · <b>Density (@15°C)</b>                                          | Not determined.       |
| · <b>Vapour density</b>                                           | Not determined.       |

(Contd. on page 6)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31, including amending**  
**Regulation (EU) 2020/878**

Printing date 23.04.2025

Version number 10.1

Revision: 23.04.2025

Trade name: 522 Eurosafe Tack

(Contd. of page 5)

- **9.2 Other information**
  - **Appearance:**
  - **Form:** Viscous
  - **Important information on protection of health and environment, and on safety.**
  - **Ignition temperature:** Product is not selfigniting.
  - **Explosive properties:** Product does not present an explosion hazard.
  - **Solvent content:**
  - **Organic solvents:** <3.9 %
  - **VOC (EC)** 3.95 %
  - **Change in condition**
  - **Evaporation rate** Not determined.
- 
- **Information with regard to physical hazard classes**
  - **Explosives** Void
  - **Flammable gases** Void
  - **Aerosols** Void
  - **Oxidising gases** Void
  - **Gases under pressure** Void
  - **Flammable liquids** Void
  - **Flammable solids** Void
  - **Self-reactive substances and mixtures** Void
  - **Pyrophoric liquids** Void
  - **Pyrophoric solids** Void
  - **Self-heating substances and mixtures** Void
  - **Substances and mixtures, which emit flammable gases in contact with water** Void
  - **Oxidising liquids** Void
  - **Oxidising solids** Void
  - **Organic peroxides** Void
  - **Corrosive to metals** Void
  - **Desensitised explosives** Void

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**  
Based on available data, the classification criteria are not met.

2634-33-5 1,2-benzisothiazol-3(2H)-one

|      |                                                  |           |
|------|--------------------------------------------------|-----------|
| Oral | Acute Toxicity Estimate of ingredient (ATE) oral | 490 mg/kg |
|------|--------------------------------------------------|-----------|

(Contd. on page 7)

EU



**Safety data sheet**  
**according to 1907/2006/EC, Article 31, including amending**  
**Regulation (EU) 2020/878**

Printing date 23.04.2025

Version number 10.1

Revision: 23.04.2025

**Trade name: 522 Eurosafe Tack**

(Contd. of page 6)

**55965-84-9 Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**

|            |                                                  |           |
|------------|--------------------------------------------------|-----------|
| Oral       | Acute Toxicity Estimate of ingredient (ATE) oral | 100 mg/kg |
| Inhalative | Acute toxicity Estimate inhalative (4h)          | 0.31 mg/l |
|            | Acute toxicity estimates                         | 200 mg/kg |

**· LD/LC50 values relevant for classification:**

**ATE (Acute Toxicity Estimates)**

|      |      |                    |
|------|------|--------------------|
| Oral | LD50 | 35,498 mg/kg (ATE) |
|------|------|--------------------|

**122-99-6 2-phenoxyethanol**

|        |      |                                        |
|--------|------|----------------------------------------|
| Oral   | LD50 | 1,394 mg/kg (ATE)<br>1,260 mg/kg (rat) |
| Dermal | LD50 | 5,000 mg/kg (rabbit)                   |

**2634-33-5 1,2-benzisothiazol-3(2H)-one**

|            |           |                                    |
|------------|-----------|------------------------------------|
| Oral       | LD50      | 450 mg/kg (ATE)<br>532 mg/kg (rat) |
| Dermal     | LD50      | >2,000 mg/kg (rat)                 |
| Inhalative | LC50 (4h) | 0.21 mg/l (ATE)                    |

**55965-84-9 Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**

|            |           |                  |
|------------|-----------|------------------|
| Oral       | LD50      | 66 mg/kg (rat)   |
| Dermal     | LD50      | >141 mg/kg (rat) |
| Inhalative | LC50 (4h) | 0.17 mg/l (rat)  |

**· Primary irritant effect:**

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

**· 11.2 Information on other hazards**

**· Endocrine disrupting properties**

None of the ingredients is listed.

**· Other information** No further relevant information available.

**SECTION 12: Ecological information**

**· 12.1 Toxicity**

**· Aquatic toxicity:**

**2634-33-5 1,2-benzisothiazol-3(2H)-one**

|                    |                                                        |
|--------------------|--------------------------------------------------------|
| LC50 (96h) mg/ltr. | 1.6-2.18 mg/ltr (rainbow trout) (OECD 203)             |
| EC50 (48h)         | 2.94-3.27 mg/l (Daphnia magna) (OECD 202)              |
| EC50 (72h)         | 0.11 mg/l (Scenedesmus quadricauda) (OECD 201)         |
|                    | 0.11 mg/l (Pseudokirchneriella subcapitata) (OECD 201) |

(Contd. on page 8)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31, including amending**  
**Regulation (EU) 2020/878**

Printing date 23.04.2025

Version number 10.1

Revision: 23.04.2025

**Trade name: 522 Eurosafe Tack**

(Contd. of page 7)

EC10 (72h) 0.04 mg/ltr. (*Scenedesmus quadricauda*) (OECD 201)

NOEC 0.21 mg/l (rainbow trout) (OECD 215)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Must not reach sewage water or drainage ditch undiluted or unneutralised.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **European waste catalogue**
- 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- |                                                                                                                                                           |                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN number or ID number</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>                                  | not regulated   |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>                                 | not regulated   |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR, ADN, IMDG, IATA</b></li> <li>· <b>Class</b></li> </ul> | not regulated   |
| <ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>                                           | not regulated   |
| <ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> </ul>                                                                    | Not applicable. |
| <ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b></li> </ul>                                                              | Not applicable. |
| <ul style="list-style-type: none"> <li>· <b>14.7 Maritime transport in bulk according to IMO instruments</b></li> </ul>                                   | Not applicable. |

(Contd. on page 9)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31, including amending**  
**Regulation (EU) 2020/878**

Printing date 23.04.2025

Version number 10.1

Revision: 23.04.2025

**Trade name: 522 Eurosafe Tack**

(Contd. of page 8)

|                                 |               |
|---------------------------------|---------------|
| · <b>UN "Model Regulation":</b> | not regulated |
|---------------------------------|---------------|

**SECTION 15: Regulatory information**

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)**

None of the ingredients is listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**

· **VOC (EU)** 60.7 g/l

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

· **Disclaimer**

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

· **Relevant phrases**

H301 Toxic if swallowed.  
 H302 Harmful if swallowed.  
 H310 Fatal in contact with skin.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H330 Fatal if inhaled.

(Contd. on page 10)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31, including amending**  
**Regulation (EU) 2020/878**

Printing date 23.04.2025

Version number 10.1

Revision: 23.04.2025

**Trade name: 522 Eurosafe Tack**

(Contd. of page 9)

H335 May cause respiratory irritation.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 EUH071 Corrosive to the respiratory tract.

· **Department issuing SDS:** Quality Management department

· **Contact:**

Laboratory

Elisabeth Reinhardt

Elisabeth.Reinhardt@forbo.com

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· **\* Data compared to the previous version altered.**