

PRODUCT INFORMATION



Tufted textile floor covering in tiles


Supply of a tufted textile floor covering, looped and cut, made of 100% polyamide 6.6 Antron Lume-na fibers and mass-dyed, in 50 x 50 cm leaded tiles, type Tessera alignment.

It combines a very good resistance to traffic (number of tuft of 217 488 /m² (+ 10 %)) and an acoustic efficiency to the noises of shock declared $\Delta L_w = 26$ dB. Its mass tinted fibers will confer a better behaviour in time.

It will be antistatic office and adapted for dissipative installation.

At the end of its life, Tessera alignment will be 100% recoverable.

It will benefit from a 10-year warranty and can be extended to 6 additional years (depending on the conditions of use of the manufacturer's Coral or Nuway cleaning mats).



Technical specifications

Commercial name	Tessera alignment
Total thickness	6,5 mm (± 10 %)
Total weight	4 245 g/m² (± 10 %)
Impact sound reduction	$\Delta L_w = 26$ dB
Sound absorption	$\alpha_w = 0,15$ (H)
Reaction to fire	B_{fl-s1*} - n°26/02287B/10/17 (BTTG)

Environmental datasheet

- FDES compliant with NF EN ISO 14025, NF EN 15804+A1 and its national complement NF EN 15804/CN and available on INIES.
- TVOC emission rate < 100 µg/m³, class A+ (best health labeling class)
- Meets HQE, LEED and BREEAM standards
- BRE and GUT certified
- Product free of any substance subject to restriction (formaldehyde, pentachlorophenol, heavy metals, CMR 1A and 1B); complies with European REACH(2) regulation
- Composed of recycled materials in relation to the total weight of the product; up to 25% recycled fiber (depending on the color)
- Designed and manufactured with guaranteed 100% renewable electricity