


Tile sizes 25 x 25 cm 50 x 50 cm

t3255 | pine forest

t3242 | adriatica



t3030 | blue

t3127 | Bleeckerstreet
























t3716 | Mercury

t3717 | Neptune









t3720 | sandy coast t3721 | Ipanema



t3722 stardust

t3711 | cloudy sand



t3719 | Malibu beach


























t3423 | painters palette t3254 | clay



t3048 | graphite

t3139 | lava























Tile sizes 100 x 15 cm 100 x 25 cm 50 x 50 cm

Tile sizes 100 x 25 cm 50 x 50 cm



t5217 | whithered prairie t5236 | fox cub

t5234 | Corn Island

t5234cg | Corn Island

THE KEY TO OUR **INSPIRATION**



PC-21 | colour | t3563, t3566, t3712, t3715 & t3243

tile sizes 75 x 50cm, 50 x 50cm & 25 x 25cm



PS-31 | **shade** | t3707, t3717, t3718 & t3722

tile sizes 50 x 50cm & 50 x 25cm



PM-11 | marble | t3254, t3405, t3423 & t3425 tile size 50 x 50cm



PL-52 | **lines** | t3575 & t5232 PC-30 | colour | t3245, t3244, t3030, t3238, t3224, t3882, tile size 100 x 25cm t3251, t3243, t3566, t3127, t3203

tile sizes 25 x 25cm



PC-10 | colour | t3242, t3563, & t3887

tile size 25 x 25cm



PC-31 | colour | t3238, t3887 & t3884

tile size 25 x 25cm

PC-13 | colour | t3238, t3251 & t3127 tile size 50 x 50cm



Bespoke design | Bespoke design colour | t3715 & t3224 **colour** | t3712 & t3243 tile size 50 x 50cm

tile size 50 x 50cm



| colour | t3244 | t3217, t3243 & t3224

Striato sheet



Shown with Flotex Metro tiles



PS-31 | shade | t3707, t3717, t3718, t3722

tile sizes 50 x 50cm & 50 x 25cm



Bespoke design | shade | t3711.t3719.t3720&t3721

tile size 50 x 25cm



PS-41 | **shade** | t3722 & t3716

tile size 50 x 50cm



PS-40 | **shade** | t3722 & t3707

tile size 50 x 50cm



Bespoke design | shade | t3717, t3718, t3719 & t3720

tile sizes 75 x 50cm



PS-51 | shade | t3704, t3718 & t3716

tile size 75 x 50cm



PS-12 | **shade** | t3711, t3720, t3719 & t3721

tile size 50 x 25cm



PS-13 | **shade** | t3716 & t3722

tile size 50 x 25cm



PM-31 | marble | t3053 & t3139

tile size 50 x 25cm



PM-41 | marble | t3146, t3254, t3423 & t3425

tile sizes 50 x 50cm & 50 x 25cm



t3405, t3423 & t3425 tile size 50 x 50cm

PM-21 | marble | t3048, t3136, t3139 & t3216

tile size 50 x 25cm



PM-11 | marble | t3254, t3405, t3423 & t3425 tile size 50 x 50cm



PM-10 | marble | t3405 tile size 50 x 50cm



PM-15 | marble | t3405 tile size 50 x 50cm



PM-24 | marble | t3048, t3139 & t3407 tile size 50 x 25cm



PL-13 | lines | t5218 tile size 100 x 25cm



Bespoke design



PL-51 | lines | t3575 & t5232 tile size 100 x 25cm



PL-34 | **lines** | t5232 & t5226 tile size 50 x 50cm



PL-10 | lines | t5235, t5217, t5230 & t5232 tile size 100 x 25cm




PL-14 | lines | t5217 tile size 100 x 25cm



PL-13 | lines | t5218 tile size 100 x 25cm



Bespoke design | lines & shade lines | t3573 shade | t3718 & t3716 tile size 100x25cm & 50 x 25cm



DESIGN YOUR FLOOR **ONLINE**

MARMOLEUM MODULAR OFFERS YOU A LARGE CHOICE OF SHAPE, SIZE AND COLOUR OF TILES.

The modular format lends itself to playing with colours and patterns so we have launched an online tool that allows you to create draft designs using a grid template as your base.


Simply drop the product(s) of your choice into the online grid templates to see how your design transforms into a real floor.


The Forbo website offers you plenty of opportunities to design great looking floors using any of our products. Just visit

www.forbo-flooring.co.uk/marmoleummodular or scan the QR code.



EXAMPLES OF AVAILABLE GRIDS





MARMOLEUM MODULAR AND SUSTAINABILITY





















Marmoleum modular tiles are produced from raw materials including linseed oil, rosin, wood flour and limestone. Raw materials that are either abundantly available or rapidly renewable, with annual crops or grow back schemes. Marmoleum modular is manufactured in the UK using 100% green electricity and it has been awarded the Nordic Swan award. Installation waste can be recycled back into product at our plant in the UK and the product offers a generic BREEAM rating of A/A+ across all market sectors.

Marmoleum is also naturally antibacterial and has been approved by Allergy UK for the benefit it offers to allergy sufferers.

88% NATURAL RAW MATERIALS **76%** RAPIDLY RENEWABLE 58% RECYCLED CONTENT



BREEAM ratings (generic)

	Building Type Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria	
Linoleum - Plain and decorative linoleum (EN548)	А	A+	A+	А	A+	A+	√	

TECHNICAL SPECIFICATIONS Marmoleum modular meets the requirements of EN-ISO 24011

• ×	Total thickness	EN-ISO 24346	2.50 mm	•	COMMITTI		ALTH OF ONE	S
	Domestic: heavy	EN-ISO 10874	Class 23	•		programme expresse	s our ambition to design	
	Commercial: very heavy	EN-ISO 10874	Class 34	•			nefit every individual by nfortable living and work	
Îm 🏥	Light Industrial: heavy	EN-ISO 10874	Class 43	•				
	Dimensions (length x width)	EN-ISO 24342	25 x 25 cm	50 x 25 cm	50 x 50 cm	75 x 50 cm	100 x 15 cm	100 x 25 cm
	Number of m ² per box		2.5m ² (40 pcs)	5m ² (40 pcs)	5m² (20 pcs)	3m² (8 pcs)	3m² (20 pcs)	3m² (12 pcs)
K 2	Squareness and straightness	EN-ISO 24342	≤ 0.25 mm	≤ 0.35 mm	≤ 0.35 mm	≤ 0.35 mm	≤ 0.35 mm	≤ 0.35 mm
	Indentation residual	EN-ISO 24343-1	≤ 0.15 mm					
	Castor chair continuous use	EN 425	Suitable for office chairs with castors					
	Light fastness	EN-ISO 105-B02	Method 3: blue so	cale minimum 6				
	Resistance to chemicals	EN-ISO 26987	Resistant to dilute exposure to alkali		nd to conventional	solvents. Not resista	nt to prolonged	
9	Bacteriostatic properties			natural bacteriostat against the bacter		h are confirmed by i	ndependent	
\$ J	Cigarette resistance	EN 1399	Marks left on linoleum as a result of stubbed-out cigarettes can be removed					
7.5	Slip resistance	DIN 51130	R9					
١	Acoustical impact sound reduction	EN ISO 717-2	≤ 5 dB					
	Creating better environments							
\prec	Renewable Electricity		Marmoleum Modular is manufactured using 100% electricity made from renewable sources Marmoleum Modular is produced using 88% natural raw materials, 76% of which are rapidly renewable.					
•	Natural							wable.
O	Recycled content		Marmoleum Modular contains 58% recycled content by weight					
Podbo back to the fleer moding factor Forms	Back to the Floor		Installation off cuts can be collected and recycled via Back to the Floor					
	Ska		Marmoleum Modular meets the Ska Rating criteria for M12 soft floor coverings in both office and retail schemes					retail
LCA	Life Cycle Assessment		LCA is the foundation for securing the lowest environmental impact					
	Installation method		For an optimal result it is advised to install squares tessellated (quarter turned). Rectangles can be laid tessellated and broadloom.					
								N 14041
	Marmoleum meets the require	ments of EN 14041	0200203-DoP-306					
C _{fr-S1}	Reaction to fire	EN 13501-1	Cfl-s1					
25	Slip resistance	EN 13893	DS: ≥ 0.30					
B	Body voltage	EN 1815	< 2 kV					
	Thermal conductivity	EN 12524	0.17 W/m-K					

Our recommended adhesive for Marmoleum modular is 646 Eurostar Premium or 414 Euroflex Lino Plus. Marmoleum modular does not require welding. Please contact customer service for more information.

OTHER FORBO BRANDS









Linoleum

marmoleum marmoleum marmoleum decibel marmoleum ohmex bulletin board furniture linoleum

Project vinyl

eternal – General purpose vinyl
allura – Luxury vinyl tiles
allura flex – Loose lay vinyl tiles
allura safety – Luxury safety tiles
step* – Safety vinyl
sarlon* – Acoustic vinyl
colorex* – Static control flooring
Bespoke digitally printed vinyl

Flotex flocked flooring

flotex[®]colour flotex[®]linear flotex[®]naturals flotex[®]vision flotex[®]sottsass

Entrance flooring Systems

coral® – Textile clean-off products **nuway**® – Engineered entrance flooring

Carpet tiles

tessera – Tufted carpet tiles **westbond** – Fusion bonded carpet tiles

WHAT TO DO NEXT



For further information on any of the products in this brochure, please don't hesitate to contact us on the number on the right and we'll be pleased to send you additional literature and samples as required.



Samples:

0800 731 2369 or online at samples.uk@forbo.com

Email:

info.flooring.uk@forbo.com

Downloads:

www.forbo-flooring.co.uk/downloads

Whilst Forbo Flooring UK Limited does its best to ensure that the contents of this brochure are correct and accurate at the time of publication, to the fullest extent permitted by law, Forbo Flooring UK Limited makes no, and expressly disclaims all, guarantees of any kind, express or implied in respect of the information, content, materials or products displayed in this brochure and does not represent that the information is accurate, complete or current and you are advised to visit our website at **www.forbo-flooring.co.uk** for up-to-date details or corrections to such contents.

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. Contact 0800 731 2369.

Forbo Flooring Systems is part of the Forbo Group, a global leader in flooring and movement systems, and offers a full range of flooring products for commercial and affordable housing and new build markets. High quality linoleum, vinyl, textile, flocked and entrance flooring products combine functionality, colour and design, offering total flooring solutions for any environment.



UK

Forbo Flooring UK Limited

High Holborn Road Ripley

Derbyshire DE5 3NT Registered in England 9200318

London EC1 showroom

79 St John Street, Clerkenwell London EC1M 4NR Tel: 0207 553 9300

For commercial enquiries:

If calling from the North, Midlands, London & South East Tel: 0800 0282 162 Fax: 01772 646 912

If calling from Scotland & South West Tel: 0800 0935 258 Fax: 01592 643 999

Nuway enquiries:

Tel: 01773 740 688 Fax: 01773 740 640

Residential enquiries:

Tel: 0800 0935 846 Fax: 01592 643 999

Email: info.flooring.uk@forbo.com www.forbo-flooring.co.uk

Samples:

Tel: 0800 731 2369

email: samples.uk@forbo.com

Ireland

Forbo Ireland Ltd 2 Deansgrange Business Park Blackrock Co Dublin

Tel: 00353 1 2898 898 Fax: 00353 1 2898 177 Email: info.ireland@forbo.com www.forbo-flooring.ie

Registered office:

Forbo Flooring UK Limited High Holborn Road Ripley Derbyshire DE5 3NT Registered in England 9200318 FRONT COVER IMAGE PL-92 | **lines** | t5218, t5231, t3573, t5232

tile size 100 x 25cm









*Generic BREEAM rating





