

## Flotex Tile

### LRV & DSDC product accreditation

Design	Colour number	Colour name	NCS	LRV Y (BS8493)	DSDC Rating*	DSDC Comments*
<b>Calgary</b>	590010	ash	NCS S 8505-R80B	4	1b	
	590026	linen	NCS S 8005-R80B	16	X	
	590002	grey	NCS S 8000-N	8	X	
	590012	cement	NCS S 7000-N	13	2	
	590011	quartz	NCS S 5005-Y20R	28	X	
	590023	expresso	NCS S 7010-Y50R	15	X	
	590007	suede	NCS S 5020-Y30R	23	X	
	590006	sahara	NCS S 4020-Y30R	29	X	
	590014	lime	NCS S 3050-G50Y	36	2	
	590008	saffron	NCS S 3040-Y30R	28	X	
	590009	moss	NCS S 6020-G10Y	13	X	
	590004	menthol	NCS S 5020-B70G	17	2	
	590013	caramel	NCS S 5020-Y30R	17	2	
	590015	azure	NCS S 7020-R80B	4	1b	
	590025	riviera	NCS S 8005-Y50R	20	X	
	590001	sky	NCS S5020-R90B	15	X	
	2590021	aqua	NCS S3020-B10G	29	X	
	590022	condor	NCS S6020-R70B	10	X	
	590017	crystal	NCS S 5050-R30B	16	X	
	590019	carbon	NCS S 6502-B	18	X	
590005	melon	NCS S 5040-Y60R	10	X		
590024	fire	NCS S 3560-Y50R	11	X		
<b>Penang</b>	382007	zinc	NCS S 7502-G	9	2	
	382037	grey	NCS S 7502-B	10	X	
	382005	smoke	NCS S 6005-R80B	14	1b	
	382018	bamboo	NCS S 5010-Y30R	21	2	

## Flotex Tile

### LRV & DSDC product accreditation

Design	Colour number	Colour name	NCS	LRV Y (BS8493)	DSDC Rating*	DSDC Comments*
<b>Penang</b>	382001	anthracite	NCS S 9000-N	3	1a	
	382020	shale	NCS S 7005-Y80R	10	2	
	382031	ash	NCS S 8505-R80B	5	1b	
	382004	mercury	NCS S 5502-B	10	2	
	382075	flax	NCS S 6020-Y10R	15	2	
	382006	sage	NCS S 3020-G50Y	35	1b	
	382010	evergreen	NCS S 5540-G20Y	7	1b	
	382016	coral	NCS S 5020-Y90R	16	2	
	382015	beige	NCS S 6020-Y30R	12	2	
	382011	sapphire	NCS S 3050-R90B	17	1b	
	382116	azure	NCS S 7020-R80B	4	1b	
	382026	neptune	NCS S 3560-R80B	10	1b	
	382017	nimbus	NCS S 6005-R50B	14	2	
	382024	purple	NCS S 6030-R60B	5	1b	
	380019	ginger	NCS S 5030-Y40R	18	X	
	382023	dusk	NCS S 7010-Y90R	8	1b	
382027	orchid	NCS 5010-R50B	22	2		

<b>Metro</b>	546008	anthracite	NCS S 9000-N	3	1b	
	546024	carbon	NCS S 8505-B20G	5	2	
	546007	ash	NCS S 9000-N	4	1b	
	546009	pepper	NCS S 8005-Y80R	9	X	
	546011	pebble	NCS S 7005-Y20R	14	X	
	546002	tempest	NCS S 7020-B	7	X	
	546018	mineral	NCS S 6010-B90G	15	X	
	546006	grey	NCS S 8502-B	8	X	
	546015	cocoa	NCS S 8010-Y50R	7	X	
	546014	concrete	NCS S 8505-Y20R	4	X	

## Flotex Tile

### LRV & DSDC product accreditation

Design	Colour number	Colour name	NCS	LRV Y (BS8493)	DSDC Rating*	DSDC Comments*
<b>Metro</b>	546012	sand	NCS S 6020-G90Y	18	X	
	546021	moss	NCS S 7020-G50Y	7	X	
	546036	gold	NCS S 2040-Y20R - NCS S 2570-Y30R	30	X	
	546037	apple	NCS S 4030-G10Y - NCS S 5030-G30Y	15	2	
	546013	amber	NCS S 4040-Y	22	X	
	546022	evergreen	NCS S 6530-G10Y	6	X	
	546019	citrus	NCS S 4040-G40Y	18	X	
	546028	jade	NCS S 5030-B30G - NCS S 8005-B20G	7	X	
	546033	emerald	NCS S 4040-B60G - NCS S 5040-B70G	11	2	
	546001	indigo	NCS S 8010-R70B	3	1b	
	546020	lagoon	NCS S 5040-R80B	10	X	
	546005	nimbus	NCS S 7005-R50B	13	X	
	546004	gull	NCS S 6020-R90B	11	X	
	546032	petrol	NCS S 6030 B10G - NCS S 7020-B10G	4	2	
	546016	grape	NCS S-R50B	5	X	
	546027	burgundy	NCS S 7010-R10B - NCS S 8502-R	2	X	
	546017	berry	NCS S 6030-R	5	X	
	546035	pink	NCS S 3055-R30B - NCS S 4050-R20B	7	X	
	546030	cinnamon	NCS S 7020-Y50R - NCS S 8505-Y80R	4	X	
	546025	tangerine	S 4550-Y40R / S 3560-Y50R	17	X	
	546010	chocolate	NCS S 8505-Y80R	3	X	
	5246031	cherry	NCS S 2070-R - NCS S 5040-R	6	2	
	546026	red	S 4550-Y80R	9	2	
	546029	truffle	NCS S 5010-Y50R - NCS S 8005-Y50R	9	X	

## Flotex Tile

### LRV & DSDC product accreditation



Design	Colour number	Colour name	NCS	LRV Y (BS8493)	DSDC Rating*	DSDC Comments*
<b>Canyon</b>	545022	limestone	S 5502-B	17	2	Rated 2 due to contrast in tone between background & pattern. This makes the pattern more noticeable.
	545020	pumice	S 7502-B	8	1b	Rated 1b as contrast in tone between background & pattern is minimal.
	545019	slate	S 8502-B	4	1b	
	545021	stone	S 6005-R80B	13	2	Rated 2 due to contrast in tone between background & pattern. This makes the pattern more noticeable.
	545023	linen	S 6502-R	17	1b	Rated 1b as contrast in tone between background & pattern is minimal.
	545024	cloud	S 5010-R70B	24	1b	
	545029	seafoam	S 7010-B30G	11	2	Rated 2 due to contrast in tone between background & pattern. This makes the pattern more noticeable.
	545028	sapphire	S 5020-R80B	15	2	
	545030	sulphur	S 3030-Y10R	31	1b	Rated 1b as contrast in tone between background & pattern is minimal.
	545027	kelp	S 4040-G50Y	19	1b	
	545025	earth	S 6005-Y50R	16	2	Rated 2 due to contrast in tone between background & pattern. This makes the pattern more noticeable.
	545026	garnet	S 7010-Y90R	7	1b	Rated 1b as contrast in tone between background & pattern is minimal.

<b>Cirrus</b>	t570003	sisal	NCS S 6020-Y80R - NCS S 6005-Y20R	14	X	Range not accredited
	t570004	fossil	NCS S 6502-Y - NCS S 5020-G70Y	14	X	
	t570005	sapphire	NCS S 6020-B - NCS S 5030-B	14	X	
	t570006	ruby	NCS S 6502-B - NCS S 8502-B	12	X	
	t570007	mint	NCS S 8502-B - NCS S 5030-B30G	10	X	
	t570008	onyx	NCS S 8505-R80B - NCS S 6020-B	11	X	
	t570014	eclipse	NCS S 5502-B - NCS S 8502-B	11	X	
	t570015	storm	NCS S 5005-R80B - NCS S 7502-G	9	X	

## Flotex Tile

### LRV & DSDC product accreditation

Design	Colour number	Colour name	NCS	LRV Y (BS8493)	DSDC Rating*	DSDC Comments*
<b>Stratus</b>	t540003	sisal	NCS S 6010-Y30R	15	X	Range not accredited
	t540004	fossil	NCS S 7005-G80Y	13	X	
	t540005	sapphire	NCS S 6020-B	12	X	
	t540006	ruby	NCS S 7500-N	9	X	
	t540007	mint	NCS S 7502-B	9	X	
	t540008	onyx	NCS 7502-B	10	X	
	t540014	eclipse	NCS S 7502-B	10	X	
	t540015	storm	NCS S 7502-B	10	X	
<b>Integrity<sup>2</sup></b>	t350001	grey	NCS S 6502-B - NCS S 8502-B	8	X	Range not accredited
	t350002	steel	NCS S 5502-B - NCS S 8010-B10G	4	X	
	t350003	charcoal	NCS S 4502-G - NCS S 8500-N	8	X	
	t350004	navy	NCS S 6502-R - NCS S 8505-R80B	3	X	
	t350006	marine	NCS S 5020-B10G - NCS S 8505-B20G	7	X	
	t350009	taupe	NCS S 5010-Y30R - NCS S 8502-Y	12	X	
	t350011	leaf	NCS S 2005-Y - NCS S 7020-Y	19	X	
	t350012	granite	NCS S 3502-B - NCS S 8500-N	8	X	
<b>Complexity</b>	t550001	grey	NCS S 6020-B - NCS S 6010-R70B	9	X	Range not accredited
	t550003	charcoal	NCS S 6020-B30G - NCS S 7502-B	10	X	
	t550004	navy	NCS S 6020-G70Y - NCS S 7502-R	8	X	
	t550006	marine	NCS S 7020-R10B - NCS S 7502-B	7	X	
	t550007	blue	NCS S 6020-B30G - NCS S 5502-R	11	X	
	t550010	straw	NCS S 5020-Y40R - NCS S 4020-G70Y	18	X	

	<b>2016-074 FORBO FLOORING</b>	
	<b>DSDC RATING KEY</b>	
	<b>NOV-16</b>	
<b>*RATING</b>	<b>*RATING DESCRIPTION</b>	
<b>Class 1a</b>	<p>Flooring within this rating is plain and can be used indiscriminately. That said, bear in mind the need to contrast flooring and walls, skirtings, doors/frames, furniture and sanitary ware.</p> <p>Contrast is the key word.</p> <p>We recommend a minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.</p>	
<b>Class 1b</b>	<p>Flooring within this rating is semi-plain (minimal texture or fleck/pattern, wood effect with no knots) and in general, can be used throughout.</p> <p>Natural patterns such as timber and stone may be used in most areas due to their familiarity but with a degree of caution.</p> <p>Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.</p>	
<b>Class 2</b>	<p>Flooring within this rating has some pattern and needs to be used with caution. The natural patterns such as timber and stone in this range are more figured/patinated and although still familiar they need to be used with more caution than the above range.</p> <p>Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.</p>	

For an environment to be considered 'dementia-inclusive' or 'dementia-friendly', careful consideration must be given to the entire specification, not just the flooring.

As with many design features, individual needs and preferences should also be considered. What is fine for one person, may not be the case for another.

For more information and to download our 'Designing for dementia care' brochure visit [www.forbo-flooring.co.uk/care](http://www.forbo-flooring.co.uk/care)