

Unit 92, Seedlee Road, Walton Summit Centre, Bamber Bridge, Preston, England PR5 8AL

DECLARATION C G OF CONFORMITY Issued in accordance with the 89/100/EC Construction Products Directives

Product: Basis Carpet Tiles

Standard applicable: EN 1307 Classification of Pile Carpet

Use: Floor covering for indoor use

The product fulfils the requirements in the annex ZA of the EN 14041:2005 – Laminate, textile and resilient floor coverings: essential characteristics- under attestation system 3 in compliance with construction products directives 89/106/EC.

Characteristics and performances

Characteristic	Standard	Performance	Report N°/ notified laboratory	Symbol
Reaction to fire	EN 13501	Bfl s1	Report No. 172471 Bodycote Warrington Fire, Warrington Cheshire WA1 2DS	R
Slip resistance	EN 13893	DS > 0.3	Report No. FLO 160993 SATRA Technology Centre Rockingham Way Kettering NN16 9JH	Z
Thermal Conductivity	ISO 8302	0.12 m2 k/w	Report No. FLO 160966 SATRA Technology Centre Rockingham Way Kettering NN16 9JH	e
Electro	ISO 10965	< 10 ⁹	Report No. FLO 165210 SATRA Technology Centre Rockingham Way Kettering NN16 9JH	M

Name: Andy Smith

Signature

Asmith.

Position : Quality Manager

Date: 01 Jan 2009