created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 22738

CLASSIFICATION: 09 72 13 Cork Wall Coverings

PRODUCT DESCRIPTION: Bulletin Board is a tackable surface material made of primarily natural materials consisting of linseed oil, cork, rosin binders and dry pigments mixed and calendared onto a natural jute backing. The uni-color extends throughout the thickness of the material. Bulletin Board is 6.0mm (1/4") thick and is packaged on a roll that is either 48" (122 cm) or 72" (183 cm) varying by color.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Form	ıaı

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 100 ppm
- ⊙ 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No.

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ○ Yes ○ No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC ⊙ Yes ○ No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BULLETIN BOARD [CELLULOSE PULP (CELLULOSE PULP (SC: CORK)) NoGS LINSEED OIL NoGS TITANIUM DIOXIDE LT-1 | CAN | END GUM ROSIN LT-P1 | SKI CELLULOSE, MICROCRYSTALLINE (CELLULOSE, MICROCRYSTALLINE (SC: JUTE)) LT-UNK | RES]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Percentage (%) ranges for ingredients are used as a means of keeping the exact formulations proprietary.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-10-29 PUBLISHED DATE: 2020-10-29

EXPIRY DATE: 2023-10-29



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

BULLETIN BOARD

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.

OTHER PRODUCT NOTES: N/A

CELLULOSE PULP (CELLULOSE PULP (SC: CORK))

ID: 65996-61-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-29

%: 43.0000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Category = Tree-based materials - wood planks/strips/pieces, bark, wood chips, and other wood products. This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. Cellulose is mix of different species of wood. The specific brand name that Forbo Flooring Systems uses in Marmoleum is Lignocel C 120. LIGNOCEL® C 120 is not classified as dangerous according to directive 67/548/EEC, directive 1999/45/EC and regulation 1272/2008 (CLP). Information pertaining to special dangers for human and environment: Adverse physiochemical effects: Capable of causing dust explosions. Adverse human health effects and symptoms: N/A Adverse environmental effects: N/A Other adverse hazards: Substance is combustible. Substance related information: EC-No: N/A INDEX-NO: N/A REACH Registration No: N/A Purity: 100 % Synonyms: N/A Stabilizers: N/A Hazardous Impurities: N/A

LINSEED OIL ID: 8001-26-1 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-29

%: 34.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: N/A

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-29

%: 9,0000 GS: LT-1 **RC: None** SUBSTANCE ROLE: Pigment NANO: No

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The titanium dioxide (TiO2) is bound within the product, requiring no further labeling.

GUM ROSIN ID: 8050-				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-29		
%: 5.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	RNINGS	
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization		

CELLULOSE, MICROCRYSTALLINE (CELLULOSE, MICROCRYSTALLINE (SC: JUTE))

ID: 9004-34-6

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-29		
%: 5.0000	GS: LT-UNK	RC: UNK NANO: No SUBSTANCE ROLE: Structure component		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		

SUBSTANCE NOTES: Category = Plant-based materials – plant based fibers such as cotton, hemp, ramie, rice husks, and coconut fiber This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. Cellulose is mix of different species of wood. The specific brand name that Forbo Flooring Systems uses in Marmoleum is Lignocel C 120. LIGNOCEL® C 120 is not classified as dangerous according to directive 67/548/EEC, directive 1999/45/EC and regulation 1272/2008 (CLP). Information pertaining to special dangers for human and environment: Adverse physiochemical effects: Capable of causing dust explosions. Adverse human health effects and symptoms: N/A Adverse environmental effects: N/A Other adverse hazards: Substance is combustible. Substance related information: EC-No: N/A INDEX-NO: N/A REACH Registration No: N/A Purity: 100 % Synonyms: N/A Stabilizers: N/A Hazardous Impurities: N/A

SUBSTANCE NOTES: N/A



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

ISSUE DATE: 2014-11- EXPIRY DATE:

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

17

CERTIFIER OR LAB: Berkeley

Analytical

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

L 910W ADHESIVE (VOC 0.00 G/L)

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Standard recommended adhesive used for installation.

Section 5: General Notes

Forbo Bulletin Board - Tackable Wall Surface. Bulletin Board contains no Isocyanates.

MANUFACTURER INFORMATION

MANUFACTURER: Forbo Flooring Systems

ADDRESS: 8 Maplewood Drive

Hazle Township PA 18202, United States

WEBSITE: www.forboflooringna.com

CONTACT NAME: Shannon Wolski

TITLE: Product Support and Education Services Administrator

PHONE: 570-450-0319

EMAIL: shannon.wolski@forbo.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

to a LT-1 or LTP1 score.) NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.