created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 24203

CLASSIFICATION: 09 65 19.23 Vinyl Tile Flooring

PRODUCT DESCRIPTION: Allura is an LVT comprised of a vinyl wear layer with a high performance PUR topcoat which provides color clarity. All Allura lines are available in a .55mm or .70mm wear layer with the exception of Allura Premium, that is only available in the .70mm wear layer. A thick glass veil inter-layer ensures dimensional stability and has a calendared backing to support the wear layer. Size (dependent on color): Approx. 39" x 6" (100cm x 15cm) Approx. 47" x 8" (120 cm x 20cm) Approx. 59" x 11" (150cm x 28cm) Approx. 20" x 20" (50cm x 50cm) Guage: .55mm wear layer is approximately 2.2mm thick .70mm wear layer is approximately 2.5mm thick

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm

⊙ 1,000 ppm

C Per GHS SDS C Other

Considered

Partially Considered

Residuals/Impurities

Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are: Characterized

% weight and role provided for all substances.

Screened ○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with

results disclosed

Identified ○ Yes Ex/SC ⊙ Yes ○ No

All substances disclosed by Name (Specific or Generic)

and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ALLURA [POLYVINYL CHLORIDE LT-P1 | RES FATTY ACIDS, C14-22, 2-ETHYLHEXYL ESTERS, EPOXIDIZED NoGS GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED) (GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED)) LT-UNK TITANIUM DIOXIDE LT-1 CAN | END POLYURETHANE FOAMS LT-UNK BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg DIPROPYLENE GLYCOL DIBENZOATE LT-

P1 | MUL DOLOMITE NoGS CALCIUM CARBONATE BM-3]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Percentage (%) ranges for ingredients are used as a means of keeping the exact formulations proprietary.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) -Classroom & Office scenario

LCA: Environmental Product Declaration (EPD) by UL - Industry Generic

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** **SCREENING DATE: 2021-03-25 PUBLISHED DATE: 2021-03-25** EXPIRY DATE: 2024-03-25

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ALLURA

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.

OTHER PRODUCT NOTES: N/A

POLYVINYL CHLORIDE	ID: 9002-86-2			
HAZARD SCREENING ME	HAZARD SC	REENING DATE	2021-03-25 17:03:31	
%: 47.0000	GS: LT-P1	RC: PostC	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
RES	AOEC - Asthmagens	Asthm	agen (Rs) - sens	sitizer-induced
SUBSTANCE NOTES:				

FATTY ACIDS, C14-22, 2-ETHYLHEXYL ESTERS, EPOXIDIZED

ID: 95370-96-0

HAZARD SCREENING ME	THOD: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	: 2021-03-25 17:03:32
%: 5.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings f	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED) (GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED))

ID: 65997-17-3

HAZARD SCREENING ME	THOD: Pharos Chemical and Materials Libra	Iry HAZARD SC	REENING DATE	: 2021-03-25 17:03:32
%: 1.8000	GS: LT-UNK	RC: PostC	NANO: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found		No warnings	found on HPD Priority Hazard Lists	

SUBSTANCE NOTES:

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZ	ARD SC	REENING DATE	: 2021-03-25 17:03:33
%: 0.7000	GS: LT-1	RC:	None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
CAN	EU - GHS (H-Statements)		H351 -	Suspected of c	eausing cancer
CAN	US CDC - Occupational Carcinogens		Occup	ational Carcino	gen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		to chemical form or exposure	
CAN	IARC		•	2B - Possibly ca ccupational sou	arcinogenic to humans - inhaled
CAN	MAK				- Evidence of carcinogenic effects stablish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors		Potent	ial Endocrine Di	isruptor
CAN	MAK			ogen Group 4 - k under MAK/B <i>i</i>	Non-genotoxic carcinogen with AT levels

SUBSTANCE NOTES: The titanium dioxide (TiO2) is bound within the product, requiring no further labeling. Identified on the US EPA Safer Chemical Ingredient List. Form-specific hazards: airborne particles of respirable size – occupational setting. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific Hazards such as Titanium Dioxide. This HPD will be updated as appropriate when these guidelines become available. The Material Health Harmonization Task Group convened by the USGBC states that pigmentary titanium dioxide was "determined to be Benchmark 2 using the full GS (GreenScreen) method" hpdrepository.hpd-collaborative.org HPD v2.1 created via HPDC Builder Page 2 of 12 (http://ow.ly/Z5ken).

POLYURETHANE FOAMS	ID: 9009-54-5			
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-03-25 17:03:33
%: 0.3000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: Finish contains no Isocyanates.

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-03-25 17:03:34
%: 0.1000 - 17.0000	GS: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings f	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

DIPROPYLENE GLYCOL DIBENZOATE

ID: 27138-31-4

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SUBSTANCE NOTES:		

DOLOMITE ID: 16389-88-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-03-25 17:03:34
%: 0.1000 - 28.5000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings for	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-25 17:03:35

%: 0.1000 - 28.5000 GS: BM-3 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

CERTIFIER OR LAB: Berkeley

Analytical

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Environmental Product Declaration (EPD) by UL - Industry Generic

CERTIFIER OR LAB: UL

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

CERTIFICATE URL: https://www.forbo.com/flooring/en-

us/environment/pmwz1i

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2018-06- EXPIRY DATE: 2023-

ISSUE DATE: 2016-09- EXPIRY DATE:

Environment, Inc.

LCA

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

FORBO WALL BASE

HPD URL: http://www.forboflooringna.com

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used with Allura installation using the recommended adhesive.

FORBO T 940 ADHESIVE (VOC 0.00 G/L)

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

The Forbo T 940 Adhesive is the standard recommended adhesive for Allura LVT.

FORBO SUSTAIN 1195 ADHESIVE (VOC 0.00 G/L)

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

The Forbo Sustain 1195 Adhesive is a recommended alternative compatible adhesive with the Allura LVT.

FORBO 660 ADHESIVE (VOC 12.00 G/L)

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Forbo 660 Adhesive is a recommended alternative compatible adhesive with the Allura LVT.

FORBO ADHESIVE REMOVER

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Forbo Adhesive Remover can be used for adhesive residue removal post installation per the published Floor Care Guidelines.

FORBO NEUTRAL PH CLEANER

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Forbo Neutral pH Cleaner is the recommended cleaner for standard routine cleaning per the published Floor Care Guidelines.

FORBO READY TO USE NEUTRAL PH CLEANER

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Forbo Ready To Use Neutral pH Cleaner can be used for for standard routine cleaning per the published Floor Care Guidelines.

FORBO HEAVY DUTY CLEANER

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Forbo Heavy Duty Cleaner can be used for interim maintenance per the published Floor Care Guidelines.

FORBO MOP ON RESTORER

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Forbo Mop On Restorer can be used for interim maintenance per the published Floor Care Guidelines.

FORBO SPRAY BUFF

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Forbo Spray Buff can be used for interim maintenance per the published Floor Care Guidelines.

FORBO MATTE FINISH

HPD URL: No HPD available

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Forbo Matte Finish can be used for interim maintenance per the published Floor Care Guidelines.

FORBO GLOSS FINISH

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Forbo Gloss Finish can be used for interim maintenance per the published Floor Care Guidelines.

Section 5: General Notes

Allura lines include: Allura Wood & Stone. Allura contains no Isocyanates.

MANUFACTURER INFORMATION

MANUFACTURER: Forbo Flooring Systems

ADDRESS: 8 Maplewood Drive

Hazle Township PA 18202, United States

WEBSITE: www.forboflooringna.com

CONTACT NAME: Shannon Wolski

TITLE: Product Support and Education Services Administrator

PHONE: 570-450-0319

EMAIL: shannon.wolski@forbo.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity **GEN** Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.