Colorex EC Plus by Forbo Flooring Systems

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 26064

CLASSIFICATION: 09 65 33 Conductive Resilient Flooring

PRODUCT DESCRIPTION: Colorex EC Plus is a heavy duty loose lay tile with a unique dovetail locking system. When installed in conjunction with our grounding strap, it has the below electrical resistance: 5 x 10^4 ohms surface to ground to 10^6 ohms surface to ground. Size: 23.94" x 23.94" (60.8cm x 60.8cm). Gauge: 0.413" (10.5mm). Packaging: 5 tiles per box at 19.89 ft2 (1.79 meters2).

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm

⊙ 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities

Considered

Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

Screened

All substances screened using Priority Hazard Lists with

results disclosed.

Identified

○ Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic)

and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

COLOREX EC PLUS [POLYVINYL CHLORIDE LT-P1 | RES

LIMESTONE BM-3dg BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg

CARBON BLACK BM-1 | CAN TITANIUM DIOXIDE LT-1 | CAN | END

PARAFFIN LT-UNK FATTY ACIDS, C16-18, ZINC SALTS LT-UNK

CALCIUM STEARATE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Percentage (%) ranges for ingredients are used as a means of keeping the exact formulations proprietary.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2021-09-12 PUBLISHED DATE: 2021-09-12 EXPIRY DATE: 2024-09-12

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

COLOREX EC PLUS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.

OTHER PRODUCT NOTES: N/A

POLYVINYL CHLORIDE ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-12 21:09:54

%: 12.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Also used in the Colorex recycled scrap (scrap used as binder, 0.1% - 63%).

LIMESTONE ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-12 21:09:55

%: 10.0000 GS: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Also used in the Colorex recycled scrap (scrap used as binder, 0.1% - 63%).

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-12 21:09:55

%: 8.0000 GS: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Also used in the Colorex recycled scrap (scrap used as binder, 0.1% - 63%).

CARBON BLACK ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-12 21:09:56

%: 5.0000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment			
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS				
CAN	US CDC - Occupational Carcinogens	Occı	Occupational Carcinogen				
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effect but not sufficient for classification				
CAN	CA EPA - Prop 65	5 Carcinogen - specific to chemical form o					
CAN	IARC		p 2B - Possibly o	carcinogenic to humans - inhaled urces			

TITANIUM DIOXIDE		ID: 13463-67-7				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-09-12 21:09:56				
%: 1.0000	GS: LT-1	RC: None NANO: No SUBSTANCE ROLE: Filler				
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen				
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route				
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources				
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value				
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor				
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels				
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]				

SUBSTANCE NOTES: Also used in the ColoRex recycled scrap (scrap used as binder, 0.1% - 63%). The titanium dioxide (TiO2) is bound within the product, requiring no further labeling. Identified on the US EPA Safer Chemical Ingredient List. Form-specific hazards: airborne particles of respirable size – occupational setting. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific Hazards such as Titanium Dioxide. This HPD will be updated as appropriate when these guidelines become available. The Material Health Harmonization Task Group convened by the USGBC states that pigmentary titanium dioxide was "determined to be Benchmark 2 using the full GS (GreenScreen) method" hpdrepository.hpd-collaborative.org HPD v2.1 created via HPDC Builder Page 2 of 12 (http://ow.ly/Z5ken).

PARAFFIN				ID: 8002-74-2
HAZARD SCREENING METH	OD: Pharos Chemical and Materials Library	HAZARD S	CREENING D	DATE: 2021-09-12 21:09:56
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
None found			No w	arnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Also	used in the Colorex recycled scrap (scrap used	l as binder, 0	.1% - 63%).	

HAZARD SCREENING METHOD	: Pharos Chemical and Materials Library	HAZARD S	CREENING D	DATE: 2021-09-12 21:09:57
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS	
None found			No wa	arnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Also use	ed in the Colorex recycled scrap (scrap used	l as binder, 0	.1% - 63%).	

CALCIUM STEARATE						I	D: 1592-23-0
HAZARD SCREENING METHOD	: Pharos Chemical and Materials Library	HAZARD S	CREENING D	DATE:	2021-09-12 2	1:09:57	
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBS	STANCE ROLI	: Process	ing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS				
None found			No w	arnings	found on HP	D Priority I	Hazard Lists
SUBSTANCE NOTES: Also use	ed in the Colorex recycled scrap (scrap used	l as binder, 0	.1% - 63%).				



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

CERTIFICATE URL: https://www.ul.com/ **CERTIFICATION AND COMPLIANCE NOTES:** ISSUE DATE: 2017-07- EXPIRY DATE: 23

CERTIFIER OR LAB: Berkeley

Analytics

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

FORBO WALL BASE

HPD URL: http://www.forboflooringna.com

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used with ColoRex EC Plus installation using the recommended adhesive.

COLOREX INNER CORNER PROFILE

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used with a ColoRex EC Plus installation with recommended adhesive.

COLOREX OUTER CORNER PROFILE

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used with a ColoRex EC Plus installation with recommended adhesive.

COLOREX SKIRTING STRIP

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used with a ColoRex EC Plus installation with recommended adhesive. Skirting strip is not conductive.

COVE FORMER PROFILE

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used with a ColoRex EC Plus installation with recommended adhesive. Cove former profile is not conductive.

ACCESS RAMP HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used with ColoRec EC Plus installation. Access Ramp is not conductive.

NEUTRAL PH CLEANER HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used for routine cleaning.

READY TO USE NEUTRAL PH CLEANER

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Can be used for routine cleaning.

FORBO HEAVY DUTY CLEANER

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Can be used for interim maintenance.



Section 5: General Notes

Colorex EC Plus contains no Isocyanates.

MANUFACTURER INFORMATION

MANUFACTURER: Forbo Flooring Systems

ADDRESS: 8 Maplewood Drive

Hazle Township PA 18202, United States

WEBSITE: www.forboflooringna.com

CONTACT NAME: Shannon Wolski-Konecnik

TITLE: Product Support and Education Services Administrator

PHONE: 5704500319

EMAIL: shannon.wolski@forbo.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

present on at least one GreenScreen Specified List, but the

NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.