eurocol

Page 1/9

Revision: 17.03.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.03.2023

Version number 4.0 (replaces version 3.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 120 Euroflex MS
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Adhesives
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Forbo Eurocol Deutschland GmbH August-Röbling-Straße 2 99091 Erfurt

GERMANY

Tel.: +49 361 730 41 0 Fax: +49 (0)361 73041-92

E-Mail: Elisabeth.Reinhardt@forbo.com

www.forbo-eurocol.de

· Further information obtainable from:

Laboratory

Elisabeth Reinhardt

Elisabeth.Reinhardt@forbo.com

· 1.4 Emergency telephone number:

Poison information center for the states of Mecklenburg-Western Pomerania, Saxony, Saxony-Anhalt and Thuringia:

+49-361-730730

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1

H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Warning

(Contd. on page 2)

Printing date 17.03.2023 Version number 4.0 (replaces version 3.0) Revision: 17.03.2023

Trade name: 120 Euroflex MS

(Contd. of page 1)

· Hazard-determining components of labelling:

trimethoxyvinylsilane

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

· Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
	trimethoxyvinylsilane	2.5-10%
EINECS: 220-449-8	🚸 Flam. Liq. 3, H226; 🕠 Acute Tox. 4, H332; Skin Sens. 1B, H317	
	Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and	≥0.25-<1%
	methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🚺 Skin Sens. 1A, H317	

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomiting. Rinse out mouth and drink plenty of water. Consult a doctor if symptoms persist.

(Contd. on page 3)

Printing date 17.03.2023 Version number 4.0 (replaces version 3.0) Revision: 17.03.2023

Trade name: 120 Euroflex MS

(Contd. of page 2)

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

CO2, extinguishing powder

· 5.2 Special hazards arising from the substance or mixture

In case of fire, formation of toxic gases possible. In case of fire may be released: CO and CO2

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

 \cdot 6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Recommended storage temperature: 5-30°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Printing date 17.03.2023 Version number 4.0 (replaces version 3.0) Revision: 17.03.2023

Trade name: 120 Euroflex MS

			(Contd. of page	
DNELs				
2768-02-7	trimethoxyvinylsilane			
Oral	DNEL Long-term - oral, sys	temic effects	0.3 mg/kg_bw/day (general public)	
Dermal	DNEL Long-term – dermal,	systemic effects	3.9 mg/kg_bw/d (Worker)	
			7.8 mg/kg_bw/d (general public)	
Inhalative	DNEL Long-term – inhalati	on, systemic effects	27.6 mg/m³/d (Worker)	
			6.7 mg/m³/d (general public)	
1065336-9	1-5 Reaction mass of bis(1 pentamethyl-4-piperidyl		hyl-4-piperidyl) sebacate and methyl 1,2,2,6,	
Oral	DNEL Long-term - oral, sys	temic effects	0.05 mg/kg_bw/day (general public)	
Dermal	DNEL Long-term – dermal,	systemic effects	0.5 mg/kg_bw/d (Worker)	
			0.25 mg/kg_bw/d (general public)	
Inhalative	DNEL Long-term – inhalati	on, systemic effects	0.68 mg/m³/d (Worker)	
			0.17 mg/m³/d (general public)	
PNECs				
<i>2768-02-7</i>	trimethoxyvinylsilane			
PNEC sho	rt term, fresh water	0.4 mg/l (Aquatic o	organisms)	
PNEC sho	rt term, sea water	0.04 mg/l (Aquatic organisms)		
PNEC sho	rt term, sewage plant	6.6 mg/l (Aquatic organisms)		
PNEC short term fresh water sediment		1.5 mg/kg (Aquatic organisms)		
PNEC short term soil		0.06 mg/kg (Aquatic organisms)		
PNEC short term sea water sediment		0.15 mg/kg (Aquatic organisms)		
PNEC sho	rt term, intermittent releases	2.4 mg/l (Aquatic o	organisms)	
1065336-9	11-5 Reaction mass of bis(1 pentamethyl-4-piperidyl		hyl-4-piperidyl) sebacate and methyl 1,2,2,6,	
PNEC sho	rt term, fresh water	0.002 mg/l (Aquati	ic organisms)	
PNEC short term, sea water		0 mg/l (Aquatic organisms)		
PNEC short term, sewage plant		1 mg/l (Aquatic organisms)		
PNEC short term fresh water sediment				
	rt term soil	0.21 mg/kg (teress		
PNEC short term sea water sediment		0.11 mg/kg (Aquatic organisms)		
	rt term, intermittent releases			
		1 : 1 1:		

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

Printing date 17.03.2023 Version number 4.0 (replaces version 3.0) Revision: 17.03.2023

Trade name: 120 Euroflex MS

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Safety glasses

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Beige

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range Undetermined.
• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.

• pH Mixture is non-soluble (in water).

· Viscosity:

· Kinematic viscosity Not determined.

· Viscosity @100°C:

• **Dynamic at 20 °C:** 120,000 mPas

· Solubility

• water: Not miscible or difficult to mix.

• Partition coefficient n-octanol/water (log value) Not determined. • Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C:
 Relative density
 Density (@15°C)
 Vapour density
 1.6 g/cm³
 Not determined.
 Not determined.
 Not determined.

(Contd. on page 6)

Printing date 17.03.2023 Version number 4.0 (replaces version 3.0) Revision: 17.03.2023

Trade name: 120 Euroflex MS

(Contd. of page 5)

9.2 Other information

· Appearance:

· Form: Pasty

· Important information on protection of health and

environment, and on safety.

· Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· Organic solvents: < 0.0 % · VOC (EC) 0.01 %

· Change in condition

Not applicable. · Evaporation rate

Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures VoidPyrophoric liquids Void· Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void Void Void

· Oxidising liquids · Oxidising solids Organic peroxides Void · Corrosive to metals Void

· Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values	relevant	for	classi	fication:
-----------	--------	----------	-----	--------	-----------

2768-02-7	trimethoxy	vinylsilane

Oral	LD50	7,120-7,236 mg/kg (rat)
Dermal		3,200 mg/kg (rabbit)

(Contd. on page 7)

Printing date 17.03.2023 Version number 4.0 (replaces version 3.0) Revision: 17.03.2023

Trade name: 120 Euroflex MS

		(Contd. of page 6)
Inhalative	LC50 (4h)	16.8 mg/l (rat)
1065336-9	01-5 Reactio	on mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-
	pentam	ethyl-4-piperidyl sebacate
Oral	LD50	3,230 mg/kg (rat)
Dermal	LD50	3,170 mg/kg (rat) (OECD 402)

- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

1065336-91-5 Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

LC50 (96h) mg/ltr. 0.9 mg/ltr (Fish) EC50 (72h) 0.42 mg/l (algae)

· 12.2 Persistence and degradability

125643-61-0 A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl)propionate
1065336-91-5 Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects No further relevant information available.
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 17.03.2023 Version number 4.0 (replaces version 3.0) Revision: 17.03.2023

Trade name: 120 Euroflex MS

(Contd. of page 7)

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informat	tion	
· 14.1 UN number or ID number · ADR, IMDG, IATA	not regulated	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
· UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · **VOC (EU)** 0.1 g/l
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

· Relevant phrases

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

(Contd. on page 9)

Printing date 17.03.2023 Version number 4.0 (replaces version 3.0) Revision: 17.03.2023

Trade name: 120 Euroflex MS

(Contd. of page 8)

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Quality Management department
- · Contact:

Laboratory

Elisabeth Reinhardt

Elisabeth.Reinhardt@forbo.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

 $Aquatic\ Chronic\ 3:\ Hazardous\ to\ the\ aquatic\ environment\ -\ long\ -term\ aquatic\ hazard\ -\ Category\ 3$

· * Data compared to the previous version altered.

GB