eurocol

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.11.2023

Version number 6 (replaces version 5)

Revision: 06.10.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

Trade name: 900 Europlan DSP

- · Article number: 900
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** *No further relevant information available.*
- · Application of the substance / preparation Levelling compound

· 1.3 Details of the supplier of the safety data sheet

[·] Manufacturer/Supplier:

Forbo Eurocol Nederland B.V. Industrieweg 1-2 NL-1521 NA Wormerveer Holland Tel. +31 75 6271600 - Fax +31 75 6283564 E-mail address: info.eurocol@forbo.com

Website: www.eurocol.com

[•] 1.4 Emergency telephone number:

In case of emergency please contact the Dutch National Poison Control, telephone number: 0031-(0)88-755 8000 (This number is only accessible to the physician treating the patient and only in case of accidental poisoning).

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- [•] Additional information:

Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

- [•] 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Butadiene styrene copolymer dispersion with filler

(Contd. on page 2)

GB

Printing date 09.11.2023

Version number 6 (replaces version 5)

Revision: 06.10.2023

Trade name: 900 Europlan DSP

CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<19
EINECS: 220-120-9	♦ Acute Tox. 2, H330; Aquatic Chronic 1, H410; Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: $C \ge 0.05$ %	
CAS: 55965-84-9	mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	<1
	 Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % 	-
	Skin Irrit. 2; H315: 0.06 % \leq C < 0.6 % Eye Dam. 1; H318: C \geq 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- [•] After skin contact:
- Remove contaminated clothing, rinse and wash with soap and water and consult a doctor.
- After eye contact: Rinse open eyes with running water for several minutes.
- [•] After swallowing:

A person vomiting while laying on their back should be turned onto their side. Do not induce vomiting. Rinse mouth and drink plenty of water. If complaints persist, consult a doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- [·] 5.1 Extinguishing media
- **Suitable extinguishing agents:** CO2, powder or water haze. Fight larger fire with alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** Formation of toxic gases is possible during heating or in case of fire. Carbon monoxide (CO)
- Carbon dioxide
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures *Particular danger of slipping on leaked/spilled product.*

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Printing date 09.11.2023

Version number 6 (replaces version 5)

Revision: 06.10.2023

Trade name: 900 Europlan DSP

(Contd. of page 2)

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

• **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- [•] 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool, but frost-proof location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Recommended storage temperature between 5 and 30°C.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

2634-33-5	1,2-benzisothiazol-3(2H)-one	
Dermal	DNEL long term	0.966 mg/kg KG/d (wrk)
	DNEL short term systemic health problems	
Inhalative	DNEL Inhalative long terme	1.2 /mg/m ³ (Consumer)
DNEL		6.81 mg/m ³ (wrk)
55965-84-	9 mixture of: 5-chloro-2-methyl-4-isothia 2H-isothiazol-3-one [EC no. 220-239-6]	azolin-3-one [EC no. 247-500-7] and 2-methyl (3:1)
Oral	DNEL	0.09 mg/kg (Consumer)
Inhalative	DNEL Inhalative long terme	0.02 /mg/m³ (Consumer)
PNECs		
2634-33-5	1,2-benzisothiazol-3(2H)-one	
PNEC	4.99 μg/kg (Sea Water Sediment)	
	49.9 μg/kg (Fresh Water Sediment)	
PNEC ug/	l 0.403 μg/l (Sea Water)	
	4.03 μg/l (Fresh Water)	
PNEC mg	/kg 3 mg/kg (Soil)	
55965-84-	9 mixture of: 5-chloro-2-methyl-4-isothia 2H-isothiazol-3-one [EC no. 220-239-6]	azolin-3-one [EC no. 247-500-7] and 2-methyl (3:1)
PNEC mg	/kg 0.01 mg/kg (Soil)	
	0.027 mg/kg (Sea Water Sediment)	
	0.027 mg/kg (Fresh Water Sediment)	
		(Contd. on page

Printing date 09.11.2023

Version number 6 (replaces version 5)

Revision: 06.10.2023

Trade name: 900 Europlan DSP

• Additional information: The lists valid during manufacture were used as basis.

(Contd. of page 3)

GB

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
 General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Respiratory protection: Not required.
- Hand protection



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material is dependent on the penetration times, rates of diffusion and degradation. • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Use chemical resistant gloves, classified under EN 374.

Nitrile rubber

Recommended material thickness : \geq 0,4 mm

Butyl rubber, BR

Recommended thickness of the material: \geq 0.7 mm

Penetration time of glove material

The exact break through time has to be established by the manufacturer of the protective gloves and has to be observed.

For the mixture of the chemicals below, the penetration time must be at least 480 minutes (penetration according to EN 166523-1: 2015: Level 6).

• Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemi	ical properties	
[•] 9.1 Information on basic physical and	chemical properties	
General Information		
· Colour:	Whitish	
· Odour:	Nearly odourless	
· Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point an	d boiling	
range	Undetermined.	
· Flammability	Not applicable.	
· Lower and upper explosion limit		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Flash point:	Not applicable.	
Decomposition temperature:	Not determined.	
· pH at 20 °C	8	
Viscosity:		
· Kinematic viscosity	Not determined.	
		(Contd. on page 5)

Printing date 09.11.2023

Version number 6 (replaces version 5)

Revision: 06.10.2023

Trade name: 900 Europlan DSP

	(Contd. of page 4)
[·] Dynamic at 20 °C:	165000 mPas
[·] Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value	Not determined.
· Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	1.7 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
Particle characteristics	Not applicable.
[·] 9.2 Other information	
· Appearance:	
· Form:	Paste
· Important information on protection of health	1
and environment, and on safety.	
Auto-ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
· VOC(EC%)	0.0 %
Change in condition	
· Evaporation rate	Not determined.
[·] Information with regard to physical hazard	I
classes	
⁻ Explosives	Void
Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
[.] Gases under pressure	Void
[·] Flammable liquids	Void
[·] Flammable solids	Void
Self-reactive substances and mixtures	Void
[·] Pyrophoric liquids	Void
[·] Pyrophoric solids	Void
Self-heating substances and mixtures	Void
[•] Substances and mixtures, which emit	
flammable gases in contact with water	Void
[·] Oxidising liquids	Void
[·] Oxidising solids	Void
[.] Organic peroxides	Void
[·] Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** *No further relevant information available.*

· 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6) GB

Printing date 09.11.2023

Version number 6 (replaces version 5)

Revision: 06.10.2023

Trade name: 900 Europlan DSP

(Contd. of page 5) • **10.6 Hazardous decomposition products:** *No dangerous decomposition products known.*

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

55965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Oral LD50 64-66 mg/kg (rat)

Dermal LD50 87.12 mg/kg (rat)

Skin corrosion/irritation

Possible irritation with prolonged or frequent contact.

Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

[.] 12.1 Toxic	ity	
· Aquatic to	xicity:	
2634-33-5	1,2-benzisothiazol-3(2H)-one	
EC50/3h	13 mg/l (Not specified)	
55965-84-9) mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] a 2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	nd 2-methyl-
LC50/96h	0.28 mg/l (LM)	
	0.188 mg/l (OM)	
EC50/48 h	0.126 mg/l (DM)	
3811-73-2 64742-53-6 12.3 Bioac 3811-73-2 1310-73-2 12.4 Mobil 12.5 Resul PBT: Not a vPvB: Not	applicable. c rine disrupting properties t does not contain substances with endocrine disrupting properties.	(Contd. on page 7)

Printing date 09.11.2023

Version number 6 (replaces version 5)

Revision: 06.10.2023

Trade name: 900 Europlan DSP

(Contd. of page 6)

12.7 Other adverse effects Additional ecological information:

General notes:

Not hazardous for water.

Do not allow large quantities to reach sewage system or surface water.

According to the criteria of the EU-classification and labelling "dangerous for environment"(93/21/EWG) the substance/ the product has to be classified as non-hazardous for the environment.

SECTION 13: Disposal considerations

[·] 13.1 Waste treatment methods

· European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Warm water, if necessary together with cleansing agents.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void
 14.3 Transport hazard class(es) 	
· ADR, ADN, IMDG, IATA · Class	Void
 14.4 Packing group ADR, IMDG, IATA 	Void
 14.5 Environmental hazards: Marine pollutant: 	No
[·] 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	to Not applicable.
· Transport/Additional information:	Not classified as hazardous under transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- [·] Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 8)

GB

Printing date 09.11.2023

Version number 6 (replaces version 5)

Revision: 06.10.2023

(Contd. of page 7)

Trade name: 900 Europlan DSP

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

• Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

Waterhazard class:

Generally not hazardous for water.

Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · **Department issuing SDS:** *R&D department*
- Contact: Ing. T.W. Breeuwer
- · Date of previous version: 06.10.2023
- · Version number of previous version: 5

Abbreviations and acronyms:
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organisation
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European List of Notified Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)

Printing date 09.11.2023

Version number 6 (replaces version 5)

Revision: 06.10.2023

Trade name: 900 Europlan DSP

(Contd. of page 8)

GB

PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent DD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
--