

Acoustic and compact floor covering - Adhesive free

**modul'up 19dB**  
**modul'up compact**



≤ 25 lm x 2 m

**forbo**  
FLOORING SYSTEMS

# MODUL'UP : AN INNOVATIVE FLOOR COVERING CONCEPT WITH A COMMITMENT TO THE FUTURE



Forbo’s new Modul’up adhesive free vinyl sheet collection is a ground breaking new floor covering. The product is suitable both for new build and for renovation applications in health care facilities, schools, offices, as well as residential buildings.

The Modul’up vinyl sheet collection heralds a technological innovation as a ‘lay-flat, stay flat’ floor covering solution that does not require any adhesive. As such it reduces the amount of material and energy used for a flooring installation and ensures that the product can be recovered easily and safely at the end of its service life.

Modul’up is also free of the usual constraints associated with using adhesive, such as setting, drying and VOC emissions. Modul’up addresses the challenges that face tomorrow’s floor covering market in product stewardship and industrial ecology.

Offering a palette of 20 colours, spanning beautiful natural oak woods with realistic embossing to elegant stone and concrete effects alongside brighter colour choices ideal for education environments, Modul’up delivers an unrivalled choice of design in adhesive free vinyls. All items are available in both acoustic and compact versions.




- **The quick and easy installation** of Modul’up (including its removal) makes the collection a flexible choice for both renovation and new build projects and offers a competitive advantage to all parties concerned.
- **Modul’up is a high performance acoustic and compact floor covering** offering ease of installation for the installer and a durable performance for the end-user.
- **As no adhesive is used**, the floor is ready for occupation immediately after installation of the floor, there is no waiting or drying time.
- **Modul’up can be effortlessly removed** after its useful service life and prepared for recycling, creating value throughout the product’s life cycle.

# MODUL'UP, INNOVATIVE ADHESIVE FREE SHEET


Available in a **19dB high traffic acoustic** version for underfoot comfort and sound reduction

Ideally suited for communal areas of multi unit housing, education buildings, care homes, offices and public buildings.




Also available in a **compact** intensive traffic version

The Modul'up compact version is ideally suited for health care institutions, care homes, education facilities and public buildings where, in addition to high foot traffic, occasional rolling loads are part of the use of the building.



# MODUL'UP ADHESIVE FREE FLOORS, THE ADVANTAGES AT A GLANCE





## QUICK AND COST EFFECTIVE FLOOR COVERING SOLUTION

## NEW BUILDS


- Shorter installation times\*\*
- Reduced maintenance and service costs\*\*
- Same supplied & fitted price as a glue-down floor covering (initial installation)

## RENOVATIONS

- Installation while premises are in use without any disruption (noise, dust, adhesive odours etc.)
- Instantly ready for use after installation
- Possibility of covering old floor tiles (ceramic tiles, compact vinyl, etc.), including asbestos\*


## FOCUSING ON THE PRESENT **BY ANTICIPATING THE FUTURE**

Modul'up adhesive free vinyl is fully guaranteed when fitted in accordance with Forbo's installation instructions, however at the end of its long and useful service life it can deliver significant savings in both time and money when replacing like for like.



*A winning solution  
from day one...*

*...with  
significant savings  
during future  
replacements*



*An almost  
identical supplied &  
fitted price  
saving  
on replacements*


\*\* For more information please visit [www.forbo-flooring.co.uk/modulup](http://www.forbo-flooring.co.uk/modulup)

\*according to applicable legislation

**MODUL'UP,** A TECHNOLOGY OFFERING  
EXTRAORDINARY PERFORMANCE LEVELS


PERFECT DIMENSIONAL **STABILITY...**

## Dimensional stability test EN-ISO 23999



## ...AND RESISTANCE TO EXTREME STRESSES


## Results of the Furniture leg resistance EN 424 (ISO 16581)



# CONCEALS DEFECTS **IN THE SUBFLOOR...**


Please visit [www.forbo-flooring.co.uk/installation](http://www.forbo-flooring.co.uk/installation) to download the full Modul'up installation guide

Castor chair test according to EN 425/ISO 4918



***Modul'up 19dB**  
and  
**Modul'up Compact** are  
capable of withstanding  
over 50,000  
castor chair cycles, i.e.  
twice the requirement of  
the standard, without  
the substrate showing  
through.*

# ... AND IS PERFECTLY **WATERTIGHT**




# **MODUL'UP:** ALL YOU NEED FOR A PERFECT INSTALLATION




**Tools and accessories required:**  
Standard installation tools and Modul'up jointing tape ref 792 are required

## STORAGE AND CUTTING


Rolls must be stored upright for at least 24 hours before installation in a ventilated room, protected from moisture and at a temperature of no less than 18°C. Cut the required sections the day before installation to allow the product to settle.



**1** Brush or vacuum the subfloor. In case of a new substrate, apply a primer.




**5** Peel away the protective film (tearproof) while remaining as close as possible to the covering and allow the edges to fall back down.




**2** Mark out the position of the Modul'up sheets on the subfloor. Apply the Modul'up adhesive tape, non-slip side down, along the marked joints and along door thresholds.



**6** Once completed, simply press down on the joint to improve adherence between the floor covering and the Modul'up adhesive tape.



**3** The tape must be positioned so that both sheets cover the tape. Place the floor covering in the room, so that it covers the entire surface and laps up slightly along the walls (+10 cm).



**7** Hot welding is always recommended for heavy traffic applications.



**4** Trim around the edges, but avoid cutting in too tightly (leave a gap of 1mm). Skirting can be fitted for a more aesthetic finish.

Lift up the floor covering starting at the skirting board to reveal the Modul'up adhesive tape and peel away the protective film.

For more detailed installation instructions please visit [www.forbo-flooring.co.uk/modulup](http://www.forbo-flooring.co.uk/modulup)



# FIND ALL OUR ADDITIONAL **INSTALLATION AND FINISHING PRODUCTS**

For full installation, cleaning and maintenance instructions please visit [www.forbo-flooring.co.uk/installation](http://www.forbo-flooring.co.uk/installation)

## Modul'up single-sided tape

Modul'up tape is part of the Modul'up system. To get all the benefits of a complete adhesive free installation, Forbo recommends the use of the Modul'up tape.



## PVC welding rod

Matching welding rods exist for all items in the Modul'up collection. Please visit [www.forbo-flooring.co.uk/modulup](http://www.forbo-flooring.co.uk/modulup) for more information



4330756 | resin saffron

# ENTRANCE MATTING

The dirt that pedestrians walk into buildings affects the quality of the reception area, and can damage interior floor coverings. Installing an effective system of entrance matting will protect your floor coverings and save up to 65% on your cleaning costs.



**CORAL® :**  
**Textile entrance matting**  
This matting system reduces cleaning costs by up to 65% and extends the service life of your interior floor coverings.

[www.forbo-flooring.co.uk/coral](http://www.forbo-flooring.co.uk/coral)



**NUWAY® :**  
**Rigid entrance matting**  
Nuway® rigid entrance matting locks in dirt and moisture in very heavy and intense entrance areas.

[www.forbo-flooring.co.uk/nuway](http://www.forbo-flooring.co.uk/nuway)

# WHAT TO DO NEXT

For further information on any of the products in this brochure, please don't hesitate to contact us on the number below and we'll be pleased to send you additional literature and samples as required.


**Samples:**  
0800 731 2369 or online at [www.forbo-flooring.co.uk/samples.uk@forbo.com](http://www.forbo-flooring.co.uk/samples.uk@forbo.com)

**Email:**  
[info.flooring.uk@forbo.com](mailto:info.flooring.uk@forbo.com)

**Downloads:**  
[www.forbo-flooring.co.uk/downloads](http://www.forbo-flooring.co.uk/downloads)







**London EC1 Showroom:**  
79 St John Street,  
Clerkenwell  
London, EC1M 4NR  
Tel: 0207 553 9300  
Email: [ec1@forbo.com](mailto:ec1@forbo.com)

**Opening hours:**  
Mon - Fri 9.00am - 4.00pm

Forbo's EC1 showroom is the ideal place to visit when you're looking for that 'perfect colour' or just want to see a wider range of products. Our full portfolio of brands on display includes Tessera and Westbond carpet tiles, Marmoleum, project vinyl ranges,

entrance flooring systems and designs from our Flotex collection.

Why not pop in and enjoy some hospitality while looking at the products or discussing a project with one of our advisors.

Whilst Forbo Flooring UK Limited does its best to ensure that the contents of this brochure are correct and accurate at the time of publication, to the fullest extent permitted by law, Forbo Flooring UK Limited makes no, and expressly disclaims all, guarantees of any kind, express or implied in respect of the information, content, materials or products displayed in this brochure and does not represent that the information is accurate, complete or current and you are advised to visit our website at [www.forbo-flooring.co.uk](http://www.forbo-flooring.co.uk) for up-to-date details or corrections to such contents.

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. Contact 0800 731 2369.