



SAFETY DATA SHEET

Heavy Duty Cleaner

FLOORING SYSTEMS

Date Prepared : 06/18/2024
SDS No : Heavy Duty Cleaner

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Heavy Duty Cleaner
GENERAL USE: Floor finish remover
PRODUCT DESCRIPTION: Heavy Duty Floor Cleaner/Stripper
CHEMICAL FAMILY: Solvent/detergent blend

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEM-TEL (Medical and Transportation): 800-255-3924
POISON CONTROL CENTER (Medical): 800-222-1222

DISTRIBUTOR

Forbo Flooring Systems
3983 Nashua Dr., Unit 1
Mississauga, ON L4V 1P3
Customer Service: 1-800-268-8108

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Eye Irritation, Category 2A
Skin Irritation, Category 3

GHS LABEL Exclamation Mark

SIGNAL WORD: WARNING

HAZARD STATEMENTS

H319: Causes serious eye irritation.
H316: Causes mild skin irritation.
H303: May be harmful if swallowed.

PRECAUTIONARY STATEMENT(S)

Prevention:

P273: Avoid release to the environment.
P262: Do not get in eyes, on skin, or on clothing.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P264: Wash hands thoroughly after handling.
P233: Keep container tightly closed.
P102: Keep out of reach of children.

Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.
P302+P352: IF ON SKIN: Wash with plenty of soap and water
P332+P313: If skin irritation occurs: Get medical advice/attention.
P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P304+P312: IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

Storage:

P404: Store in a closed container.

Disposal:

P501: Dispose of contents/container according to all local, state and Federal regulations.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Clear Liquid

IMMEDIATE CONCERNS: Eye & Skin irritant

POTENTIAL HEALTH EFFECTS

EYES: Irritating, and may injure eye tissue if not removed promptly.

SKIN: Skin irritant with prolonged or repeated contact.

SKIN ABSORPTION: None Expected.

INGESTION: Although of moderate to low toxicity, ingestion can cause gastrointestinal irritation, nausea, vomiting, diarrhea, and possible death.

INHALATION: Mist is irritating to nose, throat and lungs.

REPRODUCTIVE TOXICITY

TERATOGENIC EFFECTS: None known.

CARCINOGENICITY: No listed substance

MUTAGENICITY: None known.

MEDICAL CONDITIONS AGGRAVATED: Previous skin conditions such as dermatitis may be aggravated.

ROUTES OF ENTRY: Eye, skin, ingestion, Inhalation.

CANCER STATEMENT: None

WARNING CAUTION LABELS: Irritant

PHYSICAL HAZARDS: None Expected.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Benzyle Alcohol	5 - 10	100-51-6
Monoethanolamine	5 - 10	141-43-5
Water	80 - 90	7732-18-5

4. FIRST AID MEASURES

EYES: Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

INHALATION: Remove victim to fresh air and monitor. Seek medical advise if irritation persists.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Burning sensation with tearing, redness.

SKIN: Prolonged contact will cause irritation marked by redness, burning sensation.

SKIN ABSORPTION: Not Established

INGESTION: Irritation of mouth, throat, along with stomach upset, vomiting.

INHALATION: Irritation of nose, throat and lungs with coughing, sneezing, possible difficulty breathing.

ACUTE TOXICITY: Not Established

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: NA = Not Applicable

GENERAL HAZARD: NA = Not Applicable

EXTINGUISHING MEDIA: Not required. Water based material.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Avoid walking in product. Wipe up or otherwise flush small spills to sanitary sewer.

LARGE SPILL: Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid discharges into open waterways.

LAND SPILL: Avoid discharge to soil.

GENERAL PROCEDURES: Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other non-combustible material and transfer to containers.

SPECIAL PROTECTIVE EQUIPMENT: Eye protection, rubber gloves, rubber boots to protect feet.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Close container after use.

HANDLING: Wear eye protection, rubber gloves when handling concentrate.

STORAGE: Store in area inaccessible to children.

STORAGE TEMPERATURE: Store at ambient temperatures.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES Exposure guidelines noted for ingredient(s).

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Monoethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m ³ (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m ³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m ³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³
Diethanolamine 111-42-2	TWA: 1 mg/m ³ inhalable fraction and vapor S*	(vacated) TWA: 3 ppm (vacated) TWA: 15 mg/m ³	TWA: 3 ppm TWA: 15 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

ENGINEERING CONTROLS: Provide mechanical ventilation when used in confined areas, or areas with poor ventilation.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Chemical splash goggles and full face-shield.

SKIN: Rubber or other chemical resistant gloves. Rubber boots of used on floors.

PROTECTIVE CLOTHING: Chemical resistant outerwear (tyvek) if contact with spray or mist is anticipated.

WORK HYGIENIC PRACTICES: Wash with soap and water after handling. Do not eat, drink or smoke while using product.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid
ODOR: Amine
ODOR THRESHOLD: Not Established
COLOR: Amber
pH: 8.0 to 9.0
PERCENT VOLATILE: 80+
FLASH POINT AND METHOD: None
FLAMMABLE LIMITS: N/A
AUTOIGNITION TEMPERATURE: NA = Not Applicable
VAPOR PRESSURE: ≤ 20 mm Hg at (68°F)
VAPOR DENSITY: ≤ 1
BOILING POINT: ~ 100°C (212°F)
FREEZING POINT: ~ 0°C (32°F)
MELTING POINT: Not Available
THERMAL DECOMPOSITION: Not Available
SOLUBILITY IN WATER: Complete
EVAPORATION RATE: (Water =1) 1.0
DENSITY: 8.34 at (68°F)
SPECIFIC GRAVITY: 1.058 grams/ml.
VISCOSITY: Water thin.
(VOC): 10.930 % by weight

10. STABILITY AND REACTIVITY

REACTIVITY: Yes
HAZARDOUS POLYMERIZATION: No
CONDITIONS TO AVOID: Not Established
POSSIBILITY OF HAZARDOUS REACTIONS: None Expected.
HAZARDOUS DECOMPOSITION PRODUCTS: None known.
INCOMPATIBLE MATERIALS: Strong acids, oxidizers.

11. TOXICOLOGICAL INFORMATION

ACUTE

Chemical Name	Oral LD ₅₀	Dermal LD ₅₀	Inhalation LC ₅₀
Benzyl Alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
Monoethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit) = 1000 mg/kg (Rabbit)	-

EYES: Not Established
DERMAL LD₅₀: Not Established
SKIN ABSORPTION: None Expected.
ORAL LD₅₀: Not Established
INHALATION LC₅₀: Not Established
EYE EFFECTS: Moderate to severe eye irritant.
SKIN EFFECTS: Moderate skin irritant.
IRRITATION: Irritant
SENSITIZATION: No known significant effects or critical hazards.
MUTAGENICITY: No known significant effects or critical hazards.

12. ECOLOGICAL INFORMATION**ENVIRONMENTAL DATA:** Not Established**ECOTOXICOLOGICAL INFORMATION:** Not Established**AQUATIC TOXICITY (ACUTE):** Not Established**13. DISPOSAL CONSIDERATIONS****DISPOSAL METHOD:** Small amounts (less than 5 gallons) may be disposed of in sanitary sewer. Consult local authorities for additional disposal information.**FOR LARGE SPILLS:** Consult with local and state authorities for large volume disposal.**PRODUCT DISPOSAL:** See above.**EMPTY CONTAINER:** Rinse container with clear water. Offer container for recycling, or dispose of in trash.**RCRA/EPA WASTE INFORMATION:** NA = Not Applicable**14. TRANSPORT INFORMATION****DOT (DEPARTMENT OF TRANSPORTATION)****PROPER SHIPPING NAME:** Cleaning Compound, not regulated.**ROAD AND RAIL (ADR/RID)****PROPER SHIPPING NAME:** Cleaning Compound, not regulated.**AIR (ICAO/IATA)****SHIPPING NAME:** Cleaning Compound, not regulated.**VESSEL (IMO/IMDG)****SHIPPING NAME:** Cleaning Compound, not regulated.**15. REGULATORY INFORMATION****INTERNATIONAL INVENTORIES****TSCA** Complies**DSL/NDSL** Complies**LEGAND:****TSCA** - United States Toxic Substance Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substance List**UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)****311/312 HAZARD CATEGORIES:** Health - Acute**FIRE:** No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** Yes**313 REPORTABLE INGREDIENTS:** None**302/304 EMERGENCY PLANNING****EMERGENCY PLAN:** NA = Not Applicable**CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)****CERCLA REGULATORY:** NA = Not Applicable**TSCA (TOXIC SUBSTANCE CONTROL ACT)****TSCA REGULATORY:** All ingredients are listed on the TSCA Chemical Inventory.**STATES WITH SPECIAL REQUIREMENTS**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Monoethanolamine 141-43-5	X	X	X
Diethanolamine 111-42-2	X	X	X
Benzaldehyde 100-52-7	X	X	X

CALIFORNIA PROPOSITION 65: This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Diethanolamine - 111-42-2	Carcinogen


16. OTHER INFORMATION

PREPARED BY: Janitors Supply Company Inc **Date Prepared:** 06/18/2024

HMIS RATING

HEALTH	<input type="checkbox"/>	2
FLAMMABILITY	<input type="checkbox"/>	0
PHYSICAL HAZARD	<input type="checkbox"/>	0
PERSONAL PROTECTION	<input type="checkbox"/>	B

NFPA CODES



MANUFACTURER DISCLAIMER: This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.