



NEW COLLECTIONS!

marmoleum®

MCT

allura

flotex®

eternal

coral®

PRODUCT GUIDE

creating better environments



FLOORING SYSTEMS



Marmoleum® Striato receives iF DESIGN AWARD 2016

The new Marmoleum® Striato collection of contemporary linear designs has been awarded with the iF DESIGN AWARD 2016. The collection revives a classic 1950's flooring design into a vibrant contemporary, natural floorcovering.

Marmoleum® Striato's manufacturing process creates a subtle random pattern against a monochromatic background, or alternatively, isolates individual colors into a "linear" pattern that varies over the length of the roll as well as between individual rolls. When installed on the floor one single overall organic pattern is created. The subtle mixing of the individual color tones creates a world of nuances and richness, a natural gift of the process of linoleum making.



Recognized as a symbol of design excellence, the iF DESIGN AWARD is one of the most prestigious and coveted design awards in the world. From its inception in the 1950's, the iF Design Award recognizes well-designed industrial products that combine ethical and aesthetic qualities. The iF DESIGN AWARD is organized by the International Forum Design GmbH, one of the oldest, independent design institutions in the world. This year, almost 5,300 entries were received from more than 50 countries.



marmoleum® striato

with **topshield²**

- 27 modern linear designs add an extra dimension to your space
- USDA Certified 100% biobased content
- Topshield 2 occupancy ready factory finish
- Contributes to LEED® credits
- 30-year system service life



striato textura


Add dimension to your floor with two new textures: flow and driftwood





Endless Possibilities

View our online floor planner at www.forboflooringNA.com to explore more possibilities!



marmoleum® modular striato

with **topshield™2**

- 15 modern linear designs add an extra dimension to your space
- USDA Certified 100% biobased content
- Topshield 2 occupancy ready factory finish
- Contributes to LEED® credits
- 30-year system service life
- 10" x 40" and 20" x 20" sizes
- *three colors also available in 10" x 20" cross-cut



marmoleum® modular textura

with **topshield™2**



- 8 organic linear designs embossed with realistic wood patterns
- USDA Certified 100% biobased content
- Topshield 2 occupancy ready factory finish
- Contributes to LEED® credits
- 30-year system service life
- 10" x 40" size





From the **indoor environment** to the **natural environment**,
Marmoleum® helps **create better environments**.

Made from natural, renewable ingredients, Marmoleum sheet and tile products are USDA Certified 100% biobased and features naturally inherent antimicrobial and antistatic properties.

Marmoleum's sustainable, water-based Topshield 2 finish provides occupancy-ready installation and exceptional performance against real world flooring damage, including soiling, staining, scratching and scuffing. While non-renewable floor coverings may be permanently damaged, Marmoleum can easily and cost-effectively be renewed, bringing the floor covering back to its original beauty, even after years of heavy use. In fact, Marmoleum has a system service life of 30 years.



Marmoleum® contributes to LEED® credits in the following categories:

Materials and Resources

MR Credit Building Product Disclosure and Optimization - Environmental Product Declarations
MR Credit Building Product Disclosure and Optimization - Sourcing of Raw Materials
MR Credit Building Product Disclosure and Optimization - Material Ingredients
MR Credit Construction and Demolition Waste Management



Indoor Environmental Quality

EQ Prerequisite Minimum Acoustic Performance (applies to: Schools)
EQ Credit Enhanced Indoor Air Quality Strategies
EQ Credit Low-Emitting Materials



Marmoleum® received the
2015 Platinum ADEX Award
for Design Excellence!


Sustainable Attributes: 100% bio-based content

marmoleum®

modular

with **topshield™2**

- 44 colors ensures wide color palette for endless possibilities
- USDA Certified 100% biobased content
- Topshield 2 occupancy ready factory finish
- Contributes to LEED® credits
- 30-year system service life
- 10" x 10", 10" x 20" and 20" x 20" sizes



marmoleum®

modular

with **topshield™2**








Photo: Kaiser Fontana

marmoleum® real

with **topshield™2**

- 59 colors ensures wide color palette for endless possibilities
- USDA Certified 100% biobased content
- Topshield 2 occupancy ready factory finish
- Contributes to LEED® credits
- 30-year system service life



 3173 van gogh MCS	 3038 caribbean MCS	 2499 sand	 2713 calico MCS	 3136 concrete MCS	 3257 edelweiss
 3077 tan pink MCS	 2707 barley Decibel	 3249 marly grounds MCS	 3120 rosato Decibel	 2621 dove grey MCS Decibel	 3032 mist grey MCS
 3075 shell MCS Decibel	 3141 himalaya MCS	 3252 sparrow MCS	 3232 horse roan	 3146 serene grey MCS	 2629 eiger
 3233 shitake MCS	 3250 loam groove MCS	 3246 shrike Decibel	 3216 moraine	 3137 slate grey	 3139 lava MCS
 3174 sahara MCS	 3234 forest ground MCS	 3254 clay MCS	 3123 arabesque MCS	 3048 graphite MCS Decibel	 2939 black MCS



marmoleum® sheet & tile quick specs	
product	width roll / tile size / gauge
marmoleum® real, fresco, concrete, piano, striato, vivace graphic and MCS	79" (2 m), 77 yd² (64 m²) 105 lin ft (32 m), 1/10" (2.5 mm) MCS only - 0.080" (2.0 mm)
marmoleum® modular tile	10" x 10" (25 cm x 25 cm) 1/10" (2.5 mm), 26.91 ft² / ctn (2.5m²) 10" x 20" (25 cm x 50 cm) 20" x 20" (50 cm x 50 cm) 1/10" (2.5 mm), 53.82 ft² / ctn (5 m²) 10" x 40" (25cm x 100cm) 1/10" (2.5 mm), 32.39 ft² / ctn (3m²)
MCT	13" x 13" (33 cm x 33 cm) 0.080" (2.0 mm), 53.82 ft² / ctn (5 m²)
marmoleum® decibel	79" (2 m), 65 yd² (55 m²) 89 lin ft (27 m), 0.137" (3.5 mm)
marmoleum® borders and corners	border size: 4 3/8" x 39 3/8" corner size: 4 3/8" x 4 3/8" 1/10" (2.5 mm)
walton	79" (2 m), 77 yd² (64 m²) 105 lin ft (32 m), 1/10" (2.5 mm)

marmoleum® real

with **topshield™2**

 3053 dove blue MCS Decibel	 3240 willow MCS	 3247 green Decibel	 3224 chartreuse MCS Decibel	 3226 marigold	 3125 golden sunset MCS Decibel
 3219 spa	 3255 pine forest	 3239 olive green	 3251 lemon zest	 3225 dandelion	 3126 kyoto MCS Decibel
 3238 laguna MCS Decibel	 3242 adriatica MCS	 3221 hyacinth MCS Decibel	 3241 orange sorbet	 3127 bleeckerstreet MCS Decibel	 3131 scarlet
 3055 fresco blue MCS	 3205 lapis lazuli	 3245 summer pudding Decibel	 3243 stucco rose	 2767 rust	 3203 henna MCS Decibel
 3030 blue MCS Decibel	 3218 deep ocean	 3244 purple MCS	 3248 mammoth Decibel	 3236 dark bistre MCS	



marmoleum[®] fresco

with **topshield²**

- 19 warm, rustic shades based on a tone-on-tone concept
- USDA Certified 100% biobased content
- Topshield 2 occupancy ready factory finish
- Contributes to LEED[®] credits
- 30-year system service life



3858 | barbados



3861 | arabian pearl



3871 | silver birch



3876 | camel



3874 | walnut

Decibel



3886 | mother of pearl



3846 | natural corn



3847 | golden saffron




3825 | african desert



3870 | red copper



3860 | silver shadow



3883 | moonstone



3828 | blue heaven



3866 | eternity



3872 | volcanic ash

Decibel



3884 | frost



3881 | green wellness



3885 | spring buds



3882 | relaxing lagoon

**sustainable
sample**

done with your samples?
let us recycle them for you
call 1-800-842-7839 for info


marmoleum[®] piano

with **topshield²**

- 20 sophisticated colors featuring a two-tone speckle effect
- USDA Certified 100% biobased content
- Topshield 2 occupancy ready factory finish
- Contributes to LEED[®] credits
- 30-year system service life



3641 | eggshell



3630 | angora



3636 | powder



3633 | pyrenean lily



3634 | meadow



3631 | otter



3632 | sealion




3637 | fox



3622 | mellow yellow



3642 | periwinkle



3629 | frosty grey



3601 | warm grey



3639 | thistle



3635 | strawberry fields



3640 | pacific blue



3613 | almost darkness



3607 | grey dusk



3638 | school red



3625 | salsa red



3643 | submarine



Photo: Andrew Doran Photography | andrewdoran.com

marmoleum[®] concrete

with **topshield²**

- 16 shades subtly resemble concrete with fine color nuances
- USDA Certified 100% biobased content
- Topshield 2 occupancy ready factory finish
- Contributes to LEED[®] credits
- 30-year system service life



3701 | moon



3712 | orange shimmer



3715 | phosphor glow



3708 | fossil



3711 | cloudy sand

Decibel



3704 | satellite



3702 | liquid clay



3706 | beton

Decibel



3710 | stormy sea



3713 | purple haze



3705 | meteorite

Decibel



3568 | delta lace



3709 | silt

Decibel



3714 | blue dew



3703 | comet



3707 | black hole

Decibel

marmoleum[®] vivace

with **topshield²**

- 12 powerful, colorful contrasts delivered by mixing 8 lively colors
- USDA Certified 100% biobased content
- Topshield 2 occupancy ready factory finish
- Contributes to LEED[®] credits
- 30-year system service life



3405 | granada



3420 | surprising storm



3421 | oyster mountain



3407 | donkey island



3422 | lavender field



3424 | chagall's circus



3411 | sunny day



3403 | asian tiger



3416 | fiery fantasy



3413 | green melody



3423 | painters palette




3425 | autumn leaf



marmoleum[®] graphic

with **topshield²**

- 8 edgy, high-contrast shades of black, white, and grey
- USDA Certified 100% biobased content
- Topshield 2 occupancy ready factory finish
- Contributes to LEED[®] credits
- 30-year system service life



walton[®] uni | cirrus

with **topshield²**

- 16 softly colored shades mix beautifully with other collections
- USDA Certified 100% biobased content
- Topshield 2 occupancy ready factory finish
- Contributes to LEED[®] credits
- 30-year system service life



marmoleum[®] click

with **topshield²**

- Available in 28 beautiful colors of panels and squares
- Topshield 2 occupancy ready factory finish
- Easy to install.
- Panels 12"x36" (300mmx900mm) Squares 12"x12" (300mmx300mm)
- Guage: 3/8" (9.8mm)





River Ridge Academy | Bluffton, SC | Photographer: Fred Gerlich

MCT

marmoleum® composition tile

certified sustainable tile

VCT

FAKED FINISH

with

topshield²

- Guaranteed low initial installed cost of \$2.95-3.75 ft² (\$3.50 - 3.95 ft² CAN)*
- Guaranteed Sustain 1195 adhesive solution resists up to 95% concrete moisture RH (10 lbs. MVE) and 11 pH
- Clean and Go – no initial maintenance required with renewable Topshield 2 occupancy ready factory finish providing a low cost of ownership and 30-year system service life
- Naturally healthy floor mitigates mold risk and is naturally PVC and phthalate free.
- 30 versatile colors available in 13” x 13” (33cm x 33cm)





MCT-3125 | golden sunset MCS | Decibel



MCT-3160 | italian pink



MCT-3250 | loam groove MCS



MCT-3252 | sparrow MCS



MCT-3136 | concrete MCS



MCT-607 | white marble



MCT-713 | calico MCS



MCT-3120 | rosato Decibel



MCT-707 | barley Decibel



MCT-3141 | himalaya MCS



MCT-3234 | forest ground MCS



MCT-3050 | white birch



MCT-795 | butter



MCT-793 | cotswold



MCT-3075 | shell MCS | Decibel



MCT-3233 | shitake MCS



MCT-767 | rust



MCT-3235 | tobacco leaf



MCT-3127 | bleekerstreet MCS | Decibel



MCT-3247 | green Decibel



MCT-412 | cool green



MCT-3222 | jade



MCT-621 | dove grey MCS | Decibel



MCT-629 | eiger



MCT-810 | flax



MCT-3055 | fresco blue



MCT-3221 | hyacinth MCS | Decibel



MCT-3030 | blue MCS | Decibel



MCT-3048 | graphite MCS | Decibel



MCT-2939 | black MCS

Life Cycle Cost of Ownership Comparison

Cost of Ownership Calculator available online at www.floorcostcomparison.com


schools (corridors & classrooms) 10,000 square feet							
per square foot	marmoleum sheet	vinyl tile	savings	per square foot	MCT	vinyl tile	savings
est installed cost per ft²	\$5.52	\$1.87	-\$3.65	est installed cost per ft²	\$3.55	\$1.87	-\$1.68
occupancy ready cost	\$5.53	\$2.17	-\$3.36	occupancy ready cost	\$3.55	\$2.17	-\$1.38
cost of ownership - 1 yr	\$6.31	\$4.48	-\$1.83	cost of ownership - 1 yr	\$4.29	\$4.48	\$0.19
cost of ownership - 5 yrs	\$9.31	\$13.73	\$4.42	cost of ownership - 5 yrs	\$7.29	\$13.73	\$6.44
cost of ownership - 10 yrs	\$13.22	\$25.29	\$12.07	cost of ownership - 10 yrs	\$11.19	\$25.29	\$14.01
cost of ownership - 20 yrs	\$21.04	\$52.64	\$31.60	cost of ownership - 20 yrs	\$19.01	\$52.64	\$33.63
cost of ownership - 30 yrs	\$28.85	\$77.87	\$49.02	cost of ownership - 30 yrs	\$26.82	\$77.87	\$51.05
pay back period			24 months	pay back period			10 months
return on investment			47.5%	return on investment			118.5%

hospitals (corridors & patient rooms) 10,000 square feet							
per square foot	marmoleum sheet	vinyl tile	savings	per square foot	MCT	vinyl tile	savings
est installed cost per ft²	\$5.52	\$1.87	-\$3.65	est installed cost per ft²	\$3.55	\$1.87	-\$1.68
occupancy ready cost	\$5.53	\$2.17	-\$3.36	occupancy ready cost	\$3.55	\$2.17	-\$1.38
cost of ownership - 1 yr	\$6.82	\$5.08	-\$1.74	cost of ownership - 1 yr	\$4.80	\$5.08	\$0.28
cost of ownership - 5 yrs	\$11.80	\$16.70	\$4.90	cost of ownership - 5 yrs	\$9.78	\$16.70	\$6.92
cost of ownership - 10 yrs	\$18.19	\$31.24	\$13.05	cost of ownership - 10 yrs	\$16.17	\$31.24	\$15.07
cost of ownership - 20 yrs	\$31.00	\$64.53	\$33.53	cost of ownership - 20 yrs	\$28.98	\$64.53	\$35.55
cost of ownership - 30 yrs	\$43.79	\$95.71	\$51.92	cost of ownership - 30 yrs	\$41.77	\$95.71	\$53.94
pay back period			23 months	pay back period			9 months
return on investment			50.05%	return on investment			126.5%

Disclaimer: All calculations and costs are based on using manufacturer recommendations for cleaning and maintenance. Cleaning times are calculated using ISSA 447 Cleaning Times at \$9.00 per hour. Installed costs are only estimates based on single flat lay installation (unless otherwise noted). Your actual Cost of Ownership will fluctuate up or down based on local cost variables and can be influenced by actual maintenance practices and equipment used. Please contact your Forbo Representative to schedule a maintenance evaluation for your facility.

marmoleum® borders & corners

Marmoleum Borders and Corners are exceptionally precise, water-jet cut, made-to-order design elements that can be used to add unique, custom features to your floor design. Choose your individual color palette in any of our standard configurations. Once a request form is filled out and the product is ordered, standard delivery is within 4-6 weeks. Minimum order is one linear meter of border or one corner.



forbo wall base

Forbo Wall Base is available in seventy colors in a 4" height* that will put the finishing touch on your Marmoleum installation.

visit www.forboflooringna.com to view the full selection of colors

* Select colors also available in 6" height and straight toe, please contact customer service for minimum order requirements.






bulletin board®

- new woven pattern
- extremely durable
- low level of light reflectance
- will not warp or crumble

* Available in 48" and 72"



marmoleum®

wall panels & surface solutions

Marmoleum® Wall Panels

- provide increased impact resistance and easy installation
- meet the demanding California CARB phase 1 standard for formaldehyde emissions
- feature 10.7% rapidly renewable materials and contain 77% pre-consumer (post-industrial) recycled content

Both **Marmoleum® Wall Panels** & **Marmoleum® Surface Solutions** provide durability, repairability, permanent bacteriostatic properties, and are available in a broad range of colors.

with **topshield²**



flotex®

pinstripe


- stain-resistant and slip-resistant
- 100% waterproof
- Sanitized antimicrobial treatment
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.3 mm (.2086")

broadloom or quarter-turn installation

IMPORTANT Although the Cirrus, Pinstripe and Stratus collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.

s=sheet (non-stock), t=tile





flotex® complexity tile


- stain-resistant and slip-resistant
- 100% waterproof
- Sanitized antimicrobial treatment
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.3 mm (.2086")




quarter-turn installation

Complexity coordinates with Integrity²



550001 | grey



550002 | steel



550005 | cognac



550008 | forest



550007 | blue




550003 | charcoal



550010 | straw



550009 | taupe



550004 | navy



550006 | marine



flotex® integrity² tile

- stain-resistant and slip-resistant
- 100% waterproof
- Sanitized antimicrobial treatment
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.3 mm (.2086")



quarter-turn installation

Integrity² coordinates with Complexity




350010 | straw



350011 | leaf




350009 | taupe



350008 | forest




350005 | cognac




350003 | charcoal




350007 | blue




350006 | marine



350004 | navy



350001 | grey



350012 | granite



350002 | steel




flotex[®]
cirrus

- stain-resistant and slip-resistant
- 100% waterproof
- Sanitized antimicrobial treatment
- highly durable / won't ugly out
- simple, low cost maintenance

*s=*sheet (non-stock), *t=*tile
Cirrus coordiantes with Stratus

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.3 mm (.2086")



broadloom or quarter-turn
installation

IMPORTANT Although the Cirrus, Pinstripe and Stratus collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.




s270015 | t570015 | storm



s270014 | t570014 | eclipse



s270005 | s570005 | sapphire



s270008 | t570008 | onyx



s570007 | t570007 | mint



s270004 | t570004 | fossil



s270003 | t570003 | sisal



s270002 | t570002 | vanilla



s270006 | t570006 | ruby



s270001 | t570001 | sulphur



s270012 | t570012 | walnut



s270016 | t570016 | mocha



flotex[®]
stratus

- stain-resistant and slip-resistant
- 100% waterproof
- Sanitized antimicrobial treatment
- highly durable / won't ugly out
- simple, low cost maintenance

*s=*sheet (non-stock), *t=*tile
Stratus coordiantes with Cirrus

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.3 mm (.2086")



broadloom, quarter-turn,
or half-turn installation

IMPORTANT Although the Cirrus, Pinstripe and Stratus collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.



s242014 | t540014 | eclipse




s242006 | t540006 | ruby




s242008 | t540008 | onyx



s242007 | t540007 | mint



s242013 | t540013 | lava



s242015 | t540015 | storm



s242009 | t540009 | marina



s242005 | t540005 | sapphire



s242012 | t540012 | walnut



s242001 | t540001 | sulphur



s242004 | t540004 | fossil



s242010 | t540010 | horizon



s242011 | t540011 | leather



s242003 | t540003 | sisal




s242002 | t540002 | vanilla



flotex[®]
calgary

- stain-resistant and slip-resistant
- 100% waterproof
- Sanitized antimicrobial treatment
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.3 mm (.2086")



s= sheet, *t*=tile



s290031 | t590031 | cherry



s290003 | t590003 | red



s290020 | t590020 | toffee



s290028 | t590028 | ginger



s290029 | t590029 | salmon



s290007 | t590007 | suede



s290011 | t590011 | quartz



s290017 | t590017 | crystal



s290024 | t590024 | fire



s290005 | t590005 | melon



s290006 | t590006 | sahara



s290013 | t590013 | caramel



s290008 | t590008 | saffron



s290027 | t590027 | amber



s290026 | t590026 | linen




s290023 | t590023 | espresso



flotex[®]
calgary

- stain-resistant and slip-resistant
- 100% waterproof
- Sanitized antimicrobial treatment
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.3 mm (.2086")



s=sheet, *t*=tile



s290010 | t590010 | ash



s290015 | t590015 | azure



s290004 | t590004 | menthol



s290016 | t590016 | apple



s290002 | t590002 | grey



s290001 | t590001 | sky




s290021 | t590021 | aqua



s290009 | t590009 | moss



s290012 | t590012 | cement



s290018 | t590018 | fossil



s290025 | t590025 | rivera



s290014 | t590014 | lime



s290030 | t590030 | spa



s290019 | t590019 | carbon



s290022 | t590022 | condor



Photograph by Michael Lowry

flotex® metro

- stain-resistant and slip-resistant
- 100% waterproof
- Sanitized antimicrobial treatment
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.3 mm (.2086")



broadloom or half-turn installation

s=sheet, t=tile



s246036 | t546036 | gold



s246013 | t546013 | amber



s246012 | t546012 | sand



s246025 | t546025 | tangerine



s246003 | t546003 | melon



s246030 | t546030 | cinnamon



s246035 | t546035 | pink



s246031 | t546031 | cherry



s246026 | t546026 | red



s246017 | t546017 | berry



s246027 | t546027 | burgundy



s246016 | t546016 | grape



s246005 | t546005 | nimbus



s246009 | t546009 | pepper



s246015 | t546015 | cocoa



s246028 | t546028 | jade



s246023 | t546023 | horizon



s246032 | t546032 | petrol



s246004 | t546004 | gull



s246020 | t546020 | lagoon



s246001 | t546001 | indigo



s246002 | t546002 | tempest



s246006 | t546006 | grey



s246024 | t546024 | carbon



s246014 | t546014 | concrete



flotex® metro

- stain-resistant and slip-resistant
- 100% waterproof
- Sanitized antimicrobial treatment
- highly durable / won't ugly out
- simple, low cost maintenance



broadloom or half-turn installation

s=sheet, t=tile

metro neon



s246007 | t546007 | ash



s246008 | t546008 | anthracite



s246011 | t546011 | pebble



s246029 | t546029 | truffle



s246010 | t546010 | chocolate



s246019 | t546019 | citrus



s246018 | t546018 | mineral



s246033 | t546033 | emerald



s246022 | t546022 | evergreen



s246034 | t546034 | lilac



s246037 | t546037 | apple



s246021 | t546021 | moss



s287006 | t587006 | shock



s287004 | t587004 | splash



s287008 | t587008 | lava



s287002 | t587002 | zest



s287001 | t587001 | flame



s287005 | t587005 | graphic



s287003 | t587003 | electric



s287007 | t587007 | acid




flotex[®]

penang

- stain-resistant and slip-resistant
- 100% waterproof
- Sanitized antimicrobial treatment
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.3 mm (.2086")



*s=*sheet, *t=*tile



s482114 | t382114 | chocolate



s482108 | t382108 | pepper



s482075 | t382075 | flax



s482001 | t382001 | anthracite



s482031 | t382031 | ash



s482037 | t382037 | grey



s482116 | t382116 | azure



s482008 | t382008 | tempest



s482004 | t382044 | gull



s482013 | t382013 | berry



s482073 | t382073 | brick



s482014 | t382014 | copper



s482002 | t382022 | amber



s482015 | t382015 | beige



s482018 | t382018 | bamboo




s482002 | t382002 | concrete



flotex[®]

penang

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.3 mm (.2086")



*s=*sheet, *t=*tile



s482003 | t382003 | citrus



s482006 | t382006 | sage



s482025 | t382025 | forest



s482010 | t382010 | evergreen



s482009 | t382009 | mineral



s482023 | t382023 | dusk



s482016 | t382016 | coral



s482019 | t382019 | ginger



s482026 | t382026 | neptune



s482011 | t382011 | sapphire



s482012 | t382012 | red



s482024 | t382024 | purple



s482004 | t382004 | mercury



s482007 | t382007 | zinc



s482020 | t382020 | shale



s482017 | t382017 | nimbus



s482005 | t382005 | smoke



s482021 | t382021 | silver



flotex®

journeys sheet

Pattern repeat: length 19.7" (50 cm)

Roll size: 6' 6" (200 cm)
Gauge: 4.3 mm (0.17")


more colors are available on flotexvision.com



flotex®

vision

With Flotex Vision, Forbo offers over 500 colors in 6 design categories for a range of vibrant visuals produced with photo realistic resolution. Visit www.flotexvision.com to explore the infinite combinations of colors and patterns that include "trompe l'oeil" designs and natural grass, sand, and water images.



flotex®

naturals sheet

more colors are available on flotexvision.com



- Flotex Sheet is:**
- Stain-resistant and slip-resistant
 - 100% waterproof
 - Sanitized antimicrobial treatment
 - Highly durable / won't ugly out
 - Simple, low cost maintenance

Pattern repeat:
A) length: 59.05" (150 cm)
B) length: 58.26" (148 cm)
C) length: 50.78" (129 cm)
D) length: 40.55" (103 cm)

Roll size: 6' 6" (200 cm)
Gauge: 4.3 mm (0.17")

**sustainable
sample**



done with your samples?
let us recycle them for you
call 1-800-842-7839 for info





colorex[®] SD/EC

- conductive floor covering
- long-lasting performance
- conductive coated chips form a solid, homogeneous compound
- stable in size and dimensions
- constant, permanent and not influenced by ambient humidity or aging of product



SD 150201/ EC 250201 | everest




SD 150206/ EC 250206 | moonstone




SD 150204/ EC 250204 | montblanc




SD 150205/ EC 250205 | adula




SD 150207/ EC 250207 | quartz



SD 150222/ EC 250222 | niagara



SD 150223/ EC 250223 | atlantic



SD 150234/ EC 250234 | twilight



SD 150213/ EC 250213 | sahara



SD 150240/ EC 250240 | etna

vinyl sheet quick specs			
product	ASTM E-648 NFPA 253 critical radiant flux	reference spec F-1303-90	width roll size gauge
eternal classic, marble, wood, step	class 1	type 1, grade 1 class B backing	79" (2 m), 60 yd ² (50 m ²) 82 lin ft (25 m), 0.080" (2.0 mm)



eternal step

- The fresher alternative to the conventional safety flooring visual, with an improved cleaner aesthetic.



171082 snow



171132 blanco



171812 taupe



171782 night



171952 elefant



171732 storm



171032 smoke



171992 charcoal

eternal step SR

- Use of the Step crystals provides a warmer and cleaner appearance while maintaining a high slip resistance and ease of maintenance



174032 smoke



174262 umber



174362 clay



174562 pepper



174642 cloudy



174952 elefant



174962 steel



174992 charcoal

eternal step SR aqua


- designed for barefoot (and soft soled shoe) areas.



180012 misty



180262 trout



180182 tender




180322 jade



180292 pale



180052 slate blue



180232 taupe



180122 charcoal

eternal step wood

- designed for barefoot (and soft soled shoe) areas.



18802 elegant oak



18242 sunny beech



18462 middle beech



18662 pear



18942 natural oak



18362 chestnut



18932 rustic oak



18792 dark oak



eternal wood

- 14 popular types of wood
- compliments a wide variety of interiors
- natural, realistic colors



11192 | light beech



11442 | washed beech



11542 | traditional oak



11162 | tropical beech



11492 | warm cherry



12802 | elegant oak



10432 | grey washed oak



11612 | mid oak



10232 | dark walnut



10452 | dark oak



13982 | blue colorful oak



11962 | limed oak



11232 | stone pine



13412 | shadow oak



eternal material

- present a modern range of textiles, metals and stones which create a soft, elegant look and feel.
- consist of a 0.7 wear layer that ensures maximum wear resistance and excellent appearance retention.



10032 | fossil stucco



13002 | silver concrete



10022 | loam stucco



13022 | beton concrete



10012 | pebble stucco



10042 | graphite stucco



13082 | gravel concrete



13032 | anthracite concrete



42292 | charcoal slate



13772 | brushed aluminium




13762 | brushed bronze




13712 | brushed chrome



61052 | white smaragd



61042 | mist smaragd



61962 | grey smaragd



61902 | blue smaragd



66142 | dust smaragd



61622 | hazelnut smaragd



allura LVTHQ

authentic wood

bevelled

- minimum 0.55mm or 0.70mm wearlayer for superior durability
- interlayer for dimensional stability and shrink-resistance
- superior indentation resistance
- stunning photo-realistic visuals and true-to-nature plank sizes
- phthalate-free

*Also available in Allura Flex planks. | 47" x 8" approx. (120cm x 20cm)

	A		A		A		A
W60003 light maple		W60305 light honey oak		W60071 french oak flex 1681*		W60063 waxed oak	
	C		B		C		B
W60300 central oak		W60075 forest green oak		W60302 deep country oak flex 1679*		W61226 ocean tigerwood	
	B		A		A		A
W60091 bright rustic pine		W60070 american oak		W60004 golden cherry		W60026 classic beech	
	B		B		B		B
W60065 honey elegant oak		W60078 light rustic oak flex 1682*		W61228 soft tigerwood		W60014 dark mahogany	



allura LVTHQ

authentic wood

bevelled

- Specify the Highest Quality in Performance, Design, and Construction with Allura LVT HQ.
- A: 39" x 6" approx. (100cm x 15cm) | 20 tiles/ctn (32.29 ft2, 3 m2)
- B: 47" x 8" approx. (120cm x 20cm) | 12 tiles/ctn (31 ft2, 2.88 m2)
- C: 59" x 11" approx. (150cm x 28cm) | 10 tiles/ctn (45.21 ft2, 4.2 m2)

*Also available in Allura Flex planks. | 47" x 8" approx. (120cm x 20cm)

	B		B		C		B
W60066 frost elegant oak		W60151 white raw timber		W60301 whitened oak		W60064 whitewash elegant oak flex 1604*	
	B		B		C		B
W60084 bleached rustic pine		W60082 natural rustic pine		W60186 white weathered oak flex 1556*		W60153 natural raw timber	
	C		B		C		B
W60187 natural weathered oak flex 1557*		W60150 brown raw timber		W60306 rustic anthracite oak flex 1678*		W60087 silver rustic pine	
	B		C		B		B
W60152 grey raw timber		W60185 anthracite weathered oak		W60154 anthracite raw timber		W60074 black rustic oak flex 1684*	



Forbo Entrance Systems

coral[®] grip

HD ■ 6130 / □ 6150 ink ♦	MD ■ 6930 / □ 6950 ink ♦	HD ■ 6125 / □ 6145 lead	MD ■ 6925 / □ 6945 lead
HD ■ 6122 / □ 6142 salt	MD ■ 6922 / □ 6942 salt	HD ■ 6124 / □ 6144 soil	MD ■ 6924 / □ 6944 soil
HD ■ 6121 / □ 6141 ash	MD ■ 6921 / □ 6941 ash	HD ■ 6123 / □ 6143 wine	MD ■ 6923 / □ 6943 wine

Made with 100% Regenerated Nylon
ECONYL[®]

- with Everfort vinyl backing
- with open structure



coral[®] brush pure

♦ Items are stocked.

The lead time for non-stock items is 6-8 weeks.


5730 vulcan black ♦	5729 sangria red ♦	5727 stratos blue ♦	5721 hurricane grey ♦
5724 chocolate brown ♦	5710 asphalt grey ♦	5720 gondola black ♦	5726 jambalaya brown
5715 charcoal grey	5714 shark grey	5719 bossanova purple	5723 cardinal red

100%
of Coral Brush Pure
Yarn is Econyl[®]



coral[®] duo

- alternating strips of scraping Coral Brush Pure yarns and moisture absorbing Coral Classic
- reinforced with tough and resilient monofilament fibers
- removes and retains 10% more dirt in the first few meters than any other textile barrier product



9730 black diamond ♦ 9727 volga blue ♦ 9721 dark steel ♦ 9716 imperial gold
9714 sicilian sand 9725 cafe bahia 9710 luna pearl 9729 wilshire red

♦ Items are stocked.

The lead time for non-stock items is 6-8 weeks.




Additional non-stock Coral
collections available online at
www.forboflooringNA.com

coral[®] mats

Coral mats are available in the following

standard sizes: (width of entrance x walkoff length)

3' x 5' 5' x 3' 4' x 6' 6' x 4' 6' x 10' 6' x 20'



note:

- custom sizes available upon request
- dimensions include the rubber-edge profile (1.5" approx.)
- 4" x 6" black mat available for quick ship, inquire for details.



nuway[®]

Nuway engineered entrance flooring is used outside doorways and immediately inside heavily trafficked entrance areas to scrape off the worst of soil tracked in on the soles of shoes or wheeled vehicles. These rigid engineered mats, constructed of profiles, scrapers, and insert materials, are made to the customer's individual specifications.

nuway[®] tuftiguard

Application: internal and external
(using plain unbuffed wiper)

Wiper Strips: pile - standard colors
Select: color matching service available
Scraper Bars: aluminum and PVC standard colors
Height: 12mm and 17mm
Wiper Strips: single and double
Construction: open and closed

nuway[®] tuftiguard HD

Application: internal and external
(using plain unbuffed wiper)

Wiper Strips: pile - standard colors
Scraper Bars: aluminum
Feature Strips: none
Height: 12mm and 17mm
Wiper Strips: double only
Construction: closed only

nuway[®] grid

Single-sided entrance flooring system
Application: internal and external
(using rubber insert)

Module Width: maximum 3000mm
Module depth: maximum 750mm
Height: rubber 19mm
burford 24mm
classic 23mm
brush activ 23mm



product application chart

All items marked below are the preferred products to be used for each application type. If there is any question on suitability, please contact Forbo prior to installation.

Application	Resilient									Surfaces	Textile		Entrance	
	Marmoleum Sheet & MCS	Marmoleum Tile (MCT/ Modular)	Marmoleum Decibel	Marmoleum Textura	Eternal Sheet Vinyl	Eternal Step	Eternal Step Aqua	ColoRex	Allura/ Allura Flex	Bulletin Board	Flotex Sheet	Flotex Tile	Coral	Nuway
healthcare														
cafeteria / dining	X	X		X	X				X		X	X		
corridors	X	X	X	X	X						X	X		
desks / cupboards / furniture systems	X													
elevators / lobbies	X	X		X	X	X			X		X	X		
entrances													X	X
er/ trauma	X				X									
exam room	X	X		X	X			X	X					
hydrotherapy room						X	X							
laboratories	X	X		X	X	X		X						
nurses station	X	X	X	X	X				X		X	X		
office / administrative	X	X	X	X	X				X					
operating / procedure room	X				X									
patient room / physical therapy room	X	X	X		X						X	X		
pharmacy	X	X		X	X	X		X			X	X		
ramps (indoor)						X	X				X			
ramps (outdoor)													X*	X**
server room								X						
surgery / scrub	X	X			X									
tackable wall surface / partitions										X				
utility room / service area	X	X			X			X						
waiting area	X	X		X	X				X		X	X		
education / institutional														
auditoriums	X	X		X	X						X	X		
cafeteria / dining	X	X		X	X						X	X		
classrooms	X	X		X	X						X	X		
corridors	X	X	X	X		X					X	X		
desks / cupboards / furniture systems	X													
dormitory rooms / lobbies	X	X	X	X	X						X	X		
entrances													X	X
gymnasium / multi-purpose room	X	X		X	X						X	X		
kitchen / food prep	X	X				X								
laboratories	X	X	X	X	X	X								
locker rooms	X	X		X	X	X	X				X	X		
office / administrative	X	X	X	X	X				X		X	X		
ramps (indoor)						X	X				X			
ramps (outdoor)													X*	X**
restrooms	X				X	X								
server rooms								X						
tackable wall surface / partitions										X				
utility room / service area	X	X		X	X			X*						
corporate														
corridors	X	X	X	X	X				X		X	X		
desks / cupboards / furniture systems	X													
elevators / lobbies	X	X			X	X			X		X	X		
entrances													X	X
office / conference room	X	X	X	X	X	X			X					
ramps (indoor)						X	X				X			
ramps (outdoor)													X*	X**
restrooms	X	X			X	X								
server rooms								X						
tackable wall surface / partitions										X				
vending area / lunchroom	X	X		X	X				X		X	X		
retail / hospitality														
checkout counters / tabletops	X													
corridors	X	X	X	X	X				X		X	X		
deli / bakery	X	X		X	X	X			X					
eating areas	X	X		X	X	X			X		X	X		
elevators / lobbies	X	X			X	X			X		X	X		
entrances													X	X
exercise room / health club	X	X		X	X						X	X		
food service	X	X		X	X	X								
frozen food / dairy	X	X		X	X	X								
sales floor	X	X		X					X		X	X		
specialty shops / boutiques	X	X		X	X				X		X	X		
tackable wall surface / partitions										X				
vending area	X	X		X	X				X		X	X		
industrial														
clean rooms / sterile packaging					X			X						
conductive / static dissipative								X						
pharmaceutical	X	X			X			X						
research / production lab	X	X		X	X	X		X						
server room							X	X						
small parts assembly	X	X		X	X	X		X			X	X		
tackable wall surface / partitions										X				
warehouse / manufacturing area		X				X	X	X						
walk-in freezer						X								
assisted living / military														
barracks / residence rooms	X	X		X	X				X		X	X		
common areas	X	X		X	X				X		X	X		
corridors / lobbies	X	X	X	X	X				X		X	X		
desks / cupboards / furniture systems	X													
eating areas	X	X		X	X				X		X	X		
entrances													X	X
office / administrative	X	X	X	X	X				X		X	X		
server room							X	X						
tackable wall surface / partitions										X				

*Coral Grip is the only product recommended for outdoor ramps. All other Coral products are intended for indoor use.
 ** Nuway is only recommend for outdoor ramps when unbuffered wipers are being used.