

*Page 1/7* 

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2020 Version number 8 Revision: 18.08.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 522 Eurosafe Tack
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Adhesives
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

FORBO Eurocol Deutschland GmbH

August-Roebling-Str. 2 D-99091 Erfurt

Tel.:+49 (0)361 73041-0

Fax: +49 (0)361 73041-92

Website: http://www.forbo-bonding.de

· Further information obtainable from:

Laboratory

Elisabeth Reinhardt

Elisabeth.Reinhardt@forbo.com

· 1.4 Emergency telephone number: GGIZ +49-361-730730 (for Germany)

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- Description:

dispersion adhesive on the basis of the following fillers, resins and other components: acrylate dispersion

· Dangerous components:		
CAS: 122-99-6	2-phenoxyethanol	0.1-≤5%
EINECS: 204-589-7	(1) Acute Tox. 4, H302; Eye Irrit. 2, H319	
Reg.nr.: 01-2119488943-21-0000	·	
	(Co	antd on page 2



*Page 2/7* 

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2020 Version number 8 Revision: 18.08.2020

Trade name: 522 Eurosafe Tack

 CAS: 1336-21-6
 ammonia
 0.1-<0.3%</th>

 EINECS: 215-647-6
 ♦ Skin Corr. 1B, H314; ♦ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ↑ STOT SE 3, H335

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Supply fresh air.

· After skin contact:

Do NOT use solvents or thinners.

*Immediately wash with water and soap and rinse thoroughly.* 

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

A person vomiting while laying on their back should be turned onto their side.

Do not induce vomiting; call for medical help immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

*Product forms slippery surface when combined with water.* 

- · 6.2 Environmental precautions: Do not allow to enter drains/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)



Page 3/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2020 Version number 8 Revision: 18.08.2020

Trade name: 522 Eurosafe Tack

(Contd. of page 2)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

- · Recommended storage temperature: +5 °C +30 °C
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional Occupational Exposure Limit Values for possible hazards during processing:

#### 7664-41-7 ammonia, anhydrous

WEL Short-term value: 25 mg/m³, 35 ppm Long-term value: 18 mg/m³, 25 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Use skin protection cream for skin protection.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid close or long term contact with the skin.

- · Respiratory protection: Not necessary if room is well-ventilated.
- Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.



(Contd. on page 4)



Page 4/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2020 Version number 8 Revision: 18.08.2020

Trade name: 522 Eurosafe Tack

(Contd. of page 3)

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.4$  mm

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

· Eye protection:



Safety glasses

Goggles recommended during refilling Body protection: Protective work clothing

### SECTION 9: Physical and chemical properties

· General Information

· Appearance:

Form: Viscous
Colour: Yellowish

Odour: Weak, characteristicOdour threshold: Not determined.

• pH-value at 20 °C: 6.5

· Change in condition

**Melting point/freezing point:** Undetermined. **Initial boiling point and boiling range:** 100 °C

Flash point: Undetermined.Flammability (solid, gas): Not applicable.

· Ignition temperature: Undetermined.

· Decomposition temperature: Undetermined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Vapour pressure at 20 °C: 23.4 hPa

Density at 20 °C:
 Vapour density
 Evaporation rate
 1.33 g/cm³
 Not determined.
 Not determined.

· Solubility in / Miscibility with

water: Fully miscible.

· Partition coefficient: n-octanol/water: Undetermined.

· Viscosity:

**Dynamic at 20 °C:** 37000 mPas

(Contd. on page 5)



Page 5/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2020 Version number 8 Revision: 18.08.2020

Trade name: 522 Eurosafe Tack

(Contd. of page 4)

· Solvent content: Organic solvents: VOC (CE)	0.5 % 6.07 %
Solids content: 9.2 Other information	75.0 % No further relevant information available.

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (Self-assessment): slightly hazardous for water.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

(Contd. on page 6)



Page 6/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2020 Version number 8 Revision: 18.08.2020

Trade name: 522 Eurosafe Tack

· 12.6 Other adverse effects No further relevant information available.

(Contd. of page 5)

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Recommendation Do not allow product to reach sewage system.
- · European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	17 - 1
ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anne	ex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed. (94/33/EC)

- · VOC (CE) 91.8 g/l
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GE



Page 7/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2020 Version number 8 Revision: 18.08.2020

Trade name: 522 Eurosafe Tack

(Contd. of page 6)

### SECTION 16: Other information

#### · Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

#### · Department issuing SDS: Laboratory

#### · Contact:

Elisabeth Reinhardt

Elisabeth.Reinhardt@forbo.com

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - oral - Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Active 1. Industrious to the aquatic environment - detire aquatic hazard — Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2

\* \* Data compared to the previous version altered.

GB