



material: Allura Color

physical properties:	tile size24" x 24" approx. (61 cm x 61 cm)
	gauge0080" (2.0 mm)
recycled content:	pre-consumer (post-industrial)*36%
materials & resources credit 4	post-consumer0%
1-2 points (NC, schools, CS, CI)		
acoustical performance:	impact sound transmission impact insulation	Allura over a 6 inch concrete slab - IIC 46
IEQ prerequisite 3 (schools)	class (IIC) ASTM E492-96	Allura over a wood joist construction - IIC 51
indoor environmental quality:	collaborative for high performance schools low emitting materials section 01350	
low emitting materials (flooring systems) credit 4.3	Low Emitting Materials Table (LEM)listed
1 point (NC, schools, CS, CI) option 2		
indoor environmental quality:	adhesives meet the requirements set forth in	
low emitting materials (adhesives & sealants) credit 4.1	the SCAQMD Rule #1168Forbo V-885
1 point (NC, schools, CS, CI)		
construction waste management:	compostable jobsite scrapscheck with Forbo for available markets
materials & resources credit 2	packaging.100% recyclable
1-2 points (NC, schools, CS, CI)		
regional material:	manufacturingfacility: Forbo-Novilon BV
materials & resources credit 5		Coevorden, The Netherlands
1-2 points (NC, schools, CS, CI)		
regional extraction/process:	ingredient	extraction location
	PVCGermany
	plasticizerFrance
	titanium dioxideGermany
	CaCO3 (calcium carbonate)Italy
	stabilizerItaly
	masterbatchItaly
	lubricantsItaly
	lacquerGermany

* recycled content calculated following Federal Trade Commission (FTC) –Part 260 - GUIDES FOR THE USE OF ENVIRONMENTAL MARKETING CLAIMS

* recycled content materials shall be defined in accordance with the International Organization of Standards document, ISO 14021 - environmental labels and declarations - self-declared environmental claims (type II environmental)

note: information is based on Life Cycle Assessment (LCA) data • www.forboflooringNA.com