# MAKE AN ENTRANCE WITH NUWAY

**Primary barrier matting solutions** 

www.forbo-flooring.com/nuway



creating better environments




# NUWAY COLLECTION AT A GLANCE

## **PRIMARY BARRIER MATTING SOLUTIONS**

## MAKE AN ENTRANCE WITH NUWAY

Nuway primary barrier mats are Forbo's most robust entrance flooring solution, with products suitable for environments that welcome up to 100,000 visitors per day.

With products suitable for external and internal entrances, heavy load environments and also a sustainable Bamboo option, we have a solution for every entrance requirement.



## **Choose the right Nuway Primary** Barrier Matting for your building


To help identify which of our Nuway products is most suitable for your project, we have broken down our full collection into an easy, two page guide.

## **Nuway Internal Products**

There are 6 different Nuway products suitable for internal application, each offering their own unique benefits.

## **Nuway External Products**


With 4 different Nuway products suitable for external application, there is sure to be a solution for your entrance requirements.







## CHOOSE THE RIGHT NUWAY PRIMARY **BARRIER MATTING** FOR YOUR BUILDING



This guide helps to give you an understanding of the differences between our Nuway products and where they can be used.

## FOR EXTERNAL ENTRANCES

## nuway<sup>®</sup> tuftiguard external



For best in class exterior performance • Single or double sided: Double

• Guarantee: 15 years

• Scraper bar: Aluminium Available with open

or closed construction: Both • Inserts: Plain unbuffed rubber

• Suitable for: Busy office. retail, healthcare or education environments

## nuway<sup>®</sup> tuftiguard heavy duty external




# For the busiest and most

tested of environments • Single or double sided: Double • Guarantee: 15 years • Scraper bar: Aluminium Available with open or closed construction: Closed

• Inserts: Plain unbuffed rubber Suitable for: Extremely high footfall and extreme load environments such as stadiums airports or car showrooms

## nuway<sup>®</sup> connect external



The ideal solution for heavy traffic areas where aesthetics are still important


• Single or double sided: Single • Guarantee: 7 years

• Scraper bar: Low lustre aluminium

 Available with open or closed construction: Closed

• Inserts: Ultragrip rubber insert Suitable for: Office, retail,

healthcare and education environments or smaller entrances



## A single sided mat with

customisable inserts • Single or double sided: Single

• Guarantee: 7 years

- Scraper bar: Low lustre aluminium
- Available with open or closed construction: Both

• Inserts: Ultragrip rubber or 4-row bristle inserts individually

 Suitable for: Office, retail, healthcare and education environments or smaller entrances nuway<sup>®</sup> tuftiguard



The market leading primary barrier mat for over 40 years

• Single or double sided: Double • Guarantee: 15 years

• Scraper bar: Aluminium

 Available with open or closed construction: Both • Inserts: Available with the choice

of Classic grey or Charcoal inserts • Suitable for: Busy office. retail, healthcare or education environments

## nuway<sup>®</sup> tuftiguard bamboo



The sustainable primary barrier matting solution • Single or double sided: Double

• Guarantee: 15 years

- Scraper bar: Bamboo Available with open or
- closed construction: Closed • Inserts: Available with the choice

of Classic grey or Charcoal inserts

• Suitable for: Busy office, retail, healthcare or education environments

## nuway<sup>®</sup> grid



The contemporary alternative to Tuftiguard

• Single or double sided: Single Guarantee: 7 years

Scraper bar: Low lustre aluminium

 Available with open or closed construction: Closed

• Inserts: Available with a choice of Burford or 5 Coral Classic and 5 Coral Brush inserts in a selection of colours

 Suitable for: Office, retail, healthcare and education environments or smaller entrances

## FOR INTERNAL ENTRANCES


## nuway<sup>®</sup> tuftiguard anodised colours



#### Where design meets quality

- Single or double sided: Double
- Guarantee: 15 years
- Scraper bar: Available with black, gold, sand and bronze scraper bars
- Available with open or closed construction: Both
- Inserts: Available with the choice of Classic grey or Charcoal inserts
- Suitable for: Busy office, retail, healthcare or education environments

## nuway<sup>®</sup> tuftiguard heavy duty



#### The best protection against intense footfall and heavy duty loads

- Single or double sided: Double
- Guarantee: 15 years
- Scraper bar: Aluminium
- Available with open or closed construction: Closed
- Inserts: Available with the choice of Classic grey or Charcoal inserts
- Suitable for: Extremely high footfall and extreme load environments such as stadiums. airports or car showrooms

## **nuway**<sup>®</sup> connect

#### A highly versatile, roll-up single sided mat


- Single or double sided: Single
- Guarantee: 7 years
- Scraper bar: Low lustre aluminium
- Available with open or closed construction: Both
- Inserts: Available with a choice of Burford or 5 Coral Classic inserts in a selection of colours
- Suitable for: Office, retail, healthcare and education environments or smaller entrances





# NUWAY INTERNAL COLLECTION AT A GLANCE

## **NUWAY INTERNAL** PRIMARY BARRIER MATTING SOLUTIONS



# nuway<sup>®</sup> tuftiguard

Tuftiguard combines a classic aesthetic with leading performance by offering anodised aluminium scraper bars.

# **nuway**<sup>®</sup> tuftiguard anodised colours

Our collection of anodised coloured aluminium scraper bars allows for unique designs to be created.

# nuway<sup>®</sup> tuftiguard bamboo

Tuftiguard Bamboo provides the same leading performance attributes as Tuftiguard, yet with much more sustainable credentials.

# nuway<sup>®</sup> tuftiguard heavy duty

The ideal matting solution for entrances with heavy duty loads and intense pedestrian and/or wheeled traffic.

# nuway<sup>®</sup> grid

Nuway Grid offers a contemporary and cost effective alternative to Nuway Tuftiguard.


# nuway<sup>®</sup> connect

Nuway Connect is a very versatile, roll-up, single sided entrance system that's easy to shape on site which makes it ideal for smaller, more awkward sized entrances.









# nuway<sup>®</sup> tuftiguard




## The market leading primary barrier mat for over 40 years.


- Tuftiguard combines a classic aesthetic with leading performance by offering anodised aluminium scraper bars
- Tuftiguard mats can sit in a matwell or can be used with ramp systems
- High tensile steel linkages give Nuway Tuftiguard construction integrity
- Suitable for busy office, retail, healthcare or education environments

- Tuftiguard is double sided and available in open or closed construction to suit the location of the mat and preferred cleaning regime
- Tuftiguard is available with single wiper strips or double wiper strips where extra moisture absorption is required or where the entrance is less than 3 metres deep
- Tuftiguard is available in a choice of depths to match most matwells

## **CONSIDERATIONS**



## NUWAY TUFTIGUARD **IS AVAILABLE IN THE FOLLOWING CONSTRUCTIONS:**



## Nuway Tuftiguard is only available with an aluminium scraper bar and the following inserts:



**Classic – Buffed Grey** 

Design – Charcoal

**PLEASE NOTE:** Depending on your preference, Nuway Tuftiguard is available with single or double wiper strip inserts. This can be specified when placing your order.

## **Nuway Tuftiguard product specification**

Product name:	Nuway Tuftiguard
Single or double sided:	Double sided
Guarantee:	10 years
Scraper bar:	Anodised aluminium
Depth:	12mm or 17mm
Open or closed construction:	Both
Inserts:	Classic buffed grey / Design optior
Suitable for:	Busy office, retail, healthcare or edu



### **Closed construction:**

- Ideal for internal applications
- ✓ Dirt and moisture will remain on the mat ready to be removed through regular cleaning
- This is the most common construction for Nuway entrance mats

**Plain rubber** 

ns charcoal / Plain rubber

ducation environments

# **nuway**<sup>®</sup> tuftiguard anodised colours




## Where design meets quality.

- Our collection of anodised coloured aluminium scraper bars allows for **unique designs** to be created
- Available in **black, gold, bronze** and **sand** anodised
- After selecting the desired colour of scraper bar, you then have the following choice of inserts: 1 classic grey, 1 design colour and 1 plain rubber
- Suitable for busy office, retail, healthcare or education environments
- Tuftiguard anodised colours are double sided and available in open or closed construction to suit the location of the mat and preferred cleaning regime
- Where extra moisture absorption is required or for smaller entrances which require ultimate performance, double wiper strips can be specified
- Tuftiguard anodised colours are available in 12mm or 17mm depths



## NUWAY TUFTIGUARD ANODISED COLOURS **IS AVAILABLE IN THE FOLLOWING CONSTRUCTIONS:**



### **Open construction:**

/ Ideal for entrances which are susceptible to increased moisture

Dirt and moisture will fall through to the matwell below and the mat can be removed for cleaning of both the mat and matwell intermittently

## Nuway Tuftiguard anodised colours are available with the following wiper strips:




## Below are examples of the different scraper bars with classic grey inserts:



PLEASE NOTE: Depending on your preference, Nuway Tuftiguard anodised colours is available with single or double wiper strip inserts. This can be specified when placing your order.

## **Nuway Tuftiguard product specification**

Product name:	Nuway Tuftiguard anodised colours
Single or double sided:	Double sided
Guarantee:	10 years
Scraper bar:	Black/Sand/Bronze/Gold Anodised
Depth:	12mm or 17mm
Open or closed construction:	Both
Inserts:	Classic buffed grey / Design option
Suitable for:	Busy office, retail, healthcare or edu



### Closed construction:

- Ideal for internal applications
- Dirt and moisture will remain on the mat ready to be removed through regular cleaning
- This is the most common construction for Nuway entrance mats



Plain – Rubber



**Bronze anodised** 

S

aluminium

ns charcoal / Plain rubber

ucation environments

# nuway<sup>®</sup> tuftiguard bamboo




## The sustainable primary barrier matting solution.

- Tuftiguard Bamboo provides the same leading performance attributes as Tuftiguard, with much more sustainable credentials
- Tuftiguard Bamboo uses moso high density bamboo which outperforms the very best hardwood species, making it the best natural solution in heavy traffic situations
- Suitable for busy office, retail, healthcare or education environments

### Moso bamboo is the fastest growing plant in the world

- The Moso bamboo used is sourced from sustainably managed forests and plantations and is FSC<sup>®</sup> certified
- Tuftiguard Bamboo is available with the following choice of inserts: 1 classic grey, 4 design colours and 1 plain rubber



## NUWAY TUFTIGUARD BAMBOO IS ONLY AVAILABLE IN A CLOSED CONSTRUCTION:



## Nuway Tuftiguard Bamboo is available with the following inserts:



## Nuway Tuftiguard Bamboo product specification

Product name:	Nuway Tuftiguard Bamboo
Single or double sided:	Double sided
Guarantee:	5 years
Scraper bar:	Moso high density bamboo
Depth:	12mm or 17mm
Open or closed construction:	Closed
Inserts:	Classic buffed grey / Design option
Suitable for:	Busy office, retail, healthcare or edu

### **Closed construction:**

Ideal for internal applications



This is the most common construction for Nuway entrance mats

Nuway Tuftiguard Bamboo is available with single or double wiper strip inserts. This can be specified

ns charcoal / Plain rubber

lucation environments


# nuway<sup>®</sup> tuftiguard heavy duty



## The best protection against intense footfall and heavy duty loads.


- The ideal matting solution for entrances with **heavy** duty loads and intense pedestrian and/or wheeled traffic
- Patented aluminium scraper bar ensures it's the strongest type of matting in the Nuway range, and possibly in the UK
- Suitable for extremely high footfall and extreme load environments such as stadiums, airports or car showrooms
- Tests have confirmed that Tuftiguard HD can withstand static loads of up to 900kg/cm<sup>2</sup> compared with the maximum load of 200kg/cm<sup>2</sup> for standard Tuftiguard mats
- Aluminium scraper bars have special ridges which effectively remove dirt while also being smooth enough for wheeled traffic to move easily

## NUWAY TUFTIGUARD HEAVY DUTY **IS ONLY AVAILABLE IN A CLOSED CONSTRUCTION:**



## Nuway Tuftiguard Heavy Duty is available with the following inserts:

## **CONSIDERATIONS**





## Nuway Tuftiguard Heavy Duty product specification

Product name:	Nuway Tuftiguard Heavy Duty
Single or double sided:	Double sided
Guarantee:	10 years
Scraper bar:	Aluminium
Depth:	12mm or 17mm
Open or closed construction:	Closed
Inserts:	Classic buffed grey / Design option
Suitable for:	Extremely high footfall and extrem

### **Closed construction:**

Ideal for internal applications



This is the most common construction for Nuway entrance mats

ns charcoal / Plain rubber

ne load environments such as stadiums, airports or car showrooms


# nuway<sup>®</sup> grid

Single	Scraper bar options	Number of inserts available
Sided	17	11

## The contemporary alternative to Nuway Tuftiguard.

- Nuway Grid offers a **contemporary and cost** effective alternative to Nuway Tuftiguard
- Nuway Grid is an ideal solution for **heavy** traffic entrance areas where aesthetics are also important
- Suitable for office, retail, healthcare and education environments or smaller entrances
- Coral carrier sections can **allow colour co-ordinated** entrance areas to be created with primary and secondary entrance matting products
- Inserts include strips of textile inserts (for internal use only) in **11 different colourways** drawn from the Coral Classic, Coral Brush and Burford ranges

## **CONSIDERATIONS**



## NUWAY GRID IS ONLY AVAILABLE IN A CLOSED CONSTRUCTION:




#### **Closed construction:**

- Ideal for internal applications
- ✓ Dirt and moisture will remain on the mat ready to be removed through regular cleaning
- This is the most common construction for Nuway entrance mats

## Nuway Grid is available with the following wiper strip inserts:

### **Coral Classic:** The ultimate moisture absorber





4701 | anthracite

4763 | ruby red





4764 | taupe

4750 | warm black 4764 | taupe

Ultragrip rubber: Offers improved underfoot comfort and moisture removal.



PLEASE NOTE: Ultragrip rubber can be used both internally and externally, depending on customer preference however, all other inserts are intended for internal use only.

## **Nuway Grid product specification**

Product name:	Nuway Grid / Nuway Grid Black An
Single or double sided:	Single sided
Guarantee:	5 years
Scraper bar:	Low lustre aluminium / Black anod
Depth:	12mm or 17mm
Open or closed construction:	Closed
Inserts:	Ultragrip rubber / Burford / 5 colou
Suitable for:	Office, retail, healthcare and educa


## Coral Brush: A good all-rounder that keeps out dirt and moisture




5714 | shark grey



5716 | masala brown



5721 | hurricane grey



5722 | cornflower blue



5730 | vulcan black



5716 | masala brown

Burford textile: A commonly requested insert which offers reduced performance attributes compared to Coral/Ultragrip inserts.






nodised

dised aluminium

ours of Coral Classic / 5 colours of Coral Brush

ation environments or smaller entrances

# nuway<sup>®</sup> connect




## A highly versatile, roll-up, single sided mat with multiple inserts available.

- Nuway Connect is a very versatile, roll-up, single sided entrance system that's easy to shape on site which makes it ideal for smaller, more awkward sized entrances
- A choice of **5 Coral Classic** inserts allows colour co-ordination with matching Coral Classic used in the secondary matting zone
- Suitable for office, retail, healthcare and education environments or smaller/awkward entrances
- For areas where increased dirt and moisture retention is required, Ultragrip rubber and Bristle inserts are also available
- All three elements, Coral, bristles and Ultragrip rubber, can be mixed and matched to create the precise entrance system to meet your needs



## NUWAY CONNECT IS AVAILABLE IN THE FOLLOWING CONSTRUCTIONS:



## **Open construction:**

- Ideal for entrances which are susceptible to increased moisture
- Dirt and moisture will fall through to the matwell below and the mat can be removed for cleaning of both the mat and matwell intermittently








### **Closed construction:**

- Ideal for internal applications
- Dirt and moisture will remain on the mat ready to be removed through regular cleaning
- This is the most common construction for Nuway entrance mats

## Nuway Connect is available with the following wiper strip inserts:

### Coral Classic: The ultimate moisture absorber





4763 | ruby red

4701 | anthracite

Ultragrip rubber: Offers improved underfoot comfort and moisture removal



PLEASE NOTE: Ultragrip rubber and Bristle can be used both internally and externally, depending on customer preference however, Coral Classic inserts are intended for internal use only.

## **COMBINE MULTIPLE INSERTS** TO SUIT YOUR NEEDS

Nuway Connect is the only product within our Nuway collection where you can combine and alternate multiple inserts.

For example, if an entrance was prone to both increased dirt and moisture, combining Ultragrip rubber and Bristle inserts would remove dirt and absorb moisture, whilst providing a enhanced underfoot comfort.

If you would like to combine multiple inserts in your Nuway Connect order, please specify this at the ordering stage.



## **Coral Classic**

• For picking up moisture and fine dirt

## (colours are shown above)


## **Nuway Connect product specification**

Product name:	Nuway Connect
Single or double sided:	Single sided
Guarantee:	5 years
Scraper bar:	Low lustre aluminium
Depth:	10mm / 17mm / 22mm
Open or closed construction:	Both (Open construction is rollable)
Inserts:	Ultragrip rubber / Bristle / 5 colours
Suitable for:	Office, retail, healthcare and educat



4764 | taupe

4750 | warm black



4701 | anthracite

Bristle: For removal of coarse dirt





• For interior use only



4-row bristle

- For removal of coarse dirt
- Can be used internally
- Suitable for exterior use when alternated with Ultragrip Rubber (see next stage)



**Ultragrip rubber** 

- Ideal for multidirectional entrances
- Proven low slip risk
- Fire rating of B<sub>a</sub>s1
- For exterior and interior use


s of Coral Classic

tion environments or smaller/awkward entrances



# NUWAY EXTERNAL COLLECTION AT A GLANCE

## NUWAY EXTERNAL PRIMARY BARRIER MATTING SOLUTIONS



# nuway<sup>®</sup> tuftiguard external

Tuftiguard External combines a classic aesthetic with leading performance.

# nuway<sup>®</sup> tuftiguard heavy duty external

The ideal matting solution for entrances with heavy duty loads and intense pedestrian and/or wheeled traffic.

# nuway<sup>®</sup> grid external


Nuway Grid external offers a contemporary and cost effective alternative to Nuway Tuftiguard external.

# nuway<sup>®</sup> connect external

Nuway Connect is a very versatile rollup, single sided entrance system that's easy to shape on site which makes it ideal for smaller, more awkward sized entrances.










# nuway<sup>®</sup> tuftiguard external




## For best in class exterior performance.

- Tuftiguard External contains Plain rubber wiper strips which provide enhanced underfoot comfort and dirt and moisture removal
- High tensile steel linkages give Tuftiguard External increased construction integrity
- Tuftiguard External is available in **open or closed** construction to suit the location of the mat and preferred cleaning regime
- Suitable for busy office, retail, healthcare or education environments

- Tuftiguard is double sided and available with **single** wiper strips or double wiper strips where extra moisture absorption is required or where the entrance is less than 3 metres deep
- Tuftiguard External mats can sit in a matwell or can be used with ramp systems
- Please note: To maintain a pristine visual appearance, some anodised coloured scraper bars may require increased cleaning when exposed to increase dirt and moisture, that is common with external installations




## NUWAY TUFTIGUARD EXTERNAL **IS AVAILABLE IN THE FOLLOWING CONSTRUCTIONS:**



## Ideal for external entrances or areas which are susceptible

to increased moisture Dirt and moisture will fall through to the matwell below and the mat can be removed for cleaning of both the mat and matwell intermittently



## Nuway Tuftiguard External product specification

Product name:	Nuway Tuftiguard external
Single or double sided:	Double sided
Guarantee:	10 years
Scraper bar:	Black/Sand/Bronze/Gold Anodised
Depth:	12mm or 17mm
Open or closed construction:	Both
Inserts:	Ultragrip rubber
Suitable for:	Busy office, retail, healthcare or edu



### **Closed construction:**

- Dirt and moisture will remain on the mat ready to be removed through regular cleaning
- 🗸 This is the most common construction for Nuway entrance mats

d aluminium


ucation environments

# **nuway**<sup>®</sup> tuftiguard heavy duty external



## For the busiest and most tested of environments.

- The ideal matting solution for entrances with heavy duty loads and intense pedestrian and/or wheeled traffic
- Patented aluminium scraper bar ensures it's the strongest type of matting in the Nuway range, and possibly in the UK
- Suitable for Extremely high footfall and extreme load environments such as stadiums, airports or car showrooms
- Tests have confirmed that Tuftiguard HD can withstand static loads of up to 900kg/cm<sup>2</sup> compared with the maximum load of 200kg/cm<sup>2</sup> for standard Tuftiguard mats
- Aluminium scraper bars have **special ridges** which effectively remove dirt while also being smooth enough for wheeled traffic to move easily



# NUWAY TUFTIGUARD HEAVY DUTY EXTERNAL

IS ONLY AVAILABLE IN THE FOLLOWING COMBINATION:

## Nuway Tuftiguard Heavy Duty External with a double plain rubber wiper strip

✓ Offering ultimate performance with a traditional aesthetic.



## NUWAY TUFTIGUARD HEAVY DUTY EXTERNAL IS ONLY AVAILABLE IN A CLOSED CONSTRUCTION:



- Dirt and moisture will remain on the mat ready to be removed through
- / This is the most common construction for Nuway entrance mats

## Nuway Tuftiguard Heavy Duty External product specification

Product name:	Nuway Tuftiguard Heavy Duty External
Single or double sided:	Double sided
Guarantee:	10 years
Scraper bar:	Aluminium
Open or closed construction:	Closed
Inserts:	Double plain rubber inserts
Suitable for:	Extremely high footfall and extreme load environments such as stadiums, airports or car showrooms

## **Construction diagrams**



12mm closed




17mm closed

# nuway<sup>®</sup> grid external



## The ideal solution for heavy traffic areas where aesthetics are still important.

- Nuway Grid external offers a contemporary and cost effective alternative to Nuway Tuftiguard external
- Nuway Grid external is an ideal solution for heavy traffic entrance areas where aesthetics are also important
- Suitable for office, retail, healthcare and education environments or smaller entrances
- Grid Ultragrip rubber inserts provides a slip resistant surface, ideal for external entrances with multi directional traffic
- Grid Ultragrip rubber offers improved underfoot comfort and moisture removal due to its 'pocket' design. It also offers excellent fire rating properties



## **NUWAY GRID EXTERNAL** IS ONLY AVAILABLE IN THE FOLLOWING COMBINATION:

## Nuway Grid External with an Ultragrip rubber wiper strip

Combining a contemporary aesthetic with outstanding performance.



## NUWAY GRID EXTERNAL **IS ONLY AVAILABLE IN A CLOSED CONSTRUCTION:**

#### **Closed construction:**




- Dirt and moisture will remain on the mat ready to be removed through regular cleaning
- ✓ This is the most common construction for Nuway entrance mats

## **Nuway Grid External product specification**

Product name:	Nuway Grid External
Single or double sided:	Single sided
Guarantee:	5 years
Scraper bar:	Low lustre aluminium
Depth:	12mm or 17mm
Open or closed construction:	Closed
Inserts:	Ultragrip rubber
Suitable for:	Office, retail, healthcare and educat





## **Construction diagrams**


## ation environments or smaller entrances

# nuway<sup>®</sup> connect external



## A single sided, roll up mat with customisable inserts depending on entrance requirements.

- Nuway Connect is a very versatile rollup, single sided entrance system that's easy to shape on site which makes it ideal for smaller, more awkward sized entrances
- Available with the Ultragrip rubber and Bristle inserts which can be combined together if requested
- Suitable for office, retail, healthcare and education environments or smaller/awkward entrances
- Ultragrip rubber offers improved underfoot comfort and moisture removal due to its 'pocket' design. It also offers excellent fire rating properties
- Bristle inserts excel at removing coarse dirt and moisture and can be used with an open construction



## **THE BEST SELLING** NUWAY CONNECT EXTERNAL COMBINATIONS ARE:

## Nuway Connect External with Ultragrip rubber insert

✓ A traditional aesthetic which offers excellent underfoot comfort.




### **Nuway Connect External with Bristle insert**

✓ For areas where enhanced dirt removal is required.



## NUWAY CONNECT EXTERNAL IS AVAILABLE IN THE FOLLOWING CONSTRUCTIONS:







### **Open construction:**

Ideal for external entrances or areas which are susceptible to increased moisture

Dirt and moisture will fall through to the matwell below and the mat can be removed for cleaning of both the mat and matwell intermittently

See the next page for customisation options and technical information







#### **Closed construction:**

- Dirt and moisture will remain on the mat ready to be removed through regular cleaning
- This is the most common construction for Nuway entrance mats


# nuway<sup>®</sup> connect external



## Nuway Connect External is available with the following inserts:


### **Ultragrip rubber:**

- Ideal for multi directional entrances
- Proven low slip risk
- Fire rating of B<sub>fl</sub>s1
- For exterior and interior use





- For removal of coarse dirt
- Most effective when combined with Ultragrip Rubber




## **COMBINE MULTIPLE INSERTS** TO SUIT YOUR NEEDS


#### Nuway Connect is the only product within our Nuway collection where you can combine and alternate multiple inserts.


For example, if an entrance was prone to both increased dirt and moisture, combining Ultragrip rubber and Bristle inserts would remove dirt and absorb moisture whilst providing a enhanced underfoot comfort.


### If you would like to combine multiple inserts in your Nuway Connect order, please specify this at the ordering stage.



Product name:	Nuway Connect External
Single or double sided:	Single sided
Guarantee:	5 years
Scraper bar:	Low lustre aluminium
Depth:	10mm / 17mm / 22mm
Open or closed construction:	Both
Inserts:	Ultragrip rubber or Bristle
Suitable for:	Office, retail, healthcare and educa









Forbo Flooring Systems is part of the Forbo Group, a global leader in flooring and movement systems, and offers a full range of flooring products for commercial and affordable housing and new build markets. High quality linoleum, vinyl, textile, flocked and entrance flooring products combine functionality, colour and design, offering total flooring solutions for any environment.

## Find us on



#### Other countries

Forbo Flooring B.V. P.O. Box 13 1560 AA Krommenie The Netherlands Tel: +31 75 647 74 77 Fax: +31 75 647 77 01 Email: question@forbo.com www.forbo-flooring.com

