In accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

FORBO T 940 Revision Number 1 Revision Date 20-May-2019 Supersedes Date: 20-May-2019

\_\_\_\_\_

# 1. Identification of the Substance/Preparation and of the Company/Undertaking

**Product identifier** 

Product Name FORBO T 940

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Adhesives

Uses advised against No information available

Details of the supplier of the safety data sheet

**Responsible Party** 

Forbo Flooring Systems 3983 Nashua Dr., Unit 1 Mississauga, ON L4V 1P3 Canada Phone: +1 (800) 268-8108

### **Emergency telephone number**

Chemtrec: 1-800-424-9300

## 2. Hazards Identification

#### Classification

| Skin corrosion/irritation         | Category 2  |
|-----------------------------------|-------------|
| Serious eye damage/eye irritation | Category 2A |

### Label elements

### Warning

# **Hazard statements**

Causes skin irritation
Causes serious eye irritation



Canada - EN Page 1/9

Revision Date 20-May-2019 **Revision Number** 1 Supersedes Date: 20-May-2019

### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

#### **Eyes**

**FORBO T 940** 

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Skin

IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

## **Precautionary Statements - Storage**

Not applicable

### **Precautionary Statements - Disposal**

Not applicable

### Other information

Unknown acute toxicity

1 % of the mixture consists of ingredient(s) of unknown toxicity

## 3. Composition/information on Ingredients

#### Substance

Not applicable.

### Mixture

| Chemical name                       | CAS No.    | Weight-%  | Hazardous Material<br>Information Review Act<br>registry number<br>(HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|-------------------------------------|------------|-----------|---|---|
| Limestone                           | 1317-65-3  | 10 - 30   | -   | -   |
| Carbonic acid, magnesium salt (1:1) | 546-93-0   | 0.5 - 1.5 | -   | -   |
| 1,2-Propylene glycol                | 57-55-6    | 0.5 - 1.5 | -   | -   |
| 2-(Dimethylamino)ethanol            | 108-01-0   | 0.5 - 1.5 | -   | -   |
| Quartz                              | 14808-60-7 | 0.1 - 1   | -   | -   |

## 4. First Aid Measures

### **FIRST AID**

Show this safety data sheet to the doctor in attendance. **General advice** 

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Canada - EN Page 2/9

Revision Number 1 Supersedes Date: 20-May-2019

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Revision Date 20-May-2019

**Skin contact** Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. If symptoms persist, call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Irritating to skin. May cause redness and tearing of the eyes.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-Fighting Measures

Suitable extinguishing media Dry chemical, CO2 or water spray. Foam. Use extinguishing measures that are appropriate

to local circumstances and the surrounding environment.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the

chemical

**FORBO T 940** 

No information available.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

**Explosion Data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

**Personal precautions**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Do not touch

damaged packages or spilled material.

Other information Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** 

Environmental precautions Prevent further leakage or spillage if safe to do so. See Section 12 for additional Ecological

Information.

Methods and material for containment and cleaning up

Canada - EN Page 3/9

FORBO T 940 Revision Date 20-May-2019
Revision Number 1 Supersedes Date: 20-May-2019

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other noncombustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. Handling and Storage

## Precautions for safe handling

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated

clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

Reference to other sections Section 10: STABILITY AND REACTIVITY

# 8. Exposure Controls/Personal Protection

Control parameters

**Exposure Limits** . This product contains substances which in their raw state are powder form, however in

this product they are in a non-respirable form. Inhalation of powder/dust particles is

unlikely to occur from exposure to this product.

| Chemical name           | Alberta                      | British Columbia             | Ontario TWA                 | Quebec                     |
|-------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|
| Limestone               | TWA: 10 mg/m <sup>3</sup>    | TWA: 10 mg/m <sup>3</sup>    |                             | TWA: 10 mg/m <sup>3</sup>  |
| 1317-65-3               |                              | TWA: 3 mg/m <sup>3</sup>     |                             |                            |
|                         |                              | STEL: 20 mg/m <sup>3</sup>   |                             |                            |
| Carbonic acid,          |                              | TWA: 10 mg/m <sup>3</sup>    |                             | TWA: 10 mg/m <sup>3</sup>  |
| magnesium salt (1:1)    |                              | TWA: 3 mg/m <sup>3</sup>     |                             |                            |
| 546-93-0                |                              |                              |                             |                            |
| 1,2-Propylene glycol    |                              |                              | TWA: 10 mg/m <sup>3</sup>   |                            |
| 57-55-6                 |                              |                              | TWA: 50 ppm                 |                            |
|                         |                              |                              | TWA: 155 mg/m <sup>3</sup>  |                            |
| 2-(Dimethylamino)ethano |                              |                              | TWA: 3 ppm                  |                            |
| 1                       |                              |                              | TWA: 11 mg/m <sup>3</sup>   |                            |
| 108-01-0                |                              |                              | STEL: 6 ppm                 |                            |
|                         |                              |                              | STEL: 22 mg/m <sup>3</sup>  |                            |
| Quartz                  | TWA: 0.025 mg/m <sup>3</sup> | TWA: 0.025 mg/m <sup>3</sup> | TWA: 0.10 mg/m <sup>3</sup> | TWA: 0.1 mg/m <sup>3</sup> |
| 14808-60-7              |                              |                              |                             |                            |

### Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

Canada - EN Page 4/9

Supersedes Date: 20-May-2019 **Revision Number** 1

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection Wear suitable gloves. Impervious gloves.

Wear suitable protective clothing. Long sleeved clothing. Skin and body protection

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Wear suitable gloves and eye/face protection. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated clothing and wash it before reuse. Regular cleaning of equipment, work area and clothing is

Pensky-Martens Closed Cup (PMCC)

Revision Date 20-May-2019

recommended.

## 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Liquid **Physical State Appearance** Paste Color Off-white Odor Characteristic

No information available **Odor Threshold** 

**Property** Remarks • Method Values

No data available

рΗ No data available Melting point / freezing point No data available 100 °C / 212 °F Boiling point / boiling range

> 100 °C / 212 °F Flash Point **Evaporation Rate** No data available

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

**FORBO T 940** 

No data available Lower flammability or explosive

limits

No data available **Vapor Pressure Vapor Density** No data available **Relative Density** No data available Water Solubility Insoluble

Solubility in Other Solvents No data available **Partition coefficient** No data available **Autoignition Temperature** No data available **Decomposition Temperature** No data available

**Dynamic Viscosity** No data available **Explosive properties** No information available. No information available.

Other information

**Oxidizing properties** 

**Kinematic Viscosity** 

No information available **Softening Point** 

**Molecular Weight** No information available

**Density** 1.250 g/cm<sup>3</sup>

**Bulk Density** No information available Solid content (%) No information available

Canada - EN Page 5/9

FORBO T 940 Revision Number 1 Revision Date 20-May-2019 Supersedes Date: 20-May-2019

**VOC (volatile organic compound)**No information available

## 10. Stability and Reactivity

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Keep from freezing.

**Incompatible materials** Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

## 11. Toxicological Information

#### Information on likely routes of exposure

### **Product Information**

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Irritating to eyes. Causes serious eye irritation.

**Skin contact** Causes skin irritation.

**Ingestion** Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

**Acute Toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (inhalation-dust/mist) 49.10 mg/l ATEmix (inhalation-vapor) 294.10 mg/l

### Unknown acute toxicity

1 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information** 

| Chemical name                 | Oral LD50         | Dermal LD50                | Inhalation LC50            |
|-------------------------------|-------------------|----------------------------|----------------------------|
| Limestone                     | >5000 mg/kg (rat) | -                          | -                          |
| 1317-65-3                     |                   |                            |                            |
| Carbonic acid, magnesium salt | >2000 mg/Kg Rat   | -                          | -                          |
| (1:1)                         |                   |                            |                            |
| 546-93-0                      |                   |                            |                            |
| 1,2-Propylene glycol          | = 20 g/kg (Rat)   | LD50 > 2000 mg/kg (Rabbit) | LC50 (4h) >44.9 mg/L (Rat) |

Canada - EN Page 6/9

FORBO T 940Revision Date20-May-2019Revision Number1Supersedes Date:20-May-2019

| 57-55-6                              |                    |  |                      |
|--------------------------------------|--------------------|--|----------------------|
| 2-(Dimethylamino)ethanol<br>108-01-0 | = 1803 mg/kg (Rat) | = 1220 mg/kg (Rabbit) = 1370<br>µL/kg (Rabbit) | = 1641 ppm (Rat) 4 h |
| Quartz<br>14808-60-7                 | >2000 mg/kg (Rat)  | -  | -                    |

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be

available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

| Chemical name | ACGIH | IARC    | NTP   | OSHA |
|---------------|-------|---------|-------|------|
| Quartz        | A2    | Group 1 | Known | X    |
| 14808-60-7    |       | •       |       |      |

### **ACGIH (American Conference of Governmental Industrial Hygienists)**

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

## OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

Target Organ Effects Eyes, Skin.

**Subchronic Toxicity** No information available.

**Neurological Effects** No information available.

Other Adverse Effects No information available.

**Aspiration hazard** No information available.

# 12. Ecological Information

### Ecotoxicity

| Chemical name | Algae/aquatic plants | Fish                 | Toxicity to    | Crustacea             |
|---------------|----------------------|----------------------|----------------|-----------------------|
|               |                      |                      | Microorganisms |                       |
| Limestone     | CE50 (72h) >200mg/L  | CL50 (96h)>10000mg/L | -              | CE50 (48h) >1000 mg/L |
| 1317-65-3     | Algae (Desmondesmus  | Fish (Oncorhynchus   |                | Daphnia Magna         |
|               | subspicatus)         | mykiss)              |                | -                     |

Canada - EN Page 7/9

FORBO T 940 Revision Date 20-May-2019
Revision Number 1 Supersedes Date: 20-May-2019

| 1,2-Propylene glycol    | EC50: =19000mg/L (96h, | LC50: =710mg/L (96h,    | - | EC50: >10000mg/L (24h, |
|-------------------------|------------------------|-------------------------|---|------------------------|
| 57-55-6                 | Pseudokirchneriella    | Pimephales promelas)    |   | Daphnia magna) EC50:   |
|                         | subcapitata)           | LC50: =51600mg/L (96h,  |   | >1000mg/L (48h,        |
|                         |                        | Oncorhynchus mykiss)    |   | Daphnia magna)         |
|                         |                        | LC50: 41 - 47mL/L (96h, |   | _                      |
|                         |                        | Oncorhynchus mykiss)    |   |                        |
|                         |                        | LC50: =51400mg/L (96h,  |   |                        |
|                         |                        | Pimephales promelas)    |   |                        |
| 2-(Dimethylamino)ethano | EC50: =35mg/L (72h,    | LC50: =81mg/L (96h,     | - | EC50: =98.77mg/L (48h, |
| l l                     | Desmodesmus            | Pimephales promelas)    |   | Daphnia magna)         |
| 108-01-0                | subspicatus)           |                         |   | _                      |

Persistence and degradability No information available.

Bioaccumulative potential No information available.

| Chemical name            | Partition coefficient |
|--------------------------|-----------------------|
| Limestone                | 0.9                   |
| 1317-65-3                |                       |
| 1,2-Propylene glycol     | -1.07                 |
| 57-55-6                  |                       |
| 2-(Dimethylamino)ethanol | -0.55                 |
| 108-01-0                 |                       |

Mobility in soil No information available

Other Adverse Effects No information available.

## 13. Disposal Considerations

Waste treatment methods

Waste from residues/unused

products

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations.

**Contaminated packaging** Do not reuse empty containers.

## 14. Transport Information

Note: Keep from freezing

TDG Not regulated

IATA Not regulated

<u>IMDG</u> Not regulated

## 15. Regulatory Information

### **NPRI - National Pollutant Release Inventory**

No component is listed on the NPRI above the threshold

Canada - EN Page 8/9

Revision Date 20-May-2019 **Revision Number** 1 Supersedes Date: 20-May-2019

#### **European Union**

**FORBO T 940** 

### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

### **SVHC: Substances of Very High Concern for Authorization:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **International Inventories**

| TSCA | Listed     |
|------|------------|
| DSL  | Not Listed |

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

**Listed** - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

### 16. Other information, including date of preparation of the last revision

Key or legend to abbreviations and acronyms used in the safety data sheet

### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average) STEL (Short Term Exposure Limit) TWA

Maximum limit value Ceiling Skin designation

20-May-2019 **Revision Date** 

No information available. **Revision note** 

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Canada - EN Page 9/9