



THE LIGHT *of* SCANDINAVIA

nordstar[®] evolve

Forbo
FLOORING SYSTEMS



THE MAGIC LIGHT THAT MAKES ALL THE DIFFERENCE

There is something magical about the light in Scandinavia. The thin, crisp air together with the bright sunshine create unique shades of colour which resemble of being close to the Polar Circle which generates a contrasting colour spectrum that is extremely clear and rich. The way we perceive light is indeed impacted by our geographic position on the globe. Light is warm and rich in the Mediterranean regions and bright and crisp in northern parts of the northern hemisphere. We have used these impressions of light to bring you a collection of homogeneous vinyl floor coverings, inspired by the light of the north. The colour palette matches the natural elements in the Scandinavian outdoors, oak and birch, limestone and the open water. We call this collection "The Light of Scandinavia".

THE LIGHT OF SCANDINAVIA PROUDLY PRESENTS



LUMINA



ELEMENT



GALAXY

Forbo's new collection of homogeneous floor covering 'The Light of Scandinavia' presents three individual ranges: Lumina, Element and Galaxy, each having a character of their own. Within each range, but also when combined together, the collection provides a vibrant and harmonious colour palette based on the iconic Scandinavian lights. The Nordstar Evolve collection 'Light of Scandinavia', also combines very well with Forbo's linoleum floor coverings, making an endless number of combinations possible. The linoleum all over and tone

in tone designs, next to opportunities for contrasting colours, really make an interesting match to this collection of homogeneous vinyl. The Nordstar Evolve collection also presents itself as an extremely durable floor covering that is easy to clean and maintain and will withstand heavy foot traffic with an excellent appearance retention. The Nordstar Evolve collection has been made using the most advanced manufacturing techniques that include phthalate free plasticisers.

FOREVER CRISP AND FRESH

Homogeneous vinyl floors of the Scandinavian Lights collection are compact, making it easy to polish and restore them to almost original condition. Year after year.

EASY TO TAKE CARE OF

The material and its surface treatment offer a flooring that is durable and easy to clean and maintain, resisting everything from water and dirt to sand and food spills, leaving no stain, scratches or other marks on the floor.

LATEST TECHNOLOGY

In the production of our vinyl floors, we use a modern and phthalate-free technology that is particularly kind to the environment.

THE BIG FIVE

SCANDINAVIAN COLOURS

All colours are inspired by the light of Scandinavia. The neutrals work as perfect chameleons coordinating with other materials. The accent colours provide the perfect combination and give a punch of colour or a suitable colour to bring all interior elements together.

MARMOLEUM SYNCHRONISED

The Nordstar Evolve Collection is designed to harmonise with the Forbo product offer, in particular its extensive range of Marmoleum colours, providing a wealth of opportunities in design combinations.

LUMINA


Lumina is a tasteful collection with a calm design characterised by 12 neutral colours, providing a fresh and inviting atmosphere. No matter which colour you choose, you can be sure of getting an aesthetically pleasing solution with perfect performance. Lumina's durable, homogeneous floors, resisting water, dirt and sand, are also very well suited for demanding areas such as schools and public offices. The palette of the Lumina collection also meets the requirement of architects and designers to create distinct atmospheres in individual spaces such as 'reading-, playing-, learning areas' as well as in communal spaces.




Blue | 6804



Raspberry | 6802



Chalk 6639 | LRV 90% | NCS 1002 - Y



Crystal 6641 | LRV 78% | NCS 2020 - B30G




Copperstone 6640 | LRV 85% | NCS 1005 - G10Y



Sun 6650 | LRV 83% | NCS 0550 - Y10R



Water 6646 | LRV 74% | NCS 1030 - B10G



Heather 6643 | LRV 62% | NCS S 4010 - R30B




Ochre 6644 | LRV 51% | NCS 4030 - Y30R




Night 6642 | LRV 32% | NCS 6020 - R90B




Happiness 6649 | LRV 59% | NCS 1080 - Y50R



Wisdom 6645 | LRV 51% | NCS 4030 - R30B



Peat 6616 | LRV 34% | NCS 8005 - Y80R



Meadow 6648 | LRV 79% | NCS 1030 - G50Y

ELEMENT

ELEMENT

Element is a sophisticated range that offers a wide variety of neutral grey shades, that each act a chameleon when combined with plain Nordic wood flooring as well as with the natural colours in Forbo's Marmoleum collections. The pattern has a soft friendliness to it that alludes to stone and wood. The light and crisp colours, that are extremely high in their light reflection capability, also mean you can save energy. Element is specifically designed for high traffic areas and for demanding public environments where hygiene is a prime concern such as in healthcare institutions.



Ice | 6638



Stein | 6626

Silk 6613 | LRV 77% | NCS 2005 - Y50R




Sand 6610 | LRV 73% | NCS 1515 - Y30R




Fossil 6631 | LRV 53% | NCS 5010 - Y10R



Oyster 6605 | LRV 76% | NCS 2010 - Y30R



Stone 6606 | LRV 71% | NCS 3005 - Y20R



Limestone 6632 | LRV 85% | NCS 1505 - Y20R



Alabaster 6633 | LRV 83% | NCS 1505 - G80Y



Shale 6630 | LRV 49% | NCS 6005 - Y20R




Icelandite 6634 | LRV 74% | NCS 2005 - G80Y



Granite 6685 | LRV 55% | NCS 5010 - Y10R




Travertine 6629 | LRV 73% | NCS 2005 - Y20R



Ice 6638 | LRV 86% | NCS 1005 - R90B

ELEMENT

Soapstone 6635 | LRV 50% | NCS 6005 - G50Y




Mist 6603 | LRV 69% | NCS 3500 - N




Fog 6637 | LRV 83% | NCS 1500 - N




Silver 6602 | LRV 74% | NCS - 2500 - N



Cement 6604 | LRV 62% | NCS 4500 - N



Flint 6627 | LRV 58% | NCS 5005 - Y20R





Quartz 6607 | LRV 50% | NCS 5502 - B



Stein 6626 | LRV 46% | NCS 6010 - G90Y



Graphite 6608 | LRV 39% | NCS 7502 - B



Basalt 6612 | LRV 32% | NCS 8502 - B

Emperador 6628 | LRV 70% | NCS 3502 - Y



Slate 6636 | LRV 37% | NCS 7005 - G50Y



ELEMENT

GALAXY

The versatile Galaxy range is equipped with a soil hiding pattern and durability that is capable of handling heavy traffic whilst keeping up its appearance. The collection comprises both stylish - more out spoken - colours and neutral colours that are compatible with the other collections of Lumina and Element. Galaxy includes three additional items with upbeat contrasting colours.



Fluorite | 6712



Bronzite | 6705

Fluorite 6712 | LRV 60% | NCS 5000 - N
4020-B | 3030-G50Y | 2060-/80R

Jasper 6704 | LRV 61% | NCS 3502 - Y

Topaz 6707 | LRV 45% | NCS 6030 - Y40R

Agate 6701 | LRV 75% | NCS 2500 - N

Opal 6711 | LRV 75% | NCS 2500 - N | 2060-Y80R | 1070-Y10R | 3030-G50Y

Hematite 6703 | LRV 38% | NCS - 6502 - B

Amethyst 6708 | LRV 32% | NCS 7010 - R50B

Obsidian 6713 | LRV 39% | NCS 7502 - B | 2060-Y70R | 5030-R30B | 3030-B10G










Aquamarine 6706 | LRV 46% | NCS 6010 - B30G







Bronzite 6705 | LRV 44% | NCS 6005 - Y50R

Jade 6709 | LRV 52% | NCS 5040 - G50Y

Pirite 6702 | LRV 59% | NCS 5000 - N



	Type of floor covering	Homogeneous vinyl flooring
	Binder content	Type 1 (>55%)
	Wear resistance	Group T
	Commercial use	34
	Industrial use	43
	Total thickness	2,0 mm
	Roll width	2 m
	Roll length	> 25 m
	Weight	2,6 kg/m²
	Dimensional stability	≤ 0,4 %
	Residual indentation	≤ 0,06 mm
	Castor wheel test	Pass
	Light colour fastness	≥ 6
	Flexibility	10 mm

	Slip rating	R9
	Surface finish	PUR Evolve
	Resistance to chemicals	Very good Resistant to disinfectant Ethanol 70-96 %
	Emission	Pass
	Possibility to install on floor heating	Yes
	Wetroom application	Yes
		EN 14041  0200700-Dop_306
Nordstar Evolve meets the requirements of EN 14041		
	Fire class	B _n -S1
	Body voltage	< 2kV
	Electrical resistance	R1 < 10 ° Ohm
	Thermal conductivity	0,25 W/m.K
	Slip rating	DS: ≥ 0,3

All Forbo Flooring Systems' sales organisations worldwide have a certified Quality Management System in accordance with ISO 9001.
All Forbo Flooring Systems' manufacturing operations have a certified Environmental Management System in accordance with ISO 14001.
The Life Cycle Assessment (LCA) of Forbo Flooring Systems' products is documented in individual Environmental Product Declarations (EPD's) which can be found on all of our websites.



Forbo Flooring B.V.
P.O. Box 13
1560 AA Krommenie
The Netherlands
Tel.: +31 75 647 74 77
Fax.: +31 75 647 77 01
contact@forbo.com
www.forbo-flooring.com

forbo
FLOORING SYSTEMS