



Needlefelt

# showtime

experience | nuance




40 m x 2 m

creating better environments

**Forbo**  
FLOORING SYSTEMS

# showtime

To meet the needs of the hotel and leisure segment, our designers have created an exclusive collection that combines performance, originality and ease of maintenance. Our showtime needlefelt floor coverings combined with our Flotex flocked flooring gives an unique signature to hotels, apart-hotels, tourist residences, student residences and to leisure locations like cinemas and theaters. All these places have one thing in common and that is the need for a very durable floor covering to cope with many people that walk over it.




# showtime experience

The Showtime experience and Flotex vision ranges are divided into 4 categories:


## HERITAGE

Between tradition and modernity, a homage to timeless designs.




## ECOSYSTEMS

Inspired by the Japanese floral and aquatic nature.




## METROPOLIS

Urban inspiration: networks and geometric drawings.



## WONDERLAB

Dedicated to the universe of high-tech and digital development.



# HERITAGE 05



930202

STOCK  
ITEM































930202

900202\*

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.

			
HER 05-01	900233*	HER 05-02	900233*
			
HER 05-03	900204*	HER 05-04	900204*
			
HER 05-05	900214*	HER 05-06	900213*
			
HER 05-07	900230*	HER 05-08	900230*
			
HER 05-09	900201*	HER 05-10	900201*
			
HER 05-11	900208*	HER 05-12	900208*
			
HER 05-13	900218*	HER 05-14	900218*
HER 05-15	900202*	HER 05-16	900202*
HER 05-17	900227*	HER 05-18	900227*
HER 05-19	900206*	HER 05-20	900206*

# HERITAGE 06



931202


STOCK  
ITEM



931202

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.




# HERITAGE 07



932202


STOCK  
ITEM



932202

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.



900202\*


# HERITAGE 08



Showtime experience 933202 | Showtime nuance 900206

The design has been developed to use in corridors (design has a 2 metre width and cannot be used in a laying pattern).

STOCK  
ITEM



933202

900202\*

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.



The design has been developed to use in corridors (design has a 2 metre width and cannot be used in a laying pattern).

# HERITAGE




230003 | faded sapphire

Flotex vision - Heritage


## flotex® vision

Pattern repeat 200x200cms




230001 | faded turquoise

LRV 9% ●



230002 | faded ruby

LRV 7% ●



230003 | faded sapphire

LRV 10% ●

Soiling classification

● Superior appearance rating

◐ Good appearance rating

○ Moderate appearance rating

# ECOSYSTEMS 05



934202

STOCK  
ITEM




934202

900202\*

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.





# ECOSYSTEMS 06



935202

STOCK  
ITEM




935202

900202\*

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.



# ECOSYSTEMS 07



936202

STOCK  
ITEM




936202

90202\*

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.




# ECOSYSTEMS 08



Showtime experience 937202 | Showtime nuance 900208

The design has been developed to use in corridors (design has a 2 metre width and cannot be used in a laying pattern).

STOCK  
ITEM




937202

900202\*

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.



The design has been developed to use in corridors (design has a 2 metre width and cannot be used in a laying pattern).

# ECOSYSTEMS




200001 | kimono green

Flotex vision - Ecosystems

## flotex® vision

Pattern repeat 200x233cms




200001 | kimono green

LRV 11% ●



200002 | kimono blue

LRV 10% ●



200003 | kimono red

LRV 7% ●

Soiling classification

● Superior appearance rating

● Good appearance rating

○ Moderate appearance rating

# METROPOLIS 05



938202


STOCK  
ITEM



938202

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.



# METROPOLIS 06



939202


STOCK  
ITEM



939202

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.




900202\*

# METROPOLIS 07



Showtime experience 940202 | Showtime nuance 900216

STOCK  
ITEM




940202

900202\*

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.




# METROPOLIS 08



941202

The design has been developed to use in corridors (design has a 2 metre width and cannot be used in a laying pattern).

STOCK  
ITEM




941202

900202\*

The design has been developed to use in corridors (design has a 2 metre width and cannot be used in a laying pattern).

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.





# METROPOLIS



210002 | negative

Flotex vision - Metropolis


# flotex® vision

Pattern repeat 200x207cms



210001 | positive

LRV 23% ○



210002 | negative

LRV 7% ●

Soiling classification

● Superior appearance rating

◐ Good appearance rating


○ Moderate appearance rating

# WONDERLAB 05



942202

STOCK  
ITEM




942202

900202\*

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.




# WONDERLAB 06



943202

STOCK  
ITEM




943202

900202\*

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.



# WONDERLAB 07



944202

STOCK  
ITEM




944202

900202\*

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.



# WONDERLAB 08



945202

The design has been developed to use in corridors (design has a 2 metre width and cannot be used in a laying pattern).

STOCK  
ITEM




945202

900202\*

Colours are **not on stock** and can be produced with a minimum order size of 400m<sup>2</sup> per colour.

\*This colour number links to the Showtime nuance item which equals the base colour of this item.



The design has been developed to use in corridors (design has a 2 metre width and cannot be used in a laying pattern).

# WONDERLAB



220002 | flamingo

Flotex vision - Wonderlab

## flotex® vision

Pattern repeat 200x200cms



220001 | chameleon

LRV 13% ●




220002 | flamingo

LRV 7% ●



220003 | mineral

LRV 9% ●



220004 | wilderness

LRV 11% ●

Soiling classification

● Superior appearance rating

◐ Good appearance rating


○ Moderate appearance rating

# showtime nuance


This uni coloured needlefelt range consists of 20 colour options. These colours go very well with both the Showtime experience needlefelt range and the specially designed Flotex Vision designs. The colour reference has been mentioned under each item so a link can be made with the colour of nuance and the base colour of experience.




900233 | ficelle LRV 31%  
NCS 3010-Y30R



900230 | argent LRV 20%  
NCS 5005-R80B




900201 | souris LRV 12%  
NCS 6005-R80B




900208 | olive LRV 11%  
NCS 4550-G60Y




900216 | rouge LRV 6%  
NCS 2570-R



900204 | camel LRV 14%  
NCS 5010-Y30R



900213 | grège LRV : 20%  
NCS 4005-Y50R



900202 | gris moyen LRV 7%  
NCS 7005-R80B



900218 | kaki LRV 6%  
NCS 7020-G30Y




900206 | rose indien LRV 4%  
NCS 5040-R30B



900214 | fauve LRV 4%  
NCS 8010-Y50R



900244 | taupe LRV 11%  
NCS 7005-Y50R



900212 | anthracite LRV 4%  
NCS 8005-R80B




900228 | emeraude LRV 6%  
NCS 6035-B60G



900227 | violet LRV 5%  
NCS 6030-R50B




900224 | chocolat LRV 3%  
NCS 8010-Y90R



900234 | cacao LRV 4%  
NCS 8005-Y80R



900209 | carbone LRV 2%  
NCS 8505-R80B



900207 | bleu canard LRV 6%  
NCS 5540-B



900217 | indigo LRV 4%  
NCS 6030-R70B



900230 | 900213 | 900207 | 900208



200001 | kimono green

Flotex vision - Ecosystems



















The 12 Flotex designs work very well together with the uni colours of the Showtime nuance. Below you can find the colour coordinated colours.

Design	Colour	Product code	Matching colours of Showtime nuance
Flotex vision Heritage	Faded Turquoise	230001	900207 900201
	Faded Ruby	230002	900206 900202
	Faded Sapphire	230003	900217 900244
Flotex vision Ecosystems	Kimono Green	200001	900233 900204 900214
			900218 900208
			900213 900244 900234
	Kimono Blue	200002	900217 900207
			900230 900202
			900212 900206 900216
Kimono Red	200003		
Flotex vision Metropolis	Positive	210001	All colours match
	Negative	210002	All colours match
Flotex vision Wonderlab	Chameleon	220001	900208 900218 900228
			900207
			900216 900206 900227
	Flamingo	220002	900217
			900201 900202
			900244 900209
	Mineral	220003	900204 900244
			900214
			900234
	Wilderness	220004	



# Technical specifications

Showtime and Flotex meet the requirements of EN 1307

		Showtime nuance	Showtime experience	Flotex sheet	
	Total thickness	ISO 1765	3.8 mm	3.8 mm	4.3 mm
	Thickness of wear layer		1.3 mm	1.3 mm	-
	Domestic use	EN 1470	Class 23	Class 23	-
	Commercial use	EN 1470	Class 32	Class 32	Class 33, heavy
	Roll width	EN-ISO 24341 / CEN/TS 14159	2.00 m	2.00 m	2.00 m
	Roll length	EN-ISO 24341 / CEN/TS 14159	40 m	40 m	30 m
	Installation method	NF 262	Rolls laid in same direction	Rolls laid in same direction	Rolls laid in the same direction
	Fibre composition of the wear layer	Directives 73/44/CEE and 96/73/CE	100% polyamide	100% polyamide	100% polyamide
	Fibre composition of the backing		100% recycled polyester	100% recycled polyester	-
	Construction		Fully impregnated	Fully impregnated	-
	Total weight	ISO 8543	800 g/m <sup>2</sup>	800 g/m <sup>2</sup>	1800 g/m <sup>2</sup>
	Dimensional stability	ISO 2551 / EN 986	-	-	< 0.2 %
	Impact sound reduction	EN ISO 140-8 / EN ISO 717-2	$\Delta L_w = 19$ dB	$\Delta L_w = 19$ dB	$\Delta L_w = 20$ dB
	Sound absorption	EN ISO 354 / EN ISO 11654	$\alpha_w = 0,15$ (H)	$\alpha_w = 0,15$ (H)	$\alpha_w = 0,10$ (H)
	Castor chair continuous use		Yes	Yes	Yes
	Light fastness	EN-ISO 105-B02	-	-	≥ 6
	Indoor air emissions : TVOC* at 28 days Requirement for class A+	EN ISO 16000 (ISO 10580)	< 100 µg/m <sup>3</sup> < 1000 µg/m <sup>3</sup>	< 100 µg/m <sup>3</sup> < 1000 µg/m <sup>3</sup>	< 100 µg/m <sup>3</sup> < 1000 µg/m <sup>3</sup>
	GuT label		Nr FF9E87F9	Nr FF9E87F9	-
	REACH - European regulation (Regulation, Evaluation, Authorisation & Restriction of Chemicals)	1907/2006/CE	compliant <sup>(1)</sup>	compliant <sup>(1)</sup>	compliant <sup>(1)</sup>
	Water tightness	EN 1307 annex G	-	-	Pass
	Flotex sheet and Showtime meet the requirements of EN 14041		EN 14041 CE 0300550_DoP_312	EN 14041 CE 0300550_DoP_312	EN 14041 CE 1200101_DoP_512
	Reaction to fire	EN 13501-1	C <sub>s</sub> -s1 <sup>(2)</sup>	C <sub>s</sub> -s1 <sup>(2)</sup>	B <sub>s</sub> -s1
	Slip resistance	EN 13893	DS-μ ≥ 0.30	DS-μ ≥ 0.30	DS-μ ≥ 0.30
	Body voltage	ISO 6356	E ≤ 2 kV, Antistatic	E ≤ 2 kV, Antistatic	≤ 2 kV, Antistatic
	Thermal conductivity	ISO 8302 / EN 12524 (EN ISO 10456)	0,06 W/(m.K), suitable for use with underfloor heating	0,06 W/(m.K), suitable for use with underfloor heating	0.17 W/(m.K), suitable for use with underfloor heating

<sup>(1)</sup> Showtime products do not contain substances from the candidate list (substances of very high concern) published by the ECHA within the REACH regulation framework

<sup>(2)</sup> When laid on a wood substrate. Achieves A1fl or A2fl when laid on concrete

\* TVOC : Total volatile organic compounds : quantity emitted to indoor air

Special designs possible on request

All Forbo Flooring Systems' sales organisations worldwide have a certified Quality Management System in accordance with ISO 9001. All Forbo Flooring Systems' manufacturing operations have a certified Environmental Management System in accordance with ISO 14001. The Life Cycle Assessment (LCA) of Forbo Flooring Systems' products is documented in individual Environmental Product Declarations (EPD's) which can be found on all of our websites.



Find us on



**Forbo Flooring B.V.**

P.O. Box 13

1560 AA Krommenie

The Netherlands

Tel: +31 75 647 74 77

Fax: +31 75 647 77 01

E-mail: [contact@forbo.com](mailto:contact@forbo.com)

[www.forbo-flooring.com](http://www.forbo-flooring.com)



FLOORING SYSTEMS