UCSF Precision Cancer Center, San Francisco, CA – photo: David Wakely

PRODUCT **GUIDE**

marmoleum® | MCT | flotex® | allura | eternal | coral®

creating better environments

forbo
FLOORING SYSTEMS

marmoleum®

modular textura

- 7 organic linear designs embossed with realistic wood patterns
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life
- Available in 10" x 40" approx. (25cm x 100cm) planks.

te3573 | trace of nature saw cut



te5231 | cliffs of moher saw cut

te5217 | withered prairie wood grain

te5230 | white wash wood grain

te5235 | north sea coast wood grain

te5229 | fresh walnut wood grain

te5218 | welsh moor wood grain

modular slate

4 colors inspired by the natural texture of stone. Available in approx. 10" x 20" (25cm x 50cm) 20" x 20" (50cm x 50cm)

te3747 | lakeland shale

te3745 | cornish grey

te3725 | welsh slate

te3746 | newfoundland slate

marmoleum®
modular striato

- 12 modern linear designs add an extra dimension to your space
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life
- Available in approx. 10" x 40" (25cm x 100cm)

t5232 | rocky ice

t3575 | white cliffs

t5230 | white wash

t5235 | north sea coast

t5225 | compressed time

t5217 | withered prairie

t3573 | trace of nature

t5229 | fresh walnut

t5231 | cliffs of moher

t5226 | grey granite

t5237 | black sheep

t5218 | welsh moor



marmoleum®
modular marble

- 15 colors of concrete structures in cool and warm greys
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- Available in approx. 10" x 10" (25cm x 25 cm), 10" x 20" (25cm x 50cm), and 20" x 20" (50cm x 50cm)

t3136 | concrete

t2713 | calico

t3120 | rosato

t2707 | barley

t3407 | donkey island

t3234 | forest ground

t3232 | horse roan

t3233 | shitake

t3405 | granada

t3216 | moraine

t2621 | dove grey

t3053 | dove blue

t3146 | serene grey

t2629 | eiger

t3048 | graphite

Forbo Flooring Systems | 1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

marmoleum®
modular color

- 9 colors ensures bright color palette for endless possibilities
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life
- Color and Shade are available in 10" x 10" (25cm x 25 cm), 10" x 20" (25cm x 50cm), and 20" x 20" (50cm x 50cm)

t3131 | scarlet
t3352 | berlin red
t3354 | pumpkin yellow
t3251 | lemon zest
t3362 | yellow moss
t3258 | refreshing green
t3238 | laguna
t3030 | blue
t3358 | petrol

marmoleum®
modular shade

10 colors in mixed shaded tones.

t3722 | stardust
t3711 | cloudy sand
t3716 | mercury
t3717 | neptune
t3718 | pluto
t3704 | satellite
t3702 | liquid clay
t3568 | delta lace
t3745 | cornish grey
t3707 | black hole

MCT

essentials | elementals

- Guaranteed installed cost of $2.95-3.85 ft² ($3.50 - $3.95 ft2 CAN)
- Clean and Go – no initial maintenance required with renewable Topshield 2 occupancy-ready factory finish, providing a low cost of ownership and 30-year system service life
- Naturally healthy floor mitigates mold risk and is naturally PVC, phthalate, and styrene free
- 38 versatile colors available in 13" x 13" approx. (33cm x 33cm) | 2.0mm tile

13.11" x 13.11 " approx.
(33 cm x 33 cm)

marmoleum®

contributes to LEED® credits

*see website for details

Red List Free

PHTHALATE FREE • FOR OVER 150 YEARS • STYRENE FREE • PVC FREE

MCT essentials

MCT 3050 | white birch

MCT 607 | white marble

MCT 3120 | rosato

MCT 3136 | concrete

MCT 707 | barley

MCT 795 | butter

MCT 3125 | golden sunset

MCT 3847 | golden saffron

MCT 3141 | himalaya

MCT 3888 | stone

MCT 621 | dove grey

MCT 3075 | shell

MCT 3233 | shitake

MCT 3243 | stucco rose

MCT 3203 | henna

MCT 3127 | bleeckerstreet


MCT 3048 | graphite

MCT-3252 sparrow

MCT 3235 | tobacco leaf

MCT 3238 | laguna

MCT 3055 | fresco blue

MCT 3030 | blue

MCT 629 | eiger

MCT 2939 | black

MCT 3224 | chartreuse

MCT 3247 | green

MCT 3222 | jade

MCT elementals

MCT 3650 | polar bear

MCT 3629 | frosty grey

MCT 3601 | warm grey

MCT 3632 | sealion

MCT 3653 | sunflower

MCT 3655 | orchid green

MCT 3631 | otter

MCT 3607 | grey dusk


MCT 3630 | angora

MCT 3654 | poppy red

MCT 3656 | bluebell

marmoleum®
real

- 33 colors ensures wide color palette for endless possibilities
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life
- CO2 neutral from cradle-to-gate

3173 | van gogh mcs	3038 | caribbean 18dB|mcs	2499 | sand mcs	2713 | calico	3136 | concrete mcs	3032 | mist grey mcs	3137 | slate grey
3075 | shell mcs	3120 | rosato 18dB	3141 | himalaya	3232 | horse roan	2621 | dove grey 18dB	3146 | serene grey 18dB|mcs	3048 | graphite 18dB|mcs
3174 | sahara mcs	3233 | shitake	3225 | dandelion 18dB	3847 | golden saffron mcs	3234 | forest ground	3270 | violet	2629 | eiger mcs
2767 | rust	3127 | bleeckerstreet 18dB|mcs	3219 | spa	3053 | dove blue 18dB|mcs	3123 | arabesque	3272 | plum	3268 | honey suckle
3881 |green wellness mcs	3224 | chartreuse 18dB|mcs	3055 | fresco blue mcs	3030 | blue 18dB|mcs	3236 | dark bistre		

marmoleum®
fresco

- 38 warm, rustic shades based on a tone-on-tone concept
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life
- CO2 neutral from cradle-to-gate

3257 | edelweiss
3858 | barbados mcs
3861 | arabian pearl mcs
3846 | natural corn mcs
3251 | lemon zest mcs
3125 | golden sunset mcs
3262 | marigold
3825 | african desert

3860 | silver shadow 18dB|mcs
3266 | lilac
3263 | rose
3131 | scarlet
3273 | ruby
3203 | henna
3126 | kyoto
3139 | lava mcs

3889 | cinder
3883 | moonstone
3252 | sparrow 18dB|mcs
3890 | oat
3246 | shrike 18dB
3254 | clay mcs
3874 | walnut
3872 | volcanic ash 18dB

3891 | sage
3265 | avocado
3885 | spring buds
3259 | mustard
3260 | leaf
3247 | green
3271 | hunter green
2939 | black mcs

3828 | blue heaven mcs
3267 | aqua
3269 | turquoise
3264 | greek blue
3261 | marine
3866 | eternity mcs

sustainable sample

done with your samples?
let us recycle them for you
call 1-800-842-7839 for info

marmoleum®
vivace

- 9 powerful, colorful contrasts delivered by mixing 8 lively colors
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life
- CO2 neutral from cradle-to-gate

3427 | agate

3420 | surprising storm

3421 | oyster mountain

3413 | green melody

3407 | donkey island

3426 | cork tree

3411 | sunny day

3403 | asian tiger

3405 | granada

marmoleum®
terra

- 4 colors inspired by the natural texture of stone.
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life
- CO2 neutral from cradle-to-gate

5802 | alpine mist

5801 | river bank

5803 | weathered sand

5804 | pink granite

marmoleum®
splash

- 6 softly colored shades mix beautifully with other collections
- USDA Certified 100% biobased content
- Naturally Phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life
- CO2 neutral from cradle-to-gate

3428 | seashell

3429 | bluemoon

3430 | salsa verde

3433 | rockpool

3431 | limoncello

3432 | fruit punch

marmoleum®
cocoa

- 5 award-winning colors incorporate cocoa shells for modern, organic texture.
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life
- CO2 neutral from cradle-to-gate

Marmoleum Cocoa Process



3581 | dark chocolate

3580 | milk chocolate

3584 | white chocolate

3582 | earl grey chocolate

3583 | chocolate blues

marmoleum®
slate

- 6 colors inspired by the natural texture of stone.
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life
- CO2 neutral from cradle-to-gate

e3748 | california gold

e3747 | lakeland shale

e3746 | newfoundland slate

e3745 | cornish grey

e3725 | welsh slate

e3707 | highland black

marmoleum®
walton

- 15 softly colored shades mix beautifully with other collections
- USDA Certified 100% biobased content
- Naturally Phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life
- CO2 neutral from cradle-to-gate

171 | cement

186 | lead

3369 | titanium

3368 | grey iron

3353 | eggplant purple

3363 | lilac

3360 | vintage blue

3358 | petrol


173 | paving

123 | black

3367 | alloy

3352 | berlin red

3370 | terracotta

3355 | rosemary green

3359 | bottle green

marmoleum®
concrete

- 33 shades subtly resemble concrete with fine color nuances
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life
- CO2 neutral from cradle-to-gate

3738 | orange glow 18dB	3712 | orange shimmer	3709 | silt 18dB	3727 | drift	3708 | fossil 18dB	3726 | venus
3743 | red glow 18dB	3737 | red shimmer	3568 | delta lace 18dB	3702 | liquid clay mcs	3728 | kaolin	3711 | cloudy sand 18dB
3740 | purple glow	3735 | purple shimmer	3730 | stella	3705 | meteorite	3729 | mica	3701 | moon
3739 | blue glow 18dB	3734 | blue shimmer	3731 | flux	3723 | nebula 18dB|mcs	3732 | asteroid	3724 | orbit 18dB|mcs
3742 | green glow 18dB	3736 | green shimmer	3725 | cosmos	3703 | comet	3704 | satellite	3706 | beton 18dB
3741 | yellow glow 18dB	3733 | yellow shimmer	3707 | black hole 18dB			

marmoleum® sheet & tile quick specs

product	width roll / tile size / gauge
marmoleum® cocoa, slate, real, fresco, terra, concrete, piano, striato, splash, vivace, and MCS	79" (2 m), 77 yd² (64 m²) 105 lin ft (32 m), 1/10" (2.5 mm) MCS only - 0.080" (2.0 mm)
marmoleum® modular tile	10" x 10" (25 cm x 25 cm) 1/10" (2.5 mm), 26.91 ft² / ctn (2.5m²)
	10" x 20" (25 cm x 50 cm) 20" x 20" (50 cm x 50 cm) 1/10" (2.5 mm), 53.82 ft² / ctn (5 m²)
	10" x 40" (25cm x 100cm) 1/10" (2.5 mm), 32.39 ft² / ctn (3m²)
MCT	13" x 13" (33 cm x 33 cm) 0.080" (2.0 mm), 53.82 ft² / ctn (5 m²)
marmoleum® decibel	79" (2 m), 77 yd² (64 m²) 105 lin ft (32 m), 0.137" (3.5 mm)
marmoleum® borders and corners	border size: 4 3/8" x 39 3/8" corner size: 4 3/8" x 4 3/8" 1/10" (2.5 mm)
walton	79" (2 m), 77 yd² (64 m²) 105 lin ft (32 m), 1/10" (2.5 mm)

marmoleum®
piano

- 20 sophisticated colors featuring a two-tone speckle effect
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life
- CO2 neutral from cradle-to-gate


3629 | frosty grey

3650 | polar bear

3634 | meadow


3644 | nordic blue

3642 | periwinkle

3601 | warm grey

3630 | angora

3622 | mellow yellow

3646 | young grass

3645 | neptune blue

3607 | grey dusk

3631 | otter

3651 | zinnia

3647 | nettle green

3652 | atlantic blue

3613 | almost darkness

3632 | sealion

3625 | salsa red


3649 | greenwood

marmoleum®
striato

- 27 modern linear designs add an extra dimension to your space
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life
- CO2 neutral from cradle-to-gate

striato textura

Add dimension to your floor with two new textures: flow and driftwood

marmoleum® click

cinch LOC

- Available in 28 beautiful colors of panels and squares
- Topshield 2 occupancy ready factory finish
- Easy to install
- Panels 12″x36″ (300mmx900mm) Squares 12″x12″(300mmx300mm)
- Gauge: 3/8″ (9.8mm)

933858 ☐ 333858
barbados

933173 ☐ 333173
van gogh

933038 ☐ 333038
caribbean

933871 ☐ 333871
silver birch

933233 ☐ 333233
shitake

933874 ☐ 333874
walnut

933136 ☐ 333136
concrete

933224 ☐ 333224
chartreuse

933255 ☐ 333255
pine forest

933245 ☐ 333245
summer pudding

933127 ☐ 333127
bleeckerstreet

933251 ☐ 333251
lemon zest

933828 ☐ 333828
blue heaven

933030 ☐ 333030
blue

933242 ☐ 333242
adriatica

933405 ☐ 333405
granada

933407 ☐ 333407
donkey island

933423 ☐ 333423
painters palette

933866 ☐ 333866
eternity

933872 ☐ 333872
volcanic ash

932939 ☐ 332939
black

933575 * white cliffs

93E5216 * pacific beaches (textura)

935239 * oxidized copper

93E5231 *cliffs of moher (textura)

935218 * welsh moor

933573 * trace of nature

935237 * black sheep

* Striato colors only available in 12″ x 36″ approx panels

marmoleum® OR

- Marmoleum OR system provides puncture-proof ArmorCove technology for a hygienic, watertight installation that aids in preventing infection control issues. EZ-ON 100 adhesive speeds up installation time for faster turn-over
- 7 organic, softly marbled shades
- Naturally PVC and phthalate free
- Inherent bacteriostatic properties

OR3722 | stardust

OR3716 | mercury

OR3711 | cloudy sand

OR3718 | pluto

OR3717 | neptune

OR3704 | satellite

OR3702 | liquid clay

Designing with Marmoleum

With Marmoleum flooring you can make the most refined floor designs. Our very precise waterjet cutting technique offers a sophisticated detailing in designs, perfect to create your own identity on your floor; a logo, a text, a piece of art. Or choose tailor made laser engraving, with which your own design can be lasered on the linoleum. Explore your possibilities.

marmoleum® borders & corners

Marmoleum Borders and Corners are exceptionally precise, water-jet cut, made-to-order design elements that can be used to add unique, custom features to your floor design. Choose your individual color palette in any of our standard configurations. Once a request form is filled out and the product is ordered, standard delivery is within 4-6 weeks. Minimum order is one linear meter of border or one corner.



forbo wall base

Forbo Wall Base is available in seventy colors in a 4" height* that will put the finishing touch on your Marmoleum installation.

visit www.forboflooringna.com to view the full selection of colors

* Select colors also available in 6" height and straight toe, please contact customer service for minimum order requirements.

bulletin board®

- extremely durable
- low level of light reflectance
- will not warp or crumble
- 48" (122 cm) width

* Select colors available in 72" (183 cm) width

2208 | mushroom medley

2187 | brown rice

2186 | blanched almond*

2166 | nutmeg spice*

2207 | cinnamon bark

2206 | oyster shell

2182 | potato skin*

2162 | duck egg

2204 | poppy seed

2209 | black olive

2210 | hot salsa

2211 | tangerine zest

2212 | fresh pineapple

2213 | baby lettuce

2214 | blue berry

marmoleum®

wall panels & surface solutions

Marmoleum® Wall Panels

- provide increased impact resistance and easy installation
- meet the demanding California CARB phase 1 standard for formaldehyde emissions
- feature 10.7% rapidly renewable materials and contain 77% pre-consumer (post-industrial) recycled content

Both **Marmoleum® Wall Panels** & **Marmoleum® Surface Solutions** provide durability, repairability, permanent bacteriostatic properties, and are available in a broad range of colors.

Installation methods


Brick - 1


Brick - 2

Double herringbone - 1


Double herringbone - 2


Herringbone - 1


Herringbone - 2


Weave - 1


Weave- 2

flotex®
modular triad

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 9.48" x 39.37" (100x25 cm)
Gauge: 0.2" (5.0 mm)

IMPORTANT Although the various collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.

131001 | red

131002 | blue

131003 | green

131004 | amber

131005 | platinum

131006 | silver

131007 | steel

131008 | shadow

131011 | redline

131012 | blueline

131013 | greenline

131014 | amberline

131010 | taupe


131015 | stone

131017 | anthracite

flotex®
modular seagrass

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 9.48" x 39.37" (100x25 cm)
Gauge: 0.2" (5.0 mm)

IMPORTANT Although the various collections can be installed in different patterns, there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.

111001 | pearl

111002 | cement

111003 | almond

111004 | charcoal

111005 | walnut

111006 | liquorice

flotex® modular wood

151004 | american wood

151006 | antique wood

151005 | red wood

151003 | silver wood

151002 | grey wood

151001 | black wood


Brick - 1


Brick - 2


Double herringbone Version 1


Double herringbone Version 2


Herringbone Version 1


Herringbone Version2


Weave Version 1


Weave Version 2

Installation methods

Brick - 1

Brick - 2

Herringbone - 1

Herringbone - 2

Weave - 1

Weave - 2

flotex®
modular lava II

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 9.48" x 39.37" (100x25 cm)
Gauge: 0.2" (5.0 mm)

IMPORTANT Although the various collections can be installed in different patterns, there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.

075075 | pelee


075076 | vesuvius


075077 | krakatoa


075079 | tambora

075078 | etna

075080 | pinatubo

075081 | trident

075082 | koro

flotex®
modular boxcross

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 9.48" x 39.37" (100x25 cm)
Gauge: 0.2" (5.0 mm)

IMPORTANT Although the various collections can be installed in different patterns, there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.


133004 | biscuit

133005 | linen

133002 | pearl

133007 | granite

133010 | seal

133011 | anthracite

133009 | petrol

133008 | blueberry

flotex®
modular concrete

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 9.48" x 39.37" (100x25 cm)
Gauge: 0.2" (5.0 mm)

IMPORTANT Although the various collections can be installed in different patterns, there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.

139002 | thunder

139001 | cloud

139004 | storm

139003 | smoke

Installation methods



Brick- 1



Brick - 2



Double herringbone Version 1



Double herringbone Version 2



Herringbone Version 1



Herringbone Version 2



Weave Version 1



Weave Version 2t

flotex®
canyon sheet/tile/plank*

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20") (tile/plank)
4.3 mm (.17") (sheet)
See website for installation methods

s= sheet, t=tile, p=plank
** Select colors available in 100x25 cm planks*

s445022/ t545022/p945022 | limestone


s445021/t545021/p945021 | stone


s445020/t545020/p945020 | pumice


s445019/t545019/p945019 | slate


s445024/t545024 | cloud


s445028/t545028 | sapphire


s445029/t545029 | seafoam

s445027/t545027 | kelp

s445030/t545030 | sulphur

s445026/t545026 | garnet


s445025/t545025 | earth


s445023/t545023 | linen

flotex®
calgary sheet/tile/plank*

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20") (tile/plank)
4.3 mm (.17") (sheet)
See website for installation methods

s= sheet, t=tile, p=plank
** Select colors available in 100x25 cm planks*

s290008 | t590008 | saffron

s290007 | t590007 | suede

s290011 | t590011 | quartz

s290017 | t590017 | crystal

s290024 | t590024 | fire

s290005 | t590005 | melon

s290006 | t590006 | sahara

s290013 | t590013 | caramel

s290026 | t590026 | linen

s290023 | t590023 | espresso

flotex®

calgary sheet/tile/plank*

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable/won't ugly out
- simple, low cost maintenance

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20") (tile/plank)
4.3 mm (.17") (sheet)

s= sheet, t=tile, p=plank
** Select colors available in 100x25 cm planks*

s290010 | t590010 | p990010 | ash

s290015 | t590015 | azure

s290004 | t590004 | menthol

s290022 | t590022 | condor

s290002 | t590002 |p990002 | grey

s290001 | t590001 | sky

s290014 | t590014 | lime

s290009 | t590009 | moss

s290012 | t590012 | p990012 | cement

s290025 | t590025 | riviera

s290019 | t590019 | p990019 | carbon

s290021 | t590021 | aqua

flotex®
metro sheet/tile/ plank*

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20") (tile/plank)
4.3 mm (.17") (sheet)
See website for installation methods

s=sheet, t=tile, p=plank
** Select colors available in 100x25 cm planks*

s246036 | t546036 | gold

s246013 | t546013 | amber

s246012 | t546012 | sand

s246025 | t546025 | p946025 | tangerine

s246030 | t546030 | cinnamon

s246027 | t546027 | burgundy

s246035 | t546035 | pink

s246031 | t546031 | cherry


s246026 | t546026 | p946026 | red

s246017 | t546017 | p946017 | berry

s246016 | t546016 | p946016 | grape

s246005 | t546005 | p946005 | nimbus

s246006 | t546006 | p946006 | grey

s246009 | t546009 | p946009 | pepper

s246015 | t546015 | cocoa

s246028 | t546028 | jade

s246002 | t546002 | tempest

s246032 | t546032 | p946032 | petrol

s246004 | t546004 | gull

s246020 | t546020 | p946020 | lagoon

s246001 | t546001 | p946001 | indigo

s246024 | t546024 | p946024 | carbon

s246014 | t546014 | p946014 | concrete

flotex®

metro sheet/tile/plank*

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20") (tile/plank)
4.3 mm (.17") (sheet)
See website for installation methods

s=sheet, t=tile, p=plank
** Select colors available in 100x25 cm planks*

s246007 | t546007 | p946007 | ash

s246008 | t546008 | p946039 | anthracite

s246011 | t546011 | p946011 | pebble

s246029 | t546029 | truffle

s246010 | t546010 | chocolate

s246019 | t546019 | p946019 | citrus

s246018 | t546018 | mineral

s246033 | t546033 | emerald

s246022 | t546022 | evergreen

s246034 | t546034 | lilac

s246037 | t546037 | apple

s246021 | t546021 | moss

flotex®

penang sheet/tile/plank*

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20") (tile/plank)
4.3 mm (.17") (sheet)
See website for installation methods

s=sheet, t=tile, p=plank
** Select colors available in 100x25 cm planks*

s482006 | t382006 | sage

s482010 | t382010 | evergreen

s482023 | t382023 | dusk

s482024 | t382024 | purple

s482016 | t382016 | coral

s482019 | t382019 | ginger

s482026 | t382026 | neptune

s482011 | t382011 | sapphire

s482020 | t382020 | p982020 | shale

s482017 | t382017 | p982017 | nimbus

s482004 | t382004 | p982004 | mercury

s482007 | t382007 | p982007 | zinc

s482005 | t382005 | smoke

flotex®

penang sheet/tile/plank*

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20") (tile/plank)
4.3 mm (.17") (sheet)
See website for installation methods

s=sheet, t=tile, p=plank
** Select colors available in 100x25 cm planks*

s482015 | t382015 | beige

s482018 | t382018 | bamboo

s482075 | t382075 | flax

s482031 | t382031 | p982031| ash

s482027 | t382027 | orchid

s482116 | t382116 | azure

s482037 | t382037 | p982037 | grey

s482001 | t382001 | anthracite

flotex®
modular savannah

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 9.48" x 39.37" (100 cm x 25 cm)
Gauge: 5.0 mm (.20") (plank)
See website for installation methods

911001 | pearl

911003 | almond



911002 | cement

911004 | charcoal

911005 | walnut

911006 | liquorice

flotex®
complexity tile

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20")
quarter-turn installation

Complexity coordinates with Integrity²

550001 | grey

550007 | blue

550003 | charcoal

550010 | straw

550004 | navy

550006 | marine

flotex® integrity² tile


350011 | leaf

350009 | taupe


350003 | charcoal

350006 | marine

350004 | navy


350001 | grey


350012 | granite


350002 | steel

flotex®
stratus tile

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 20″ x 20″ approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20″)

broadloom or quarter-turn installation

IMPORTANT Although the various collections can be installed in different patterns, there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.

t540014 | eclipse

t540006 | ruby

t540007 | mint


t540015 | storm

t540003 | sisal

t540004 | fossil

t540005 | sapphire

t540008 | onyx

flotex® cirrus tile


t570015 | storm

t570014 | eclipse

t570005 | sapphire

t570008 | onyx

t570007 | mint

t570004 | fossil

t570003 | sisal

t570006 | ruby

flotex® harmony
ballet plank/tile

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 40" x 40" approx. (100 cm x 100 cm)
Plank size: 10" x 40" approx. (25 cm x 100 cm)

broadloom or quarter-turn installation

IMPORTANT Although the various collections can be installed in different patterns, there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.


055104 | cabernet

055125 | sand dollar

055101 | oyster

055110 | cappuccino

055116 | amber

055119 | driftwood

055122 | coffee

055128 | emebald

055103 | seaside


055107 | sapphire

flotex® harmony lindy plank/tile

055015 | garnet

055009 | coconut

055021 | pewter

055006 | coastal

055003 | caramel

055024 | sage

055012 | dunes

055027 | surf

055000 | aquamarine

055018 | ocean

flotex® harmony
paso tile

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 40" x 40" approx. (100 cm x 100 cm)

broadloom or quarter-turn installation

IMPORTANT Although the various collections can be installed in different patterns, there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.

055402 | aquamarine oyster

055405 | caramel cabernet

055408 | coastal sapphire

055411 | coconut cappuccino

055414 | dunes seaside

055417 | garnet amber

055420 | ocean driftwood

055423 | pewter coffee

055426 | sage sand dollar

055429 | surf emerald

flotex® harmony **salsa** tile


055302 | aquamarine oyster

055305 | caramel cabernet

055308 | coastal sapphire

055314 | dunes seaside

055317 | garnet amber

055320 | ocean driftwood

055323 | pewter coffee

055326 | sage sand dollar

055329 | surf emerald

flotex® harmony
tango tile

- stain-resistant and slip-resistant
- 100% waterproof
- highly durable / won't ugly out
- simple, low cost maintenance

Tile size: 40" x 40" approx. (100 cm x 100 cm)

broadloom or quarter-turn installation

IMPORTANT Although the various collections can be installed in different patterns, there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.

055202 | aquamarine oyster

055205 | caramel cabernet

055208 | coastal sapphire

055211 | coconut cappuccino

055217 | garnet amber

055220 | ocean driftwood

055223 | pewter coffee

055226 | sage sand dollar

055214 | dunes seaside

055229 | surf emerald

flotex® vision sheet

With Flotex Vision, Forbo offers over 500 colors in 6 design categories for a range of vibrant visuals produced with photo realistic resolution. Visit **www.flotexvision.com** to explore the infinite combinations of colors and patterns that include "trompe l'oelil" designs and natural grass, sand, and water images.

floral

image

linear


shape

naturals


pattern

flotex® journeys sheet

Pattern repeat: length 19.7" (50 cm)
Roll size: 6' 6' (200 cm)
Gauge: 4.3 mm (0.17")

*more colors are available on **flotexvision.com***

630001 | yellowstone


630004 | black hills

630002 | cypress falls

630003 | glacier bay

630009 | mesa verde

630006 | sequoia

630011 | grand canyon

630008 | laurentian mountains

630007 | joshua tree

630010 | everglades

630005 | green mountain

630012 | acadia

630013 | wheat sheaf

630014 | harvest

630015 | lilac

630016 | spa

630017 | russet

630018 | haystack

flotex® tibor sheet

Pioneering textile designer Tibor Reich – creator of Tibor – was one of the most prominent figures in the British Post-war textile industry. Printed on Forbo Flotex in vibrant colors, Tibor's innovative Fotexur designs have a timeless feel, despite dating back 70 years.
Please visit **www.forboflooringNA.com** to view the full collection.

onyx



tweedy



ziggurat



quartz

arbor

tessello



mosaic



atomic

flotex® naturals II sheet

Flotex Sheet is:

- Stain-resistant and slip-resistant
- 100% waterproof
- Highly durable / won't ugly out
- Simple, low cost maintenance

Roll size: 6' 6' (200 cm)
Gauge: 4.3 mm (0.17")

CARPET AMERICA RECOVERY EFFORT

sustainable sample

done with your samples?
let us recycle them for you
call 1-800-842-7839 for info

010058-II | titanium oak
pattern repeat:200 cm x 150 cm

010039-II | european white wood
pattern repeat:200 cm x 150 cm

010078-II | shaded oak
pattern repeat:200 cm x no repeat

010075-II | warm oak
pattern repeat:200 cm x no repeat

010038-II | white oak
pattern repeat:200 cm x 150 cm



010079-II | hungarian point grey
pattern repeat:200 cm x 22.3 cm

010073-II | heritage plank
pattern repeat:200 cm x no repeat

010037-II | blackened oak
pattern repeat:200 cm x 150 cm

010074-II | shadow plank
pattern repeat:200 cm x no repeat

010036-II | american oak
pattern repeat:200 cm x 150 cm

010076-II | limed wood
pattern repeat:200 cm x no repeat

010041-II | smoked beech
pattern repeat:200 cm x 150 cm

010080-II | hungarian point
pattern repeat:200 cm x 22.3 cm

010042-II | steamed beech
pattern repeat:200 cm x 150 cm

010055-II | chestnut
pattern repeat:200 cm x 150 cm

010071-II | summer chevron
pattern repeat:200 cm x 9.5 cm

010035-II | distressed oak
pattern repeat:200 cm x 150 cm

010077-II | smoked walnut
pattern repeat:200 cm x no repeat

010040-II | antique pine
pattern repeat:200 cm x 150 cm

010072-II | autumn chevron
pattern repeat:200 cm x 9.5 cm

colorex® SD/EC

- conductive floor covering
- long-lasting performance
- conductive coated chips form a solid, homogeneous compound
- stable in size and dimensions
- constant, permanent and not influenced by ambient humidity or aging of product

SD 150201/ EC 250201 | everest

SD 150206/ EC 250206 | moonstone

SD 150204/ EC 250204 | montblanc

SD 150205/ EC 250205 | adula



SD 150207/ EC 250207 | quartz

SD 150222/ EC 250222 | niagara



SD 150265/EC 250265 | blue ridge



SD 150225/ EC 250225 | kiwi

SD 150213/ EC 250213 | sahara

SD 150240/ EC 250240 | etna

Colorex Plus provides the high density, ready repair and stain resistant benefits of Colorex in a heavy duty, loose lay tile. To learn more visit our website at www.forboflooringna.com

Additional colors are available online at
WWW.FORBOFLOORINGNA.COM

eternal step

The fresher alternative to the conventional safety flooring visual, with an improved cleaner aesthetic.

171032 | smoke

171952 | elephant

171992 | charcoal

172312 | mortar

eternal step SR

Use of the Step crystals provides a warmer and cleaner appearance while maintaining a high slip resistance and ease of maintenance

174032 | smoke


174952 | elephant

174992 | charcoal

174922 | concrete

eternal step SR aqua

Designed for barefoot (and soft soled shoe) areas.

180262 | trout

180232 | taupe

180482 | greige

180092 | elephant

eternal step wood

Wood visual with the practically invisible Step Crystals for lasting slip resistance performance.

18382 | chestnut

18972 | rustic oak

18952 | dark grey oak

18792 | dark oak

eternal wood

- 17 beautiful wood looks
- compliments a wide variety of interiors
- natural, realistic colors

10232 | dark walnut

10842 | cream oak

11162 | tropical beech

11442 | washed beech

11492 | warm cherry

11542 | traditional oak

11952 | steamed oak

12802 | elegant oak

12862 | grey oak

10432 | grey washed oak

10452 | dark oak

11192 | light beech

13942 | classic timber

36022 | classic herringbone


36042 | brown herringbone

36062 | grey herringbone

11612 | mid oak

eternal

material

- present a modern range of textiles, metals and stones which create a soft, elegant look and feel.
- consist of a 0.7 wear layer that ensures maximum wear resistance and excellent appearance retention.

61042 | mist smaragd

61052 | white smaragd

61962 | grey smaragd


66142 | dust smaragd

10012 | pebble stucco

10032 | fossil stucco

10042 | graphite stucco

12012 | quartz stone

12032 | coal stone

12092 | neutral stone

12422 | grey textured concrete

12472 | mortar textured concrete

12492 | taupe textured concrete

13002 | silver concrete

13022 | beton concrete

13032 | anthracite concrete

13082 | gravel concrete

13762 | brushed bronze

13772 | brushed aluminium



Abbreviations

DR | allura dryback (0.70/0.55/0.40)
DR7 | 0.70 DR5 | 0.55
DR4 | 0.40
FL | allura flex (1.00/0.55)
FL1 | 1.00 FL5 | 0.55
CL | allura click pro (0.55)
EA | allura ease (0.70)
PZ | allura puzzle (0.70)

allura

- The Allura All-in-one collection offers 51 stunning wood and stone visuals in a variety of formats for maximum design and function
- Allura Flex 1.00 mm is stocked; all other formats are non-stock
- natural color variation, true-to-nature plank sizes and in-register embossing results in photo-realistic visuals
- phthalate-free
- visit www.forboflooringna.com for more information

Size Chart:
Approx. 39.4" x 7.9" (100 cm x 20 cm) **A**
Approx. 39.4" x 39.4" (100 cm x 100 cm) **B**
Approx. 47.2" x 7.9" (120 cm x 20 cm) **C**
Approx. 59.1" x 11" (150 cm x 28 cm) **D**
Approx. 19.7" x 19.7" (50 cm x 50 cm) **E**
Flex HP 1200x200..... Approx. 39.4" x 7.9" (100 cm x 20 cm) **F**

bevelled

60284 D natural giant oak
DR | FL | CL | EA | PZ

60280 D grey giant oak
DR | FL | CL | EA | PZ

60302 D deep country oak
DR | FL | CL

60300 D central oak
DR | FL | CL | EA

60305 D light honey oak
DR | FL | CL | EA

60301 D whitened oak
DR | FL | CL

60306 D rustic anthracite oak
DR | FL | CL | EA

63406 C bleached timber
63407 DR | FL | CL | EA

63412 C blond timber
63413 DR | FL | CL | EA

63408 C greywashed timber
63409 DR | FL | CL | EA

63410 C hazlenut timber
DR | FL | CL

60064 C whitewash elegant oak
DR | FL | CL | EA | PZ

60026 A classic beech DR | FL | CL

60065 C honey elegant oak
DR | FL | CL | EA | PZ

60295 C pure oak
DR | FL | CL

60293 C steamed oak
DR | FL | CL

63418 C petrified oak
DR | FL | CL

60374 C natural collage oak
DR | FL | CL

61253 A oyster seagrass
DR | FL | CL | PZ

61255 A natural seagrass
DR | FL | CL

Abbreviations

DR | allura dryback (0.70/0.55/0.40)
DR7 | 0.70 DR5 | 0.55
DR4 | 0.40
FL | allura flex (1.00/0.55)
FL1 | 1.00 FL5 | 0.55
CL | allura click pro (0.55)
EA | allura ease (0.70)
PZ | allura puzzle (0.70)

allura

- The Allura All-in-one collection offers 51 stunning wood and stone visuals in a variety of formats for maximum design and function
- Allura Flex 1.00 mm is stocked; all other formats are non-stock
- natural color variation, true-to-nature plank sizes and in-register embossing results in photo-realistic visuals
- phthalate-free
- visit www.forboflooringna.com for more information

Size Chart:
Approx. 39.4" x 7.9" (100 cm x 20 cm) **A**
Approx. 39.4" x 39.4" (100 cm x 100 cm) **B**
Approx. 47.2" x 7.9" (120 cm x 20 cm) **C**
Approx. 59.1" x 11" (150 cm x 28 cm) **D**
Approx. 19.7" x 19.7" (50 cm x 50 cm) **E**
Flex HP 1200x200..... Approx. 39.4" x 7.9" (100 cm x 20 cm) **F**

⌥ bevelled

60375 C grey collage oak ⌥
DR | FL | CL

60074 C black rustic oak ⌥
DR | FL | CL

60152 C grey raw timber ⌥
DR | FL | CL

60151 C white raw timber ⌥
DR | FL | CL

60084 C bleached rustic pine ⌥
DR | FL | CL

60150 C brown raw timber ⌥
DR | FL | CL

63420 C burned oak ⌥
DR | FL | CL

60356 A grey autumn oak DR | FL | CL
60357 F DR | FL ⌥

60354 F classic autumn oak DR | FL
60353 A DR | FL | CL ⌥

60351 F white autumn oak DR | FL
60350 A DR | FL | CL ⌥

60085 C weathered rustic pine ⌥
DR | FL | CL

60082 C natural rustic pine ⌥
DR | FL | CL

63497 A grey waxed oak DR | FL
63496 F DR | FL | CL | EA | PZ ⌥

60063 A waxed oak DR | FL | CL
60055 F DR | FL ⌥

Abbreviations

DR | allura dryback (0.70/0.55/0.40)
DR7 | 0.70 DR5 | 0.55
DR4 | 0.40
FL | allura flex (1.00/0.55)
FL1 | 1.00 FL5 | 0.55
CL | allura click pro (0.55)
EA | allura ease (0.70)
PZ | allura puzzle (0.70)

allura

- The Allura All-in-one collection offers 51 stunning wood and stone visuals in a variety of formats for maximum design and function
- Allura Flex 1.00 mm is stocked; all other formats are non-stock
- natural color variation, true-to-nature plank sizes and in-register embossing results in photo-realistic visuals
- phthalate-free
- visit www.forboflooringna.com for more information

Size Chart:
Approx. 39.4" x 7.9" (100 cm x 20 cm) **A**
Approx. 39.4" x 39.4" (100 cm x 100 cm) **B**
Approx. 47.2" x 7.9" (120 cm x 20 cm) **C**
Approx. 59.1" x 11" (150 cm x 28 cm) **D**
Approx. 19.7" x 19.7" (50 cm x 50 cm) **E**
Flex HP 1200x200..... Approx. 39.4" x 7.9" (100 cm x 20 cm) **F**

bevelled

63431 B grey cement DR | FL
63430 E DR | FL | CL | EA | PZ

63433 B smoke cement DR | FL
63432 E DR | FL | CL

63427 B light cement DR | FL
63426 E DR | FL | CL

63429 B iron cement DR | FL
63428 E DR | FL | CL | EA | PZ

62488 E white sand
DR | FL | CL

62534 E mist texture DR | FL | CL

63776 E silver stream
DR | FL | CL

62485 E taupe sand
DR | FL | CL

63438 E taupe texture DR | FL | CL

63625 E nickel metal brush DR | FL | CL | PZ

63468 E grey stone DR | FL | CL | EA | PZ

63454 E black marble DR | FL | CL
63455 B DR | FL

62513 B grigio concrete DR | FL
62523 E DR | FL | CL | EA | PZ

62512 B natural concrete DR | FL
62522 E DR | FL | CL | EA | PZ

62518 B charcoal concrete DR | FL
62418 E DR | FL | CL | EA | PZ

62519 B nero concrete DR | FL
62419 E DR | FL | CL | EA | PZ

63450 E white marble DR | FL | CL
63451 B DR | FL

Coral Tile is available in **20"x20" approx. (50 cm x50cm)** phthalate free vinyl backed entry tile.

Forbo Entrance Systems

coral® brush / tile

All colors of **Coral Brush** are also available in **20"x20" approx. (50 cm x50 cm)** phthalate free vinyl backed **tile.**

PHTHALATE FREE TECHNOLOGY

- STOP up to 95% of the walk-in dirt and moisture
- REDUCE maintenance & cleaning costs by up to 65%
- MINIMIZE liability from slips and falls
- MAXIMIZE the useful life of interior finishes
- LENGTH MATTERS! longer walk off = greater protection

s5730/t5730 vulcan black ♦

s5714/t5714 shark grey

s5721/t5721 hurricane grey ♦

s5741/t5741 cannon grey

s5750 /t5750 aztec black

s5727/t5727 stratos blue ♦

s5710/t5710 asphalt grey ♦

s5724/t5724 chocolate brown ♦

s5716/t5716 masala brown

s5754/t5754 straw brown

s5764/t5764 petrified grey

s5767/t5767 slate blue

s5715/t5715 charcoal grey ♦

s5709 /t5709 royal purple

s5706/t5706 brick red ♦

s5723 /t5723cardinal red

s5705 /t5705 bondi blue

s5722 /t5722 cornflower blue

♦ Items are stocked. The lead time for non-stock items is 6-8 weeks.

coral® grip

■ with Everfort vinyl backing
□ with open structure

Made with 100% Regenerated Nylon ECONYL®

HD ■ 6130 / □ 6150
ink ♦

MD ■ 6930 / □ 6950
ink ♦

HD ■ 6125 / □ 6145
lead

MD ■ 6925 / □ 6945
lead

HD ■ 6123 / □ 6143
wine

MD ■ 6923 / □ 6943
wine


HD ■ 6122 / □ 6142
salt

MD ■ 6922 / □ 6942
salt

HD ■ 6121/ □ 6141
ash

MD ■ 6921 / □ 6941
ash

coral® duo

- alternating strips of scraping Coral Brush Pure yarns and moisture absorbing Coral Classic
- reinforced with tough and resilient monofilament fibers
- removes and retains 10% more dirt in the first few meters than any other textile barrier product



♦ Items are stocked.
The lead time for non-stock items is 6-8 weeks.

Additional non-stock Coral collections available online at **www.forboflooringNA.com**

coral® mats

Coral mats are available in the following standard sizes: (width of entrance x walkoff length)

3′ x 5′ 5′ x 3′ 4′ x 6′ 6′ x 4′ 6′ x 10′ 6′ x 20′



note:
- custom sizes available upon request
- dimensions include the rubber-edge profile (1.5″ approx.)
- 4″ x 6″ black mat available for quick ship, inquire for details.

nuway®

Nuway engineered entrance flooring is used outside doorways and immediately inside heavily trafficked entrance areas to scrape off the worst of soil tracked in on the soles of shoes or wheeled vehicles. These rigid engineered mats, constructed of profiles, scrapers, and insert materials, are made to the customer's individual specifications.

nuway® tuftiguard
Application: internal and external
(using plain unbuffed wiper)
Wiper Strips: pile - standard colors
Select: color matching service available
Scraper Bars: aluminum and PVC standard colors
Height: 12mm and 17mm
Wiper Strips: single and double
Construction: open and closed

nuway® tuftiguard HD
Application: internal and external
(using plain unbuffed wiper)
Wiper Strips: pile - standard colors
Scraper Bars: aluminum
Feature Strips: none
Height: 12mm and 17mm
Wiper Strips: double only
Construction: closed only

nuway® grid
Single-sided entrance flooring system
Application: internal and external
(using rubber insert)
Module Width: maximum 3000mm
Module depth: maximum 750mm
Height: rubber 19mm
burford 24mm
classic 23mm
brush activ 23mm

product application chart

All items marked below are the preferred products to be used for each application type. If there is any questions on suitability, please contact forbo prior to installation.

	Resilient										Surfaces	Textile		Entrance	
Application	Marmoleum Sheet & MCS	Marmoleum Tile (MCT/ Modular)	Marmoleum Decibel	Marmoleum Textura (Sheet & Tile)	Eternal Sheet Vinyl	Eternal Step	Eternal Step Aqua	Colorex	Colorex Plus & R11	Allura/ Allura Flex	Bulletin Board	Flotex Sheet	Flotex Tile	Coral	Nuway
healthcare															
cafeteria / dining	X	X		X	X					X		X	X		
corridors	X	X	X	X	X							X	X		
desks / cupboards / furniture systems	X														
elevators / lobbies	X	X		X	X	X				X		X	X		
entrances														X	X
er/ trauma	X				X										
exam room	X	X		X	X					X					
hydrotherapy room						X	X								
laboratories	X	X		X	X	X									
nurses station	X	X	X	X	X										
office / administrative	X	X	X	X	X					X		X	X		
operating / procedure room	X				X				X						
patient room / physical therapy room	X	X	X		X							X	X		
pharmacy	X	X	X	X	X							X	X		
ramps (indoor)						X	X					X			
ramps (outdoor)														X*	X**
server room								X	X						
surgery / surgical prep areas	X	X			X				X						
tackable wall surface / partitions											X				
utility room / service area	X	X			X										
waiting area	X	X		X	X					X		X	X		
education / institutional															
auditoriums	X	X		X	X							X	X		
cafeteria / dining	X	X		X	X							X	X		
classrooms	X	X		X	X							X	X		
corridors	X	X	X	X		X						X	X		
desks / cupboards / furniture systems	X														
dormitory rooms / lobbies	X	X	X	X	X							X	X		
entrances														X	X
food prep	X				X	X									
gymnasium / multi-purpose room	X	X		X	X							X	X		
kitchen		X				X									
laboratories	X	X	X	X	X	X									
library	X		X	X	X					X		X	X		
locker rooms	X	X		X	X	X	X					X***	X***		
office / administrative	X	X	X	X	X					X		X	X		
ramps (indoor)						X	X					X			
ramps (outdoor)														X*	X**
restrooms	X				X	X									
server rooms								X	X						
tackable wall surface / partitions											X				
utility room / service area	X	X		X	X										
corporate															
corridors	X	X	X	X	X					X		X	X		
desks / cupboards / furniture systems	X														
elevators / lobbies	X	X		X	X	X				X		X	X		
entrances														X	X
office / conference room	X	X	X	X	X	X				X		X	X		
ramps (indoor)						X	X					X			
ramps (outdoor)														X*	X**
restrooms	X	X			X	X									
server rooms								X	X						
tackable wall surface / partitions											X				
vending area / lunchroom	X	X		X	X					X		X	X		
retail / hospitality															
checkout counters / tabletops	X														
corridors	X	X	X	X	X					X		X	X		
deli / bakery	X	X		X	X	X				X					
eating areas	X	X		X	X	X				X		X	X		
elevators / lobbies	X	X		X	X	X				X		X	X		
entrances														X	X
exercise room / health club	X	X		X	X							X	X		
food service	X	X		X	X	X									
frozen food / dairy	X	X		X	X	X									
sales floor	X	X		X						X		X	X		
specialty shops / boutiques	X	X		X	X					X		X	X		
tackable wall surface / partitions											X				
vending area	X	X		X	X					X		X	X		
industrial															
clean rooms / sterile packaging					X			X	X						
coductive / static dissipative								X	X						
pharmaceutical	X	X			X			X	X						
research / production lab	X	X		X	X	X		X	X						
server room								X	X						
small parts assembly	X	X		X	X	X		X	X			X	X		
tackable wall surface / partitions											X				
warehouse / manufacturing area		X				X		X	X						
walk-in freezer						X									
assited living / military															
barracks / residence rooms	X	X		X	X					X		X	X		
common areas	X	X		X	X					X		X	X		
corridors / lobbies	X	X	X	X	X					X		X	X		
desks / cupboards / furniture systems	X														
eating areas	X	X		X	X					X		X	X		
entrances														X	X
office / administrative	X	X	X	X	X					X		X	X		
server room								X	X						
tackable wall surface / partitions											X				

*Coral Grip is the only product recommended for outdoor ramps. All other Coral products are intended for indoor use.
** Nuway is only recommend for outdoor ramps when unbuffed wipers are being used.
*** Flotex is not recommended for use in locker rooms where ice skates or any metal spikes may be used.

Forbo Flooring Systems • North American Headquarters • 8 Maplewood Drive • Hazleton, PA 18202 • 1-800-842-7839 / 570-459-0771 • Fax: 570-450-0258
Canada Office • 3983 Nashua Drive, Unit #1 Mississauga, Ontario L4V 1P3 • 1-800-268-8108 / 416-745-4200 • Fax: 416-745-4211
www.forboflooringNA.com • www.floorcostcomparison.com • info.na@forbo.com

GSA Schedule Contract GS-03F-0113X

Item#: 213501