
creating better environments





ENTRANCE & SPECIALTY MATTING

COMMERCIAL > INDUSTRIAL

Moderate Traffic • Heavy Traffic • Entrance Systems • More Anti-Fatigue • Drainage • Industrial • More

MINIMIZING MAINTENANCE WITH FORBO MATTING PRODUCTS

W alk off mats are the most efficient way of stopping dirt at the door and keeping building maintenance to a minimum. They are also effective internally, in high traffic areas and severe wipe-off regions.


Some applications for our product lines would be: freight elevators, factory entrances, industrial and commercial entrances.

When planning a mat program, high traffic areas should be pinpointed and the strategic placement of mats are essential. The function of our program is to effectively "Stop, Catch, Trap, Hold and Hide" soil and moisture all year round!

50% of dirt and moisture is collected on the first 10 feet of a mat... STOP your problems at the door with Forbo's Entrance Matting Solutions.

Anti-Fatigue matting has been proven to increase productivity levels and safety within the workplace. Our anti-fatigue matting line also comes in grease proof rubber; the perfect application for restaurants and bars. Additional applications for anti-fatigue and anti-slip matting are: grocery stores, cashiers, machine-operators and industrial work stations.

Safety is the key to success in any operation. Create a safe work environment with Forbo's Specialized Matting.



PLEASE NOTE: This catalogue is to be used for reference purposes ONLY. Colour swatches may vary slightly from actual sample due to photography lighting and production dye-lots. Therefore, please only place an order after seeing an actual sample to obtain a more accurate confirmation of your colour choice. Note that Nominal sizes are quoted in this catalogue. Please also allow for approximately 4 weeks on all Special Order items.

Moderate Traffic

Coral Go & Coral Bright	4
Design SP	
Heather Plush Premium	
Laundro Supreme	
Design Tweed	
Twin Rib	7
Herringbone	
Heavy Traffic	

neavy framc

Salsa	
Prime Salsa	
Super Salsa	
Rubber Finger Tip	
Super Grip	
Water Keeper	
Coco	

Entrance Systems

Coral Grip	
Coral Duo	
Logo Mat	
Aqua Flow	
Coral Brush	14

Specialty Mats

Corrugated Switchboard	16
Industrial Runner	

Anti-Fatigue

Soft Spun	
Marble Spun	
Bubble Mat	
Diamond Spun	

Drainage / Anti-Fatigue

Kushion Safe Heavy Duty	19
Kushion Safe Light Duty	19
Interlocking Modular Tile	20

Entrance Matting

Nuway Tuftiguard	21
Nuway Tuftiguard HD	21
Nuway Grid	22
Nuway Connect	22
Forbo Cleaning Products	

MODERATE TRAFFIC

ENTRANCE MATTING

Coral Go and Coral Bright

Coral Go

Applications

Recommended for areas with moderate traffic.


Features and Benefits

- Affordable performance
- Suitable for medium traffic
- Made with 100% recyclable econyl yarns

Total Thickness: 8mm

Widths: 90cm, 130cm, 200cm

Roll length: 27.5m approx.









Coral Bright

Applications

This hard-wearing entrance flooring is suitable for areas with medium traffic.

Features and Benefits

- Suitable for medium traffic
- Modern color scheme
- Affordable performance

Total Thickness: 9mm

Widths: 90cm, 130cm, 200cm

Roll length: 27.5m approx.



Note: Nominal sizes are quoted

MODERATE TRAFFIC

Design SP

Applications

Recommended for moderate to high traffic areas, entranceways and lobbies.

Features and Benefits

- Unique Nop design provides the most effective scraping action
- Ideal for multi-directional traffic, as the Nop design effectively scrapes from all angles
- Attractive pattern and exceptional performance
- Extra coarse solution dyed polypropylene fibre prevents fading
- 100% polypropylene fibre ensures a perfect bond, reduces curling edges and delamination
- Easy to maintain with frequent vacuuming and periodic steam cleaning
- · Latex additive increases fibre durability and scraping ability
- 22 oz./sq.yd. face weight

Available Sizes

Mat Size (ft)	Weight (lbs)	Roll Size (ft)	Weight (lbs)
3 x 5	12	3 x 60	160
4хб	19	4 x 60	215
3 x 4	Anthracite Only		

Custom cuts are also available





Heather Plush Premium

Applications

Recommended use as a wiper at the entranceways or around doors that allow traffic to move between warehouse and office areas.

Features and Benefits

- Prevents dirt and dust from being tracked into office space
- · Designed to absorb water and hold dirt, keeping your floors clean and safe
- Made from durable 100% cut pile olefin filament
- Needle punched fibres
- Colour mixture is effective at hiding dirt
- Vinyl back is resistant to mold and mildew
- 18 oz./sq.yd. face weight offers full pile for improved looks and durability

Available Sizes

Mat Size (ft)	Weight (lbs)	Roll Size (ft)	Weight (lbs)
2 x 3	4	3 x 60	122
3 x 4	8	4 x 60	163
3 x 5	10	6 x 60	245
4 x 6	16		
4 x 8	22		

Custom cuts are also available





MODERATE TRAFFIC

ENTRANCE MATTING

Laundro Supreme



Applications

Recommended for use in grocery stores, manufacturing facilities and garages, entranceways of retail stores and restaurants.

Features and Benefits

- Wash and wear matting can be laundered
- Constructed from solution dyed 100% nylon 6,6 fibre
- Impervious to bleach damage, soiling, sunlight and repeated washings
 Fade registrant
- Fade resistant

Ν

- Superior rubber technology Nitrile rubber anti-skid gripper backing
- 19 oz./sq.yd. face weight

Each mat is custom made to your order.

Three weeks lead time required for each order.

Available Sizes

Mat Size (ft)	Weight (lbs)	Mat Size (ft)	Weight (lbs)	
3x4	6	3x10	14	
3x5	7	3x12	17	
3x8	9	3x15	21	
4x6	11	4x12	17	
4x8	15			




Design Tweed

Applications

Recommended for moderate to high traffic areas such as entranceways and lobbies.

Features and Benefits

- Attractive tweed pattern enhances its environment while simultaneously maintaining a dirt-free zone
- Compiled of 100% polypropylene cut pile on a durable vinyl backing
- Has effective wiping capabilities and is easily maintained with frequent vacuuming and periodic steam cleaning
- 15 oz./sq.yd. face weight



Available Sizes		
Mat Size (ft)	Weight	
3 x 60	120	
4 x 60	160	
6 x 60	250	
Custom cuts a	re also available	

MODERATE TRAFFIC

Twin Rib

Applications

Recommended for moderate traffic areas, entranceways and lobbies. An ideal and cost effective solution for indoor entrance ways.


Features and Benefits

- Classic design is a strong and effective element for all of your wiping and scraping needs, as it "grabs" at the dirt
- Bi-level construction traps dirt inside its ribbing, while constantly maintaining an attractive overall appearance
- Constructed with extra coarse fibres for aggressive scraping and 100% solution dyed polypropylene yarns
- Heavy vinyl backing
- Low maintenance, and easy to clean product that will aid in maintaining a clean environment all year round
- Easy to maintain with vacuuming and periodic steam cleaning
- 18 oz./sq.yd. face weight

Available Sizes

Mat Size (ft)	Weight (lbs)	Roll Size (ft)	Weight (lbs)
3 x 5	10	3 x 60	122
3 x 5 4 x 6 4 x 8	16	4 x 60	163
4 x 8	22	6 x 60	245
	.		

Custom cuts are also available



Herringbone

Applications

Recommended for moderate to high traffic areas, specifically for entranceways and lobbies. Ideal for use in multi-directional traffic.

Features and Benefits

- Dirt and dust gather within the pattern, while maintaining a virtually clean overall appearance
- Made from 100% polypropylene fibre in popular Herringbone pattern, which helps make it fade, mould and mildew resistant
- Coarse fibres for scraping dirt off shoes
- Easy to maintain with frequent vacuuming, wet or dry and periodic steam cleaning
- 22 oz./sq.yd. face weight

Available Sizes

Mat Size (ft)	Weight (lbs)	Roll Size (ft)	Weight (lbs)
3 x 5	10	3 x 60	122
4 x 6	16	4 x 60	163
4 x 8	22	6 x 60	245
	Custom cuts a	re also available	



Blue





HEAVY TRAFFIC

ENTRANCE MATTING

Salsa

Applications

Recommended for high traffic areas, large public applications. Indoor or outdoor applications. Ideal enhancement for floor protection and pedestrian safety.

Features and Benefits

- Heavy denier fibre resists staining
- Hobnail design effectively removes and holds debris from footwear
- Holds approximately 6 litres of water per square yard
- Fibre composition contains a dyed heavy duty solution
- Constructed with Pile Needle Felt
- Latex gel foam waffle backing will not easily move along floor surface and can be secured with glue
- · Gel foam backing resists mould and mildew growth
- 1500 grams/sq.m. face weight
- Total Thickness: 10.7mm

Available Sizes

2m x 25m Rolls (Can be cut into 1m pairs), 4m x 25m Rolls (Anthracite and Tobacco Only)
 Custom cuts available

Ultra Flex nosing in brown or black is available Custom logo work is available by special order



Prime Salsa • Super Salsa

APPLICATIONS

Recommended for high traffic areas. Suitable for indoors and outdoors. The hobnail design is an ideal enhancement for floor protection and pedestrian safety.

AVAILABLE SIZES

Unfinished Edge Matting

• 2m x 25m Rolls (Can be cut into 1m width pairs)

Custom cuts available

Custom Finished Edge Matting

Customized to order

ADDITIONAL OPTIONS

Ultra Flex nosing available in brown and black

Each mat is custom made to your order. Three weeks lead time required for each order.

Features and Benefits

- Meets standards of CRI Green label Plus Program for indoor Air Quality, and thus can contribute towards a facility's LEED Certification
- Made with 100% Asota solution dyed polypropylene fibres and can be installed indoors, as well as outdoors
- Permanently anti-static
- Mold and mildew resistant and easily cleaned by vacuuming, hosing or hot water extraction
- Heavy denier fibre resists staining which will increase the life of your matting
- Decorative hobnail design effectively removes and holds debris from footwear before it is tracked into your facility

HEAVY TRAFFIC

Prime Salsa • Super Salsa

Prime Salsa

Holds approximately 5 litres of water per square yard1500 grams / sq.m. face weight

 Backing made of DI-back natural synthetic composite rubber

Custom Finished Edge Matting Unfinished Edge Matting

Super Salsa

- Holds approximately 7 litres of water per square yard
- 1750 grams / sq.m. face weight
- Backing made of DI-back natural synthetic composite rubber

COLOURS SELECTION GUIDE

Custom Finished Edge Matting Unfinished Edge Matting



P Prime Salsa

Super Salsa



Note: Nominal sizes are quoted

HEAVY TRAFFIC

ENTRANCE MATTING

Rubber Finger Tip

				ļ							
A DESCRIPTION OF A DESC											
		1.11		1							
								-			
A STATE STATE STATE AND	1.11.11.1		ł	ł							
		1 1 1 1									
				ł							
CONTRACTOR OF THE OWNER							ŀ				
A CONTRACTOR OF			1							1	
		1.111					1				
									ł.		
ŝ										1	
t											
Televerences and					Ē						
C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.											
The second second second	1.0.0										
					ŝ						
	1.1.1	1.1.1			ł						
TOTAL COMPANY COM	1111	01010									
	1.11				ł						
TO SCORE STORES		1.1.1				Ţ					
0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	10.00					T.		ł			
SCORE CONTRACTOR	1.1		ŝ		ŝ		Ľ				
		1000				ž					
Section 1000						÷					

Applications

Ideal for indoor and outdoor applications, specifically for entranceways and lobbies.

Features and Benefits

- A key step in the solution for reducing the amount of dirt and water entering your building
- · Provides aggressive scraping action to remove mud, dirt and snow
- · Heavy duty molded rubber fingers that are flexible and sturdy
- · Beveled edges form a recess to contain water
- Thousands of flexible solid rubber tips aid in collecting dirt, snow, mud and moisture
- · To clean, simply turn mat over to remove dirt or water
- · Ideal for indoor or outdoor use

Available Size	≘s
Mat Size (inches)	Weight (lbs)
24 x 32	13
32 x 39	18
36 x 72	33

Note: Nominal sizes are quoted

Super Grip

Applications

Recommended for both indoor and outdoor applications, specifically for entranceways and lobbies.

Features and Benefits

- · Effectively scrapes away dirt and snow off footwear
- UV Stable mat is easy to clean simply hose down or flip over
- Flexible enough to easily contour to variations in the floor surface
- Durable SBR rubber construction

Available S	izes
Mat Size (ft)	Weight (lbs)
3 x 5	18



HEAVY TRAFFIC

Water Keeper

Applications


Recommended for heavy traffic areas, or areas which water must be contained within the mat.

Features and Benefits

- Attractive design pattern holds up to 1 gallon of water per square yard
- Raised reinforced rubber dam border helps trap moisture, dirt and debris, keeping dirt off the floor
- Moulded reinforced rubber raised squares help prevent pile from crushing, and extend the mats life
- SBR rubber gripper nibs on backing also help to reduce mat movement
- Rugged polypropylene fibres are needle punched
- 26 oz./sq.yd. face weight

Available Sizes

Mat Size (ft)	Weight (lbs)	Mat Size (ft)	Weight (lbs)				
3 x 5	12	4 x 6	20				
3 x 10	25	4 x 10	32				
Special Order Sizes							
2 x 3	5	3 x 4	10				
3 x 12	30	3 x 20	50				
4 x 8	27	4 x 12	40				
4 x 20	66	6 x 8	40				





Burgundy*

Сосо

The Rinotap is suitable for small entrance and exit zones in light commercial areas. It is ideal for use in small offices, commercial buildings and residential environments.

Features and Benefits

- Pile material is100% machine-spun coconut fibre yarns
- Backing is PVC with integrated stability scrim
- Phthalate free PVC backing also protects the floor beneath against tracked-in moisture.
- Stable and is not adversely affected by stretching
- Prevents spread of moisture and dirt, resulting in lower maintenance and cleaning costs for all floors.

Each mat is custom made to your order.

Three weeks lead time required for each order.

Available Sizes

Roll Size (ft)

6′6″ x 41′

Custom cuts are also available





ENTRANCE SYSTEMS

Coral Grip

Applications

Great for coarse dirt and grit removal, inside and out.

Features and Benefits

Coral Grip is a versatile non-woven, clean-off barrier flooring that is suitable for use both inside and outside entrance systems. It has a patented design which features durable vinyl filaments which perform a highly effective scraping action and give Coral Grip its anti-slip functionality. As a result, it is excellent at preventing grit, course dirt, slush and snow from entering the building. Coral Grip is available in Medium Duty (MD) and Heavy Duty (HD) formats.

- PVC chips add to scraping properties
- · Available with Everfort vinyl backing or open structure
- Total Thicknesses: HD with backing 17mm, □ HD open back 16mm
 MD with backing 12mm, □ MD open back 11mm



Available Sizes

- Roll Size (ft)
 Weight (lbs)

 MD: 1.22m x 15m (4' x 49'2") approx.
 262

 MD: 1.27m x 15m (4' 2" x 49'2") approx.
 262

 HD: 1.22m x 10m (4' x 32'9") approx.
 220

 MD: 1.22m x 10m (4'2" x 49'2") approx.
 220
 - Custom cuts are also available





Coral Duo

Applications For unbeatable soil and moisture removal.

Features and Benefits

Coral Duo provides unrivalled dirt removal - being particularly effective at trapping and retaining soil and moisture in the first few footsteps. Research shows that it retains up to 10% more dirt in the first steps than any other textile entrance system. Its ribbed construction is not only functional, it provides an aesthetically pleasing aspect to any entrance area.

- 75% of the yarn is Econyl[®] regenerated solution dyed polyamide.
- Combination product with alternating strips of scraping Coral Brush yarns and moisture absorbing Coral Classic, reinforced with tough and resilient monofilament fibres
- Total Thicknesses: 9mm



9730*	9725	9721*	9724
Black Diamond	Cafe Bahia	Dark Steel	Cafe Supreme
iath naistean ann			erailan sa anarawa
9714	9727*	9710	9723
Sicilian Sand	Volga Blue	Luna Pearl	African Red

Available Sizes

Mat Size (ft)	
3' x 5'	5' x 3'
3′ x 5′ 4′ x 6′	6' x 4'
Also available: 6'6'	'x 90' (2m x 27.5m) approx.
Weight: 7 lbs/sq.m	
Custor	n cuts are also available

*Stock Items Lead time for non-stock colors is 6-8 weeks.

ENTRANCE SYSTEMS



Logo Mat

Show off your company logo, product or image with custom designed logo matting Forbo Flooring Systems is an industry leader when it comes to custom matting projects. We can take the most intricate designs and customize it to your specifications.

Nylon 6.6 Matting

Your logo, image or artwork is reproduced onto Nylon 6.6 entrance matting as the "painter's canvas". The colour capabilities are limitless. A state-of-the art, colour injection dyeing process ensures colour and placement accuracy for your matting project. The dyeing process used is environmentally friendly - the dyes are not harmful to the environment. This technology is capable of changing patterns within fractions of a second to eliminate ink waste and waste between orders on the production line.





Aqua Flow

Applications


Outdoor high-traffic entrance areas such as ski resorts and other recreational facilities exposed to snow and mud conditions.

Features and Benefits

- Flow-through drainage mat keeps dirt and moisture off the mat for a clean appearance.
- Extremely easy to clean, shake or hose off.
- Made from 60% recycled rubber materials.
- Dual wiper blade and nib construction provides outstanding cleaning action and anti-slip performance.

Available Sizes

32" x 39", 36" x 59"



Black

ENTRANCE SYSTEMS

Podpo

Coral Brush

ECONYL

Applications

The great all-around performer for dirt and moisture removal. Now stops up 94% of walked in dirt & moisture.

Features and Benefits

Coral Brush can be used in all types of entrance areas and is the ideal solution when you need a textile entrance system that can simultaneously absorb moisture and remove dry dirt. Independent research shows that thanks to its unique construction, Coral Brush reaches maximum scores on both counts.

- 100% of the yarn is Econyl[®] regenerated solution dyed polyamide.
- Made with 3 types of yarn:
 - Capillary yarns absorbs moisture
 - Active scraping yarns, help brush soil from shoes
 - Heavy duty textured yarns, increase resilience

Total Thickness: 9mm

All colours available in roll and tile formats. Custom cuts are also available



All colours of Coral Tile are available in 20"x20" approx. (50cm x50cm) Phthalate free vinyl backed entry tile.

XX

5709♦	5705♦	5722∳					
Royal Purple	Bondi Blue	Cornflower B					
5727*♦	5710*♦	5721*♦					
Stratos Blue	Asphalt Grey	Hurricane Gr					
5723♦	5706♦	5714♦					
Cardinal Red	Brick Red	Shark grey					
5724*♦	5715*♦	5730*♦					
Chocolate Brown	Charcoal Grey	Vulcan Black					
5716♦	5754♦	5764♦					
Masala Brown	Straw Brown	Petrified Gre					

Also available in Tile.
* Indicates stock colour.
All non-stock colours have a lead time of 6-8 weeks

5741♦

Cannon Grey

5767♦

Slate Blue

5750♦

Aztec Black

Reasons Why You Need Forbo Matting

- Improve Floor Safety Whether in production areas or the front entranceway, matting reduces the likelihood of slips and falls on your property or place of work.
- 2. Increase Productivity By Providing Comfort -Anti-fatigue mats decrease the stress on the feet and legs by providing a cushioning surface for people to stand on over prolonged periods of time, resulting in greater comfort and increased productivity.
- **3. Reduce Injuries** Employees whose job requires them to stand to perform their tasks will suffer from lower back strain and leg fatigue. This leads to absenteeism or potential Workers Compensation claims. Install the right matting and reduce claims.



- **4. Direct Traffic** Matting products are an ideal way to control pedestrian traffic for safety reasons or to help direct people to where they need to go.
- **5. Protect Your Flooring** From polished granite to imported tile, ice-melters and sand will ruin the finish. From untreated concrete to painted floors, oils and chemicals can destroy any type of flooring. Forbo has the right mat to provide the protection you need; saving you the expense of floor repair.



- **6.** Sustain Cleanliness Mats are designed to remove dirt from footwear and contain it before it is tracked into your workplace.
- 7. Reduce Liability Public buildings, commercial malls, office towers, and workplaces must ensure that all possible measures are in-place to prevent someone from slipping on wet flooring. Matting helps to remove snow and absorb water, helping to keep floors safe to walk on.
- 8. Lower Cleaning Costs By trapping the salt, sand, water and dirt at the entranceway, your cleaning costs will be significantly reduced. Floor finishes will last longer and carpets will require less professional cleaning.
- 9. Promote a Healthy Workplace Point out the new mats in your office to your staff and explain some of the key benefits of matting. Your employees will take greater pride in their work environment and in maintaining the cleanliness and safety of their workplace.

SPECIALTY MATS

SPECIALTY MATTING

Corrugated Switchboard

Applications

Recommended for use around high voltage applications, such as electrical panels, circuit breakers, etc.

Features and Benefits

- Non-conductive 1/4" Nitrite rubber/PVC matting engineered to protect workers against electrical shock when working around high voltage apparatus within product specifications
- Meets the requirements of ASTM-D 178-01, standard specification for rubber, insulating matting
- Meets optimal ASTM requirements of Ozone, Flame, and Oil resistance
- Recommended for maximum voltage use of 17,000 volts AC
- Type II Class 2

Colours Available

Black

Available Sizes

			* Special Order
Roll Size (ft)	Weight (lbs)	Roll Size (ft)	Weight (lbs)
2 x 75*	3.0 lbs/lin.ft.	4 x 75*	7.0 lbs/lin.ft.
3 x 75	5.0 lbs/lin.ft.		
	Custom cuts	are also available	

INDUSTRIAL RUNNER

Ribbed Runner

Applications


Recommended for ramps, industrial walkways and outside entrances.

Features and Benefits

- Choose between wide and fine corrugated designs
- Durable 1/8" natural rubber improves slip resistance, and stands up longer to wear
- Maintains its flexibility in cold environments
- Helps to absorb noise from hard floors

Available Sizes








SPECIALTY MATTING

ANTI-FATIGUE





Also available in Grey



Custom cuts are also available

Mat Size(ft)

2x3

3x5

Applications

and leas

time

Features and Benefits

• 3/8" thick, closed cell PVC foam

Safety Soft Spun

Available Sizes

Special Order: Supreme Soft Spun 5/8" thick in black pebble and various sizes



Colours Available Grey/Black/White Black/White Custom bevel sizes available.

Marble Spun

Applications

Recommended for industrial applications such as machine shops, and shipping/packaging stations. Suitable for barber and hair salons as well.

Recommended for use in commercial applications in areas such as workstations, cashiers, assembly lines and tellers. For use in dry to moist work environments.

· Ergonomically designed to reduce strain and to provide relief from aching feet

For light to moderate applications, Soft Spun is the most economical choice to

Provides workers with a comfortable surface to stand on for extended periods of

Rolls (ft)

2 x 60

3 x 60

4x60

Weight (lbs)

78

117

156

3/8" thick available in Ribbed and Pebble finish surface in various sizes

Weight (lbs)

6

14

improve employee comfort and increase productivity Choose from rolls or standard sized mats to suit your needs

Provides protection from damp and cold floors Various textured surface options increase slip resistance

Features and Benefits

- · Ergonomically designed mats with a marbleized finish offer a less industrial look, making it ideal for use in offices or retail environments
- Tough PVC top stands up to the wear and tear of daily use
- Ease lower back and leg stress associated with long periods of standing
- Heavy vinyl backing
- Bevelled edges for safety
- 1/2" overall thickness

Available Sizes

*Grey/Black/White only available in marked sizes

ANTI-FATIGUE

SPECIALTY MATTING

Bubble Mat

Applications

Recommended for industrial applications such as machine shops and shipping/packaging stations.

Features and Benefits

- High quality 100% solid rubber, will not compress over time
- Air pockets are designed to encourage changes in position improving worker circulation for day long comfort
- Domed surface provides sure footing as liquids settle between domes
- · Significantly improves worker comfort by reducing lower back and leg stress
- 5/8" overall thickness, beveled edges for safety
- Designed specifically for anti-fatigue applications
- Has excellent shock absorbing properties



Colours Available • Black

						Λ.
Available Sizes	5	Sizes	le		СU	H.

Mat Size (ft)	Weight (lbs)	Mat Size (ft)	Weight (lbs)
2 x 3	10	3 x 4	19

Diamond Spun

Applications

Recommended for any dry work areas, such as factories, labs, assembly lines and shipping / packing stations.

Features and Benefits

- Ergonomically designed to reduce worker fatigue and improve comfort
- Vinyl surface is fused into a 3/8" thick, closed cell PVC sponge underlay
- Durable 3/16" Koroseal vinyls surface, in addition to its diamond style textured surface, provides an excellent overall slip resistant surface
- 9/16" overall thickness
- Bevelled edges for safety
- Available with OSHA Yellow safety borders

Available Sizes

Non-stock item. Please contact sales rep. for order information and pricing.


Custom widths up to 4' is available in black only.

Diamond Deluxe Soft Foot™

Available in $2' \times 3'$, $3' \times 5'$, and $3' \times 12'$ mats and 2', 3', 4' width by 60' rolls. 1/2" thickness. Available in Yellow/Black, Black.

Ultimate Diamond Spun

15/16" overall thickness and 3/4" Ergo Kushion has been fused to the back. Sizes 2 x 3 and 3 x 5. Available by special order.






SPECIALTY MATTING

DRAINAGE/ANTI-FATIGUE

Kushion Safe Heavy Duty



Applications

Recommended for industrial applications and commercial kitchens as the matting does not deteriorate. Ideal for wet, oily, and greasy environments. Other general use areas - grocery stores, restaurants, bars, food service, food processing stations, machine and wood working shops.

Features and Benefits

- Large drainage holes allow debris and liquids to pass through, keeping workers safe from slip and trip hazards
- Grease Proof Orange and Grease Resistant Black
- Helps to reduce leg and lower back fatigue
- Will not deteriorate if regularly cleaned when subjected to continuous spills
- Raised underside knobs for excellent drainage capabilities
- Heavy weight 7/8" thick rubber, bevelled edges for safety



Black



Orange

Available Sizes

Colour	Mat Size (ft)	Weight (lbs)
Grease Proof ORANGE	3 x 5	48
Standard BLACK	3 x 5	48


Kushion Safe Light Duty

Applications


Recommended for industrial applications and commercial kitchens as the matting does not deteriorate. Ideal for wet, oily, and greasy environments. Other general use areas - grocery stores, restaurants, bars, food service, food processing stations, machine and wood working shops.

Features and Benefits

- Large drainage holes allow debris and liquids to pass through, keeping workers safe from slip and trip hazards
- Grease Proof Orange and Grease Resistant Black
- Helps to reduce leg and lower back fatigue
- 1/2"Thick Product with bevelled edges for safety
- · Will not deteriorate if regularly cleaned when subjected to continuous spills



Black



Orange

Available Sizes

Mat Size (ft)	Weight (lbs)
3 x 5	30
3 x 5	23
	3 x 5

DRAINAGE/ANTI-FATIGUE

SPECIALTY MATTING

Interlocking Modular Tile

Applications


Recommended for industrial workstations, pools, showers, saunas and workout areas.

Features and Benefits

- Made from flexible recycled PVC
- Tiles are 3/4" thick
- Cushion surface eases worker fatigue
- · Helps prevent slips and falls
- Allows drainage for dry surface work areas
- Interlocking pieces install easily, without the use of any special tools
- Optional bevelled edges add extra safety and finished look
- Can be used for large areas

Available Sizes

Mat Size (ft)	Weight (lbs)	
12″ x 12″ Tile	1.5	
12" Bevel Edge*	0.5	
12" Bevel Edge with Corner*	0.5	
12" Yellow Bevel Edge*	0.5	
12" Yellow Bevel Edge with Corner*	0.5	
*Must specify male or female		



Colours Available • Black Tile, Yellow bevel edge



For complete flooring options go to: www.forboflooringNA.com



ENTRANCE SYSTEMS

Nuway Tuftiguard

Features and Benefits

- · High tensile steel linkages give Nuway Tuftiguard construction integrity
- Tuftiguard is available in open or closed construction to suit the location of the mat and preferred cleaning regime
- Tuftiguard is available with single wiper strips or double wiper strips where extra moisture absorption is required.
- Tuftiguard is available in a choice of 12 mm and 17mm depths to match most matwells. Ramp frames are also available



Tuftiguard Classic






Tuftiguard Design



Open Construction





Wiper bar options Plain and Classic

Unbuffed (Plain)

Tuftiguard Plain



Buffed (Classic)



Charcoal

Nuway Tuftiguard HD

Features and Benefits

Aluminium (Universal)

- The ideal matting solution for entrances with heavy duty loads and intense pedestrian and/ or wheeled traffic.
- Patented aluminium scraper bar ensures it's the strongest type of matting in the Nuway range.
- · Aluminium scraper bars have special ridges which effectively remove dirt while also being smooth enough for wheeled traffic to move easily.



Scraper bars

Aluminium (Universal)



Wiper bar options Plain and Classic

Unbuffed (Plain)



Tuftiguard HD Design

Wiper bar options Design



Buffed (Classic)

Tuftiguard HD Classic Tuftiguard HD Plain

ENTRANCE SYSTEMS

Nuway Grid

Features and Benefits

- · Coral carrier sections can allow colour co-ordinated entrance areas to be created with primary and secondary entrance matting products.
- Inserts include strips of textile inserts (for internal use only) different colourways drawn from the Coral classic, brush pure and burford ranges.
- · Grid Ultragrip provides a slip resistant surface, ideal for entrances with multi directional traffic.
- Ultragrip rubber and standard rubber inserts are also available, which allow Nuway grid mats to be used in external entrances.
- · Available in a choice of 12 and 17mm depths to suit the majority of matwells

Coral Classic



Coral Brush Pure



5710 asphalt grey

Rubber insert



insert



Nuway Connect

Features and Benefits

- Ultragrip rubber offers excellent sure footing and is ideal for multi-directional entrances. Its high rubber content prevents it getting slippy when wet.
- A choice of 6 Coral classic inserts allows colour co-ordination with matching Coral classic sheet product used in the secondary matting zone.
- All four elements, Coral, bristles, rubber and Ultragrip rubber, can be mixed and matched to create the precise entrance system to meet your needs.
- All inserts can also be replaced on site helping to extend the wear life of the product.

Available with a choice of 6 Coral classic rubber and 4 row bristle along with Ultragrip rubber and rubber inserts for internal and external use.

Low lustre aluminium anodised finish helps to prevent a strobing effect in bright conditions. Note: there is a slight difference in the profile

between 10mm and 17/22mm Connect. (see

Connect carrier component structure




image on right).

Inserts

Carrier Section



Coral Classic











4701 anthracite

5710 asphalt grey

Bristles Ultragrip rubber

Rubber



Note: Nominal sizes are quoted

Forbo Cleaning Products



Neutral pH Cleaner Recommended For Use With:

Marmoleum®; Walton; Marmoleum® Modular Tile; Marmoleum®; Walton; Marmoleum® Modular Tile; MCT; Eternal Approximate Spread Rate (ft² / gallon) Quart = 32 gallons of cleaner Gallon = 128 gallons of cleaner



Spray Buff

Recommended For Use With: MCT; Eternal **Approximate Spread Rate Varies** (available in quarts only)



Mop On Restorer Recommended For Use With: Marmoleum®; Walton; Marmoleum® Modular Tile; MCT; Eternal Approximate Spread Rate (ft² / gallon) Gallon = 128 gallons of cleaner (available in gallons only)



Heavy-Duty Cleaner Recommended For Use With: Marmoleum®; Walton; Marmoleum® Modular Tile; Marmoleum®; Walton; Marmoleum® Modular Tile; Marmoleum®; Walton; Marmoleum® Modular Tile; MCT; Eternal Approximate Spread Rate (ft² / gallon) Quart = 32 gallons of cleaner Gallon = 128 gallons of cleaner



Matte Floor Finish Recommended For Use With: MCT; Eternal Approximate Spread Rate (ft² / gallon) Quart = 450 - 550 ft²; Gallon = 1,800 - 2,200 ft²



Semi-Gloss Floor Finish

Recommended For Use With: MCT; Eternal Approximate Spread Rate (ft² / gallon) Quart = $450 - 550 \text{ ft}^2$; Gallon = 1,800 - 2,200 ft²



Adhesive Remover Recommended For Use With: All Forbo Flooring Products Approximate Spread Rate (ft² / gallon) Varies



Residential Floor Finish Recommended For Use With: Marmoleum®; Walton; Marmoleum® Modular Tile; MCT; Eternal Approximate Spread Rate (ft² / gallon) Quart = 450 - 550 ft²; Gallon = 1,800 - 2,200 ft²

COral[®] duo | brush



Forbo makes choosing a quality entrance system easy with our new special offer packages.


Just tell us what color option you'd like and how many doors you have and we'll ship you what you need!

Step 1: Select color


Option 1: 9730 | 5730



Option 2: 9721 | 5721



Option 3: 9710 | 5710



- •**STOPS** up to 95% of the walk-in dirt and moisture
- •**REDUCES** maintenance & cleaning costs by up to 65%
- MAXIMIZES the useful life of interior finishes



• LENGTH MATTERS! longer walk off = greater protection

Step 2: Choose door package

Single door package

2 meters long of coral duo and 3 meters long of coral brush by 1 meter wide. Regular retail = \$741.14

Special package price = \$545.00 x # of single doors

Double door package

2 meters long of coral duo and 3 meters long of coral brush by 2 meters wide. Regular retail = \$1,339.14Special package price = \$960.00 x # of double doors

FLOORING SYSTEMS