




Entrance flooring Sheet, mats and tiles

ENTRANCE & SPECIALTY MATTING

COMMERCIAL > INDUSTRIAL



50 x 50 cm

creating better environments



FLOORING SYSTEMS

Create a better environment with Coral entrance flooring

FROM HOW THEY'RE MADE TO HOW THEY PERFORM, FORBO FLOORING SYSTEMS MAKES OUTSTANDING PRODUCTS THAT ARE TRULY SUSTAINABLE. THAT'S BECAUSE OUR FLOORING PRODUCTS ARE GOOD FOR BUILDINGS, GOOD FOR PEOPLE AND GOOD FOR THE ENVIRONMENT. SO, FROM THE BUILDING THEY ARE IN TO THE WORLD OUTSIDE, WE ARE HELPING OUR CUSTOMERS TO WORK, LIVE AND RELAX IN BETTER ENVIRONMENTS.



Cleaning Research International has calculated and shown that the cost of maintenance is 86% of the total life cycle cost of commercial floor coverings. A well designed Coral entrance flooring system incorporating a 3-step clean-off zone is a highly effective way to cut your future maintenance costs. By stopping up to 95% of walked-in dirt and moisture from reaching your building floors, Coral can reduce cleaning time for floorcovering up to 65% and prolong the life of your floor finishes and coverings.

Produced with **100%** green electricity from **renewable resources**

Of all the electricity we buy, 100% comes from renewable sources. This means our Coral production site is part of an effective environmental management system and has achieved ISO 14001 certification.


TWO SIMPLE STEPS ARE ENOUGH FOR CORAL CLASSIC TO ABSORB...



...up to half the water that would otherwise be carried inside.

A few steps more and your feet are as dry as possible. This has clear benefits. First, the interior floor coverings stay cleaner, longer. Second, resilient floors like vinyl, linoleum, wood and concrete are less likely to become slippery and dangerous.

Many Coral products use **ECONYL®** yarn which is made from used and abandoned fishing nets and other waste material.



Using **ECONYL®** is a way to reduce existing waste, avoid additional manufacturing-related pollution, and keep the consumption of natural resources and energy to a minimum.

95%

20 Feet of Coral can stop up to 95% of dirt and moisture entering a building.

Re-use waste. All the waste yarn from Coral production is re-used by the yarn supplier.

Our search for new ways to reduce our environmental impact has led us to work very closely with forward thinking suppliers who are able to incorporate ever higher levels of recycled content in their materials.



Virtually **ZERO landfill**

Virtually zero landfill is achieved by the Coral manufacturing plant.



All products reach the highest fire ratings and are suitable for fire sensitive areas.


MODULARITY



coral® classic and coral® brush are available in tile format for increased flexibility and reduced installation waste.

Cleaning Research International has proved that equipping an entrance with a six metre walking depth of Coral entrance flooring is enough to keep up to 95% of all walked in dirt and moisture out of your building. Think about your entrance in terms of preventing soiling and slippery underfoot conditions and you can:

- Cut cleaning costs significantly
- Reduce the risk of people slipping and hurting themselves as they enter or exit



entrance flooring applications

APPLICATION
1

OUTSIDE USE
Any matting placed outside the building entrance creates the first line of defense against feet-borne soil by scraping the coarsest dirt from the soles of shoes before they cross the threshold.

APPLICATION
2

INSIDE USE
Moving inside, the next line of defense, is used to remove moisture and finer dirt particles from all feet entering the building.

APPLICATION
3

OTHER CIRCULATION AREAS
Other areas in the building also suffer from soil and moisture; reception areas, corridors, walkways to other parts of the building, elevators, staircase exits, etc. All these areas are prone to residual soiling and will benefit highly from a purposely designed Coral entrance floor to absorb this soiling.

Product Category	Product	Application			Performance	Ergonomic Performance	Page Number
ENTRANCE SYSTEM TEXTILE	coral® brush	2 + 3	●●●●	●●●○			5
ENTRANCE SYSTEM TEXTILE	coral® brush tiles	2 + 3	●●●●	●●●○			6
ENTRANCE SYSTEM TEXTILE	coral® duo	2	●●●●	●●●●			6
ENTRANCE SYSTEM TEXTILE	Prime Salsa D-Back Super Salsa D-Back	1, 2, 3	●●●●	●●●○			7
ENTRANCE SYSTEM TEXTILE	Salsa	1, 2, 3	●●●●	●●●○			8
ENTRANCE SYSTEM TEXTILE	Water Keeper	2 + 3	●●●●	●●○○			8
ENTRANCE SYSTEM TEXTILE	coral® bright	2 + 3	●●●●	●●●○			9
ENTRANCE SYSTEM TEXTILE	coral® go	2 + 3	●●●●	●●○○			9
ENTRANCE SYSTEM TEXTILE	Design SP	2 + 3	●●●●	●●○○			10
ENTRANCE SYSTEM TEXTILE	Herringbone	2 + 3	●●●●	●●○○			10
ENTRANCE SYSTEM TEXTILE	Twin Rib	2 + 3	●●●●	●●○○			11
ENTRANCE SYSTEM TEXTILE	Heather Plush Premium	2 + 3	●●●●	●●○○			11
ENTRANCE SYSTEM TEXTILE	Design Tweed	2 + 3	●●●●	●○○○			12
ENTRANCE SYSTEM SCRAPER	coral® grip	1 + 2	●●●●	●●●●			13
ENTRANCE SYSTEM SCRAPER	Rubber Finger Tip	1 + 2	●●●●	●●○○			13
ENTRANCE SYSTEM SCRAPER	Super Grip	1 + 2	●●●●	●●○○			14
ANTI-FATIGUE	Eternal Comfort					●●●●	14
ANTI-FATIGUE	Diamond Spun and Diamond Spun Ultimate				Diamond Spun 9/16" Diamond Spun Ultimate 7/8"	●●●○ ●●●●	15
ANTI-FATIGUE	Soft Spun				Supreme Soft Spun 5/8"	●●○○ ●●●○	15
SPECIALTY	Corrugated Switchboard					●○○○	16
SPECIALTY	Ribbed Runner Wide					●○○○	16
SPECIALTY	Kushion Safe Heavy Duty					●●●○	17
SPECIALTY	Kushion Safe Light Duty					●●○○	17
ENTRANCE SYSTEM RIGID	NuWay Tuftiguard HD	1 + 2	●●●●	●●●●			18
ENTRANCE SYSTEM RIGID	NuWay Tuftiguard	1 + 2	●●●●	●●●●			18
ENTRANCE SYSTEM RIGID	coral® grid		●●●●	●●●●			19
ENTRANCE SYSTEM RIGID	coral® connect	1 + 2	●●●●	●●●●			19

coral® brush

Applications

The great all-around performer for dirt and moisture removal. Now stops up 95% of walked in dirt & moisture.

Features and Benefits

Coral Brush can be used in all types of entrance areas and is the ideal solution when you need a textile entrance system that can simultaneously absorb moisture and remove dry dirt. Independent research shows that thanks to its unique construction, Coral Brush reaches maximum scores on both counts.

- 100% of the yarn is Econyl® regenerated solution dyed polyamide.
- Made with 3 types of yarn:
 - Capillary yarns absorbs moisture
 - Active scraping yarns, help brush soil from shoes
 - Heavy duty textured yarns, increase resilience

Total Thickness: 9mm



Available Sizes

Mat Size (ft)	Roll Size (ft)
3' x 5'	3.25' x 90'
4' x 6'	5 x 90'
3' x 10'	6.5' x 90'

Roll cuts and custom finished sizes are also available



Note: Nominal sizes are quoted

♦ Stock Items

Lead time for non-stock colors is 6-8 weeks.

coral® brush tiles

Applications

The great all-around performer for dirt and moisture removal now available in tiles. Now stops up 95% of walked in dirt & moisture.

Features and Benefits

Coral Brush can be used in all types of entrance areas and is the ideal solution when you need a textile entrance system that can simultaneously absorb moisture and remove dry dirt. Independent research shows that thanks to its unique construction, Coral Brush reaches maximum scores on both counts.

- 100% of the yarn is Econyl® regenerated solution dyed polyamide.
- Made with 3 types of yarn:
 - Capillary yarns absorbs moisture
 - Active scraping yarns, help brush soil from shoes
 - Heavy duty textured yarns, increase resilience

Tiles can be easily install and remove to store away in summer quick and easily.

Total Thicknesses: 9mm

Tile size: 50 cm x 50 cm



Note: Nominal sizes are quoted



coral® duo

Applications

For unbeatable soil and moisture removal.

Features and Benefits

Coral Duo provides unrivalled dirt removal - being particularly effective at trapping and retaining soil and moisture in the first few footsteps. Research shows that it retains up to 10% more dirt in the first steps than any other textile entrance system. Its ribbed construction is not only functional, it provides an aesthetically pleasing aspect to any entrance area.

- 75% of the yarn is Econyl® regenerated solution dyed polyamide.
- Combination product with alternating strips of scraping Coral Brush yarns and moisture absorbing Coral Classic, reinforced with tough and resilient monofilament fibres


Total Thicknesses: 9mm

Available Sizes

Mat Size (ft)	Roll Size (ft)
3' x 5'	6.5' x 90'
4' x 6'	
3' x 10'	

Roll cuts and custom finished sizes are also available

For lengths over 6.5', the ribbed construction will run the length of the mat. This will have no impact on product performance.



♦ Stock Items

Lead time for non-stock colors is 6-8 weeks.

Prime Salsa D-Back | Super Salsa D-Back

Applications

Recommended for high traffic areas. Suitable for indoors and outdoors. The hobnail design is an ideal enhancement for floor protection and pedestrian safety.

Features and Benefits

- Meets standards of CRI Green label Plus Program for indoor Air Quality, and thus can contribute towards a facility's LEED Certification
- Made with 100% Asota solution dyed polypropylene fibres and can be installed indoors, as well as outdoors
- Permanently anti-static
- Mold and mildew resistant and easily cleaned by vacuuming, hosing or hot water extraction
- Heavy denier fibre resists staining which will increase the life of your matting
- Decorative hobnail design effectively removes and holds debris from footwear before it is tracked into your facility
- Backing made of D-Back natural synthetic composite rubber
- Acoustical Impact Noise reduction - 24db



Prime Salsa

Holds approximately 6 litres of water per square yard
 - Backing made of D-back natural synthetic composite Rubber
 Unfinished Edge Matting
 Custom Finished Edge Matting
Total Thickness: 11mm

Super Salsa

Holds approximately 7 litres of water per square yard
 - Backing made of D-Back natural synthetic composite Rubber
 Unfinished Edge Matting
 Custom Finished Edge Matting
Total Thickness: 12mm

Unfinished Edge Matting

Roll Size: 6.56' x 82' (Can be cut into 3.28' pairs)
 3.28' x 82' (Available in Anthracite in Prime and Super)
 Custom cuts available.
 Custom Finished Edge Matting
 Customized to order


ADDITIONAL OPTIONS

Ultra flex nosing available in black and brown

COLOURS SELECTION GUIDE

P Prime Salsa

S Super Salsa



Note: Nominal sizes are quoted

Salsa

Applications

Recommended for high traffic areas, large public applications. Indoor or outdoor applications. Ideal enhancement for floor protection and pedestrian safety.

Features and Benefits

- Heavy denier fibre resists staining
- Hobnail design effectively removes and holds debris from footwear
- Holds approximately 6 litres of water per square yard
- Fibre composition contains a dyed heavy duty solution
- Constructed with Pile Needle Felt
- Latex gel foam waffle backing will not easily move along floor surface and can be secured with glue
- Gel foam backing resists mould and mildew growth


Total Thickness: 10mm

Available Sizes

Roll Size (ft)

6.56' x 82' (Can be cut into 3.28' pairs)
 13.2 x 101' is roll length for Anthracite and Tobacco.*
 *Only sold in cut lengths and full rolls. Nosing installation is not offered in this size
 3.28' x 82' (Anthracite only)

Roll cuts and custom finished sizes are also available



Water Keeper

Applications

Recommended for heavy traffic areas, or areas which water must be contained within the mat.

Features and Benefits


- Attractive design pattern holds up to 1.5 gallons of water per square yard
- Reinforced raised molded pattern scrapes dirt as well as moisture, keeping water below shoe level
- Long-Lasting, phthalate-free rubber backing and border keeps moisture in the mat and away from indoor flooring
- Manufactured with no underside grippers providing more area-to-surface contact with the floor
- Rugged polypropylene fibres are needle punched

Available Sizes

Mat Size (ft)

2' x 3'
 3' x 4'
 3' x 5'
 3' x 10'
 4' x 6'
 4' x 10'

Note: Nominal sizes are quoted



* Special Order


coral[®] bright

Applications

This hard-wearing entrance flooring is suitable for areas with medium traffic.

Features and Benefits

- Affordable performance
- Suitable for medium traffic
- Made with 100% recyclable econyl yarn



Available Sizes

Mat Size (ft)	Roll Size (ft)
3' x 5'	3' x 90'
4' x 6'	4' x 90'
3' x 10'	6' x 90'

Roll cuts and custom finished sizes are also available (actual roll widths 2.75', 4.25' and 6.5')



2603 vivid earth 2604 virgin sand 2610 cold lava

Design SP

Applications

Recommended for moderate to high traffic areas, entranceways and lobbies.


Features and Benefits

- Unique Nop design provides the most effective scraping action
- Ideal for multi-directional traffic, as the Nop design effectively scrapes from all angles
- Attractive pattern and exceptional performance
- Extra coarse solution dyed polypropylene fibre prevents fading
- 100% polypropylene fiber ensures a perfect bond, reduces curling edges and delamination
- Easy to maintain with frequent vacuuming and periodic steam cleaning
- Latex additive increases fibre durability and scraping ability

Available Sizes

Mat Size (ft)	Roll Size (ft)
3' x 5'	3' x 60'
3' x 4' Anthracite Only	4' x 60'
4' x 6'	6' x 60'
3' x 10'	

Roll cuts and custom finished sizes are also available



coral[®] go

Applications

Recommended for areas with moderate traffic.

Features and Benefits

- Affordable performance
- Suitable for medium traffic
- Made with 100% recyclable econyl yarns

Available Sizes

Mat Size (ft)	Roll Size (ft)
3' x 5'	3' x 90'
4' x 6'	4' x 90'
3' x 10'	6' x 90'

Roll cuts and custom finished sizes are also available (actual roll widths 2.75', 4.25' and 6.5')



2201 london grey 2204 havana brown 2207 paris blue



Herringbone

Applications

Recommended for moderate to high traffic areas, specifically for entranceways and lobbies. Ideal for use in multi-directional traffic.



Features and Benefits

- Dirt and dust gather within the pattern, while maintaining a virtually clean overall appearance
- Made from 100% polypropylene fibre in popular Herringbone pattern, which helps make it fade, mould and mildew resistant
- Coarse fibres for scraping dirt off shoes
- Easy to maintain with frequent vacuuming, wet or dry and periodic steam cleaning

Available Sizes

Mat Size (ft)	Roll Size (ft)
3' x 5'	3' x 60'
4' x 6'	4' x 60'
3' x 10'	6' x 60'

Roll cuts and custom finished sizes are also available



Note: Nominal sizes are quoted

Twin Rib

Applications

Recommended for moderate traffic areas, entranceways and lobbies. An ideal and cost effective solution for indoor entrance ways.

Features and Benefits

- Classic design is a strong and effective element for all of your wiping and scraping needs, as it "grabs" at the dirt
- Bi-level construction traps dirt inside its ribbing, while constantly maintaining an attractive overall appearance
- Constructed with extra coarse fibres for aggressive scraping and 100% solution dyed polypropylene yarns
- Heavy vinyl backing
- Low maintenance, and easy to clean product that will aid in maintaining a clean environment all year round
- Easy to maintain with vacuuming and periodic steam cleaning

Available Sizes


Mat Size (ft)	Roll Size (ft)
3' x 5'	3' x 60'
4' x 6'	4' x 60'
3' x 10'	6' x 60'

Roll cuts and custom finished sizes are also available



ENTRANCE & SPECIALTY MATTING

scan to learn more



Check out our website to stay up to date on our latest offerings for Entrance & Specialty Matting.

Heather Plush Premium

Applications

Recommended use as a wiper at the entranceways or around doors that allow traffic to move between warehouse and office areas.

Features and Benefits

- Prevents dirt and dust from being tracked into office space
- Designed to absorb water and hold dirt, keeping your floors clean and safe
- Made from durable 100% cut pile olefin filament
- Needle punched fibres
- Colour mixture is effective at hiding dirt
- Vinyl back is resistant to mold and mildew

Available Sizes

Mat Size (ft)	Roll Size (ft)
3' x 5'	3' x 60'
4' x 6'	4' x 60'
3' x 10'	6' x 60'
3' x 4'	
4' x 10'	

Roll cuts and custom finished sizes are also available



Note: Nominal sizes are quoted

Design Tweed

Applications

Recommended for moderate to high traffic areas such as entranceways and lobbies.


Features and Benefits

- Attractive tweed pattern enhances its environment while simultaneously maintaining a dirt-free zone
- Complied of 100% polypropylene cut pile on a durable vinyl backing
- Has effective wiping capabilities and is easily maintained with frequent vacuuming and periodic steam cleaning.

Available Sizes

Roll Size (ft)
3 x 60
4 x 60
6 x 60

Roll cuts and custom finished sizes are also available



Note: Nominal sizes are quoted

coral[®] grip

Applications

Great for coarse dirt and grit removal, inside and out.

Features and Benefits

Coral Grip is a versatile non-woven, clean-off barrier flooring that is suitable for use both inside and outside entrance systems. It has a patented design which features durable vinyl filaments which perform a highly effective scraping action and give Coral Grip its anti-slip functionality. As a result, it is excellent at preventing grit, coarse dirt, slush and snow from entering the building. Coral Grip is available in Medium Duty (MD) and Heavy Duty (HD) formats.


- PVC chips add to scraping properties
- Available with Everfort vinyl backing or open structure

Available Sizes

Roll Size (ft)
<input type="checkbox"/> MD: (4' 2" x 49' 2") approx.
<input checked="" type="checkbox"/> MD: (4' 2" x 49' 2") approx.
<input type="checkbox"/> HD: (4' x 32' 9") approx.
<input checked="" type="checkbox"/> HD: (4' 2" x 49' 2") approx.

Roll cuts and custom finished sizes are also available

- with Everfort vinyl backing
- with open structure



MD ■ 6930 / □ 6950
Ink ◆



MD □ 6940
Stone




MD □ 6948
Grass




MD ■ 6923 / □ 6943
Wine




HD ■ 6130 / □ 6150
Ink ◆



HD □ 6140
Stone



HD □ 6148
Grass



HD ■ 6123 / □ 6143
Wine

Super Grip

Applications


Recommended for both indoor and outdoor applications, specifically for entranceways and lobbies.

Features and Benefits

- Effectively scrapes away dirt and snow off footwear
- UV Stable mat is easy to clean - simply hose down or flip over
- Flexible enough to easily contour to variations in the floor surface
- Durable SBR rubber construction

Available Sizes

Mat Size (ft)
3' x 5'



ANTI-FATIGUE

Rubber Finger Tip

Applications

Ideal for indoor and outdoor applications, specifically for entranceways and lobbies.

Features and Benefits

- A key step in the solution for reducing the amount of dirt and water entering your building
- Provides aggressive scraping action to remove mud, dirt and snow
- Heavy duty molded rubber fingers that are flexible and sturdy
- Beveled edges form a recess to contain water
- Thousands of flexible solid rubber tips aid in collecting dirt, snow, mud and moisture
- To clean, simply turn mat over to remove dirt or water



Available Sizes

Mat Size (in)
24 x 32
32 x 39
36 x 72

Note: Nominal sizes are quoted

Eternal Comfort

Applications

For commercial applications in dry areas where performance and appearance is important.

Features

- Durable Forbo Eternal Material Surface with PUR lacquer that increases wear performance and is easy to clean.
 - Tolerates high-heels, stools and carts
 - Highly energized Zedlan TM sponge combines softness and resilience
 - Anti-microbial properties help prevent mold, mildew and bacterial growth underneath the mat
- 9/16" thickness available with bevelled borders




Available Sizes

Mat Size (ft)	Roll Size (ft)
2' x 3'	2' x 40'
3' x 5'	3' x 40'
3' x 12'	4' x 40'
	6' x 40'

Custom finished sizes are also available

Note: Nominal sizes are quoted




Texture Black



Texture Silver



Quartz Grey



Texture Grey

Diamond Spun and Diamond Spun Ultimate

Applications

Recommended for any dry work areas, such as factories, labs, assembly lines and shipping / packing stations.

Features and Benefits

- Ergonomically designed to reduce worker fatigue and improve comfort
- Vinyl surface is fused into a 3/8" thick, closed cell PVC sponge underlay
- Durable 3/16" Koroseal vinyls surface, in addition to its diamond style textured surface, provides an excellent overall slip resistant surface
- Bevelled edges for safety
- Available with OSHA Yellow safety borders

Diamond Spun

9/16" thickness
Custom widths up to 4' available


Diamond Spun Ultimate

7/8" overall thickness
Available by Special order

Available Sizes

Mat Size (ft)	Roll Size (ft)
2' x 3'	2' x 75'
3' x 5'	3' x 75'
3' x 12'	4' x 75'

Custom finished sizes are also available in all lines



Corrugated Switchboard

Applications

Recommended for use around high voltage applications, such as electrical panels, circuit breakers, etc.

Features and Benefits

- Non-conductive 1/4" Nitrite rubber/PVC matting engineered to protect workers against electrical shock when working around high voltage apparatus within product specifications
- Meets the requirements of ASTM-D 178-01, standard specification for rubber, insulating matting
- Meets optimal ASTM requirements of Ozone, Flame, and Oil resistance
- Recommended for maximum voltage use of 17,000 volts AC
- Type II Class 2

Available Sizes

Roll Size (ft)
3' x 75'
Also available per linear feet.

Roll Cuts are also available

Soft Spun and Supreme Soft Spun

Applications

Recommended for use in commercial applications in areas such as workstations, cashiers, assembly lines and tellers. For use in dry to moist work environments.

Features and Benefits

- Ergonomically designed to reduce strain and to provide relief from aching feet and legs
- For light to moderate applications, Soft Spun is the most economical choice to improve employee comfort and increase productivity
- Choose from rolls or standard sized mats to suit your needs
- Provides workers with a comfortable surface to stand on for extended periods of time
- Provides protection from damp and cold floors
- Various textured surface options increase slip resistance

Soft Spun - 3/8" thickness.

Available in Black Ribbed, Black Pebble, Black/Yellow Ribbed and Black/Yellow Pebbled

** Black/Yellow is not available in custom sizes or 6' roll widths


Supreme Soft Spun (special order) - 5/8" thickness.

Available in Black Ribbed or Black Pebble

Available Sizes

Mat Size (ft)	Roll Size (ft)
2' x 3'	2' x 60' 6' x 60'
3' x 5'	3' x 60'
3' x 12'	4' x 60'

Custom finished sizes are also available



*available in Soft Spun 3/8" only

Ribbed Runner Wide

Applications

Recommended for ramps, industrial walkways and outside entrances.

Features and Benefits

- Durable 1/8" natural rubber improves slip resistance, and stands up longer to wear
- Maintains its flexibility in cold environments
- Helps to absorb noise from hard floors

Available Sizes

Roll Size (ft)
2' x 75'
3' x 75'
4' x 75'

Roll Cuts are also available



Wide Ribbed

Kushion Safe Heavy Duty

Applications

Recommended for industrial applications and commercial kitchens as the matting does not deteriorate. Ideal for wet, oily, and greasy environments. Other general use areas - grocery stores, restaurants, bars, food service, food processing stations, machine and wood working shops.


Features and Benefits

- Large drainage holes allow debris and liquids to pass through, keeping workers safe from slip and trip hazards
- Grease Proof Orange and Grease Resistant Black
- Helps to reduce leg and lower back fatigue
- Will not deteriorate if regularly cleaned when subjected to continuous spills
- Raised underside knobs for excellent drainage capabilities
- Heavy weight 7/8" thick rubber, bevelled edges for safety


Available Sizes

Mat Size (ft)

3' x 5'



Standard Black



Grease Proof Orange

nuway® tuftiguard HD

Features and Benefits

- The ideal matting solution for entrances with heavy duty loads and intense pedestrian and/or wheeled traffic.
- Patented aluminum scraper bar ensures it's the strongest type of matting in the Nuway Range.
- Aluminum scraper bars have special ridges which effectively remove dirt while also being smooth enough for wheeled traffic to move easily.
- Tuftiguard HD is available in a choice of 12mm and 17mm depths to match most matwells



Tuftiguard Classic Tuftiguard Plain Tuftiguard Design Open Construction

Scraper bars



Aluminium (Universal)

Wiper bar options Plain and Classic



Unbuffered (Plain)



Buffered (Classic)

Wiper bar options Design



Charcoal

* Red, Blue and Green offered, in the design wiper bar Special order 8 weeks lead time



Kushion Safe Light Duty

Applications

Recommended for industrial applications and commercial kitchens as the matting does not deteriorate. Ideal for wet, oily, and greasy environments. Other general use areas - grocery stores, restaurants, bars, food service, food processing stations, machine and wood working shops.



Features and Benefits

- Large drainage holes allow debris and liquids to pass through, keeping workers safe from slip and trip hazards
- Grease Proof Orange and Grease Resistant Black
- Helps to reduce leg and lower back fatigue
- 1/2" Thick Product with bevelled edges for safety
- Will not deteriorate if regularly cleaned when subjected to continuous spills


Available Sizes

Mat Size (ft)

3' x 5'



Standard Black



Grease Proof Orange

nuway® tuftiguard

Features and Benefits

- High tensile steel linkages give Nuway Tuftiguard construction integrity
- Tuftiguard is available in open or closed construction to suit the location of the mat and preferred cleaning regime
- Tuftiguard is available with single wiper strips or double wiper strips where extra moisture absorption is required.
- Tuftiguard is available in a choice of 12 mm and 17mm depths to match most matwells. Ramp frames are also available



Tuftiguard Classic Tuftiguard Plain Tuftiguard Design Open Construction

HIGH TENSILE STEEL LINKAGES



ANODISED ALUMINIUM SCRAPER BARS



WIPER STRIPS



Scraper bars



Aluminium (Universal)

Wiper bar options Plain and Classic



Unbuffered (Plain)



Buffered (Classic)

Wiper bar options Design



Charcoal

* Red, Blue and Green offered, in the design wiper bar Special order 8 weeks lead time



coral[®] grid

Features and Benefits

- Offers a contemporary and cost effective solution in high traffic entrances where aesthetics are paramount
- Nuway Grid single sided rigid mats are attractive, tough and versatile
- Grid Ultragrip provides a slip resistant surface, ideal for entrances with multi directional traffic.
- Ultra Grip Rubber inserts allow Coral grid to be used in external entrances.
- Available in a choice of 12 and 17mm depths to suit the majority of matwells



Inserts

Available with a choice of Coral Classic, Coral Brush and 4 row bristle along with Ultragrip rubber inserts for internal and external use




Coral Classic

Coral Brush



4730 raven black

5730 vulcan black



Ultragrip rubber insert

Bristles

coral[®] connect

Features and Benefits

- Open or closed construction available
- Open construction offers a versatile roll-up single sided system
- Ultragrip rubber offers excellent sure footing and is ideal for multi-directional entrances. Its high rubber content prevents it getting slippery when wet.
- All three elements, Coral, bristles and Ultragrip rubber, can be mixed and matched to create the precise entrance system to meet your needs.
- All inserts can also be replaced on site helping to extend the wear life of the product.
- Available in a choice of 10mm, 17mm and 22mm depths



Inserts

Available with a Coral classic insert and 4 row bristle and Ultragrip rubber for internal and external use.

Carrier Section

Low lustre aluminium anodised finish helps to prevent a strobing effect in bright conditions.



Note: there is a slight difference in the profile between 10mm and 17/22mm Connect. (see image on right).



Coral Classic



4750 warm black



Ultragrip rubber

Bristles

Visit forboflooringna.com to learn more.



marmoleum[®]

Naturally beautiful, durable, sustainable and healthy!

Forbo Marmoleum floors are associated with sustainability, durability, high quality and innovative design.



flutex[®]

Flutex combines the practicality of a resilient flooring with the slip resistant and acoustic properties usually associated with textiles.


Flutex is strong and hygienic, and, being completely waterproof, Flutex is also the only truly washable textile floor covering.



colorex[®]

Protecting your technology.

Forbo Colorex ESD & cleanroom flooring is an advanced technical flooring system specifically designed to control static discharge in sensitive areas such as cleanrooms, operating theaters and the electronics industry.



eternal

Eternal creates better environments in which to work, live, interact, relax, heal, learn and play.

Eternal is a high quality heterogeneous sheet vinyl floor covering that fits all general purpose needs in various segments and applications on every moment of the day.



allura

Allura Luxury vinyl tiles offer you beautiful visuals with all of the advantages of strong and durable vinyl.

Allura is warm underfoot, sound absorbing, tough and durable, with easy installation & maintenance.

coral[®] duo | brush

Special Offer




Forbo makes choosing a quality entrance system easy with our new special offer packages.

Just tell us what color option you'd like and how many doors you have and we'll ship you what you need!

Step 1: Select color


Option 1:
9730 | 5730



- **STOPS** up to 95% of the walk-in dirt and moisture
- **REDUCES** maintenance & cleaning costs by up to 65%
- **MAXIMIZES** the useful life of interior finishes
- **LENGTH MATTERS!** longer walk off = greater protection



Option 2:
9721 | 5721



Step 2: Choose door package


Single door package

2 meters long of coral duo and 3 meters long of coral brush by 1 meter wide.

Regular retail = \$779.03

Special package price = \$549.00 x ___ # of single doors

Option 3:
9710 | 5710



Double door package

2 meters long of coral duo and 3 meters long of coral brush by 2 meters wide.

Regular retail = \$1,414.22

Special package price = \$949.00 x ___ # of double doors