

creating better environments



FLOORING SYSTEMS



ENTRANCE MATTING 2017/2018

COMMERCIAL › INDUSTRIAL

Moderate Traffic • Heavy Traffic • Entrance Systems • More

MINIMIZING MAINTENANCE WITH FORBO MATTING PRODUCTS

Walk off mats are the most efficient way of stopping dirt at the door and keeping building maintenance to a minimum. They are also effective internally, in high traffic areas and severe wipe-off regions.

Some applications for our product lines would be: freight elevators, factory entrances, industrial and commercial entrances.

When planning a mat program, high traffic areas should be pinpointed and the strategic placement of mats are essential.

The function of our program is to effectively "Stop, Catch, Trap, Hold and Hide" soil and moisture all year round!

50% of dirt and moisture is collected on the first 10 feet of a mat... STOP your problems at the door with Forbo's Entrance Matting Solutions.


Anti-Fatigue matting has been proven to increase productivity levels and safety within the workplace. Our anti-fatigue matting line also comes in grease proof rubber; the perfect

application for restaurants and bars. Additional applications for anti-fatigue and anti-slip matting are: grocery stores, cashiers, machine-operators and industrial work stations.

Safety is the key to success in any operation. Create a safe work environment with Forbo's Specialized Matting.

*** Forbo's Specialty Matting Brochure is also available. For more information please call 1-800-268-8108.**

MATTING APPLICATIONS



PLEASE NOTE: This catalogue is to be used for reference purposes ONLY. Colour swatches may vary slightly from actual sample due to photography lighting and production dye-lots. Therefore, please only place an order after seeing an actual sample to obtain a more accurate confirmation of your colour choice. Note that Nominal sizes are quoted in this catalogue. Please also allow for approximately 4 weeks on all Special Order items.

Moderate Traffic

Design SP..... 4

Heather Plush Premium 4

Twin Rib 5

Herringbone..... 5

Laundro Supreme 6

Design Tweed 6

Heavy Traffic

Water Keeper..... 7

Centurion Diagonal Tile 7

Kokos 8

Coco 8

Salsa 9

Super Grip 9

Prime Nop 10-11

Super Nop 10-11

Rubber Finger Tip..... 11

Entrance Systems

Coral Logo..... 12

Aqua Flow 12

Coral Go & Coral Bright..... 13

Coral Grip 14

Coral Duo..... 14

Coral Brush..... 15



Forbo Flooring Systems is the global market leader in linoleum floor coverings, owning a market share of over 60%. In addition to linoleum-based products, Forbo develops, manufactures and markets a rich diversity of high quality vinyl floor coverings and offers a full range of professional service products. All Forbo products combine high levels of functionality and durability. Forbo Flooring Systems is committed to environmentally responsible production and to far-reaching customer service.

Design SP

**Applications**

Recommended for moderate to high traffic areas, entranceways and lobbies.




Features and Benefits

- Unique Nop design provides the most effective scraping action
- Ideal for multi-directional traffic, as the Nop design effectively scrapes from all angles
- Attractive pattern and exceptional performance
- Extra coarse solution dyed polypropylene fibre prevents fading
- 100% polypropylene fibre ensures a perfect bond, reduces curling edges and delamination
- Easy to maintain with frequent vacuuming and periodic steam cleaning
- Latex additive increases fibre durability and scraping ability
- 22 oz./sq.yd. face weight

Available Sizes

Mat Size (ft)	Weight (lbs)	Roll Size (ft)	Weight (lbs)
3 x 5	12	3 x 60	160
4 x 6	19	4 x 60	215
4 x 8	27	6 x 60	320
3 x 4	Anthracite Only		

Custom cuts are also available



Heather Plush Premium

**Applications**

Recommended use as a wiper at the entranceways or around doors that allow traffic to move between warehouse and office areas.


Features and Benefits

- Prevents dirt and dust from being tracked into office space
- Designed to absorb water and hold dirt, keeping your floors clean and safe
- Made from durable 100% cut pile olefin filament
- **Needle punched fibres**
- Colour mixture is effective at hiding dirt
- Vinyl back is resistant to mold and mildew
- 18 oz./sq.yd. face weight offers full pile for improved looks and durability

Available Sizes

Mat Size (ft)	Weight (lbs)	Roll Size (ft)	Weight (lbs)
2 x 3	4	3 x 60	122
3 x 4	8	4 x 60	163
3 x 5	10	6 x 60	245
4 x 6	16		
4 x 8	22		

Custom cuts are also available



Twin Rib

Applications

Recommended for moderate traffic areas, entranceways and lobbies.
An ideal and cost effective solution for indoor entrance ways.

Features and Benefits

- Classic design is a strong and effective element for all of your wiping and scraping needs, as it "grabs" at the dirt
- Bi-level construction traps dirt inside its ribbing, while constantly maintaining an attractive overall appearance
- Constructed with extra coarse fibres for aggressive scraping and 100% solution dyed polypropylene yarns
- Heavy vinyl backing
- Low maintenance, and easy to clean product that will aid in maintaining a clean environment all year round
- Easy to maintain with vacuuming and periodic steam cleaning
- 18 oz./sq.yd. face weight

Available Sizes

Mat Size (ft)	Weight (lbs)	Roll Size (ft)	Weight (lbs)
3 x 5	10	3 x 60	122
4 x 6	16	4 x 60	163
4 x 8	22	6 x 60	245

Custom cuts are also available



Anthracite



Chocolate



Green



Grey

Herringbone

Applications

Recommended for moderate to high traffic areas, specifically for entranceways and lobbies. Ideal for use in multi-directional traffic.

Features and Benefits

- Dirt and dust gather within the pattern, while maintaining a virtually clean overall appearance
- Made from 100% polypropylene fibre in popular Herringbone pattern, which helps make it fade, mould and mildew resistant
- Coarse fibres for scraping dirt off shoes
- Easy to maintain with frequent vacuuming, wet or dry and periodic steam cleaning
- 22 oz./sq.yd. face weight

Available Sizes

Mat Size (ft)	Weight (lbs)	Roll Size (ft)	Weight (lbs)
3 x 5	10	3 x 60	122
4 x 6	16	4 x 60	163
4 x 8	22	6 x 60	245

Custom cuts are also available



Anthracite



Chocolate



Burgundy



Blue

Laundro Supreme



Applications

Recommended for use in grocery stores, manufacturing facilities and garages, entranceways of retail stores and restaurants.

Features and Benefits

- Wash and wear matting can be laundered
- Constructed from solution dyed 100% nylon 6,6 fibre
- Impervious to bleach damage, soiling, sunlight and repeated washings
- Fade resistant
- Superior rubber technology - Nitrile rubber anti-skid gripper backing
- 19 oz./sq.yd. face weight

Each mat is custom made to your order.

Three weeks lead time required for each order.

Widths Available


3' • 4' up to 50 LF *also available in 5' width




Frontier Grey*



Cheyenne Red*



Coffee



Cabernet



Honeycomb*



Oxford*



Spruce Green



Tuxedo Black



Windsor Blue

Design Tweed



Applications

Recommended for moderate to high traffic areas such as entranceways and lobbies.

Features and Benefits

- Attractive tweed pattern enhances its environment while simultaneously maintaining a dirt-free zone
- Compiled of 100% polypropylene cut pile on a durable vinyl backing
- Has effective wiping capabilities and is easily maintained with frequent vacuuming and periodic steam cleaning
- 15 oz./sq.yd. face weight

Available Sizes

Mat Size (ft)	Weight (lbs)
3 x 60	120
4 x 60	160
6 x 60	250

Custom cuts are also available



Red



Black/White

Water Keeper

Applications




Recommended for heavy traffic areas, or areas which water must be contained within the mat.

Features and Benefits

- Attractive design pattern holds up to 1 gallon of water per square yard
- Raised reinforced rubber dam border helps trap moisture, dirt and debris, keeping dirt off the floor
- Moulded reinforced rubber raised squares help prevent pile from crushing, and extend the mats life
- SBR rubber gripper nubs on backing also help to reduce mat movement
- Rugged polypropylene fibres are needle punched
- 26 oz./sq.yd. face weight

Available Sizes

Mat Size (ft)	Weight (lbs)	Mat Size (ft)	Weight (lbs)
3 x 5	12	4 x 6	20
3 x 10	25	4 x 10	32
Special Order Sizes			
2 x 3	5	3 x 4	10
3 x 12	30	3 x 20	50
4 x 8	27	4 x 12	40
4 x 20	66	6 x 8	40



* Special Order

Centurion Diagonal Tile



Applications



Recommended for high traffic areas, such as entranceways and lobbies. Effective in both indoor and outdoor applications.

Features and Benefits

- Total height/ thickness of the product is approximately .313"
- Packaging: 20 Tiles Per Box = 6.0 yds²
- Flammability: Class II (ASTM - E-648)
- Construction: Non-Woven
- Texture: Diagonal Rib
- Face Fibre: Blend of 17-160 DPF Solution Dyed UV Stabilized ASOTA® Polypropylene

Available Sizes

Tile Size: 19 11/16" sq. (50 cm)



Kokos




Applications

Recommended for high traffic areas, such as entranceways and lobbies. Effective in both indoor and outdoor applications.

Features and Benefits

- Material is coarse and durable
- Matting made of 100% thick polypropylene
- Excellent for scraper action and moisture retention
- Built to perform and priced to compete
- 83 oz./sq.yd. face weight



Black



Red



Available Sizes

Roll Size (ft)	Weight (lbs)
6' 6" x 65'	1.00 lbs/sq.ft.
Custom cuts are also available	

Coco

Applications

The Rinotap is suitable for small entrance and exit zones in light commercial areas. It is ideal for use in small offices, commercial buildings and residential environments.

Features and Benefits

- Pile material is 100% machine-spun coconut fibre yarns
- Backing is PVC with integrated stability scrim
- Phthalate free PVC backing also protects the floor beneath against tracked-in moisture.
- Stable and is not adversely affected by stretching
- Prevents spread of moisture and dirt, resulting in lower maintenance and cleaning costs for all floors.




Available Sizes


Roll Size (ft)

6' 6" x 41'


Custom cuts are also available



Black



Brown



Naturals

Salsa

Applications


Recommended for high traffic areas, large public applications. Indoor or outdoor applications. Ideal enhancement for floor protection and pedestrian safety.

Features and Benefits

- Heavy denier fibre resists staining
- Hobnail design effectively removes and holds debris from footwear
- Holds approximately 6 litres of water per square yard
- Fibre composition contains a dyed heavy duty solution
- Constructed with Pile Needle Felt
- Latex gel foam waffle backing will not easily move along floor surface and can be secured with glue
- Gel foam backing resists mould and mildew growth
- 1500 grams/sq.m. face weight
- **Total Thickness:** 10.7mm

Available Sizes

- 2m x 25m Rolls (Can be cut into 1m pairs), 4m x 25m Rolls (Anthracite and Tobacco Only)
- Custom cuts available



Ultra Flex nosing in brown or black is available
.....
Custom logo work is available by special order

Super Grip

Applications

Recommended for both indoor and outdoor applications, specifically for entranceways and lobbies.

Features and Benefits

- Effectively scrapes away dirt and snow off footwear
- UV Stable mat is easy to clean - simply hose down or flip over
- Flexible enough to easily contour to variations in the floor surface
- Durable SBR rubber construction

Available Sizes

Mat Size (ft)	Weight (lbs)
3 x 5	18



Prime Nop • Super Nop

Features and Benefits

- Meets standards of CRI Green label Plus Program for indoor Air Quality, and thus can contribute towards a facility's LEED Certification
- Made with 100% Asota solution dyed polypropylene fibres and can be installed indoors, as well as outdoors
- Permanently anti-static
- Mold and mildew resistant and easily cleaned by vacuuming, hosing or hot water extraction
- Heavy denier fibre resists staining which will increase the life of your matting
- Decorative hobnail design effectively removes and holds debris from footwear before it is tracked into your facility

APPLICATIONS

Recommended for high traffic areas. Suitable for indoors and outdoors. The hobnail design is an ideal enhancement for floor protection and pedestrian safety.

AVAILABLE SIZES

Unfinished Edge Matting

- 2m x 25m Rolls (Can be cut into 1m width pairs)

Custom cuts available

Custom Finished Edge Matting

- Customized to order

ADDITIONAL OPTIONS

- Ultra Flex nosing available in brown and black



Prime Nop

- Holds approximately 5 litres of water per square yard
- 1200 grams / sq.m. face weight
- Backing made of Eco-DI-back natural synthetic composite rubber

Custom Finished Edge Matting

Available across Canada

Unfinished Edge Matting



Super Nop

- Holds approximately 7 litres of water per square yard
- 1750 grams / sq.m. face weight
- Backing made of Eco-DI-back natural synthetic composite rubber

Custom Finished Edge Matting

Available across Canada

Unfinished Edge Matting

Prime Nop • Super Nop

COLOURS SELECTION GUIDE

P Prime Nop

S Super Nop



P
S



P
S



S
S



S
S



S
S



P
S



P
S



S
S



S
S



S
S



P
S



P
S



S
S



S
S




S
S




P
S



P
S



P
S



S
S



S
S



P
S



P
S

Custom logo work is available
for Prime Nop and Super Nop



Rubber Finger Tip

Applications

Ideal for indoor and outdoor applications, specifically for entranceways and lobbies.

Features and Benefits

- A key step in the solution for reducing the amount of dirt and water entering your building
- Provides aggressive scraping action to remove mud, dirt and snow
- Heavy duty molded rubber fingers that are flexible and sturdy
- Beveled edges form a recess to contain water
- Thousands of flexible solid rubber tips aid in collecting dirt, snow, mud and moisture
- To clean, simply turn mat over to remove dirt or water
- Ideal for indoor or outdoor use

Available Sizes

Mat Size (inches)	Weight (lbs)
24 x 32	13
32 x 39	18
36 x 72	33

Coral Logo



Show off your company logo, product or image with custom designed logo matting. Forbo Flooring Systems is an industry leader when it comes to custom matting projects. We can take the most intricate designs and customize it to your specifications.

Nylon 6.6 Matting

Your logo, image or artwork is reproduced onto Nylon 6.6 entrance matting as the "painter's canvas". The colour capabilities are limitless. A state-of-the-art, colour injection dyeing process ensures colour and placement accuracy for your matting project. The dyeing process used is environmentally friendly - the dyes are not harmful to the environment. This technology is capable of changing patterns within fractions of a second to eliminate ink waste and waste between orders on the production line.



Aqua Flow



Applications

Outdoor high-traffic entrance areas such as ski resorts and other recreational facilities exposed to snow and mud conditions.

Features and Benefits


- Flow-through drainage mat keeps dirt and moisture off the mat for a clean appearance.
- Extremely easy to clean, shake or hose off.
- Made from 60% recycled rubber materials.
- Dual wiper blade and nib construction provides outstanding cleaning action and anti-slip performance.

Available Sizes

32" x 39", 36" x 59"



Black



Coral Go and Coral Bright

Coral Go

Applications

Recommended for areas with moderate traffic.

Features and Benefits

- Affordable performance
- Suitable for medium traffic
- Made with 100% recyclable econyl yarns

Total Thickness: 8mm

Widths: 90cm, 130cm, 200cm

Roll length: 27.5m approx.



Coral Bright

Applications

This hard-wearing entrance flooring is suitable for areas with medium traffic.

Features and Benefits

- Suitable for medium traffic
- Modern color scheme
- Affordable performance

Total Thickness: 9mm

Widths: 90cm, 130cm, 200cm

Roll length: 27.5m approx.



Note: Nominal sizes are quoted

Coral Grip

Applications

Great for coarse dirt and grit removal, inside and out.

Features and Benefits

Coral Grip is a versatile non-woven, clean-off barrier flooring that is suitable for use both inside and outside entrance systems. It has a patented design which features durable vinyl filaments which perform a highly effective scraping action and give Coral Grip its anti-slip functionality. As a result, it is excellent at preventing grit, coarse dirt, slush and snow from entering the building. Coral Grip is available in Medium Duty (MD) and Heavy Duty (HD) formats.

- PVC chips add to scraping properties
- Available with Everfort vinyl backing or open structure
- Total Thicknesses:** ■ HD with backing 17mm, □ HD open back 16mm
■ MD with backing 12mm, □ MD open back 11mm



Available Sizes

Roll Size (ft)	Weight (lbs)
□ MD: 1.22m x 15m (4' x 49'2") approx.	262
■ MD: 1.27m x 15m (4' 2" x 49'2") approx.	262
□ HD: 1.22m x 10m (4' x 32'9") approx.	220
■ MD: 1.22m x 10m (4'2" x 49'2") approx.	220

Custom cuts are also available



MD ■ 6930 / □ 6950
Ink *




MD ■ 6925 / □ 6945
Lead



MD ■ 6921 / □ 6941
Ash



MD ■ 6922 / □ 6942
Salt




MD ■ 6923 / □ 6943
Wine

■ with Everfort vinyl backing
□ with open structure

*Stock Items. Lead time for non-stock colors is 6-8 weeks.



HD ■ 6130 / □ 6150
Ink *



HD ■ 6125 / □ 6145
Lead



HD ■ 6121 / □ 6141
Ash



HD ■ 6122 / □ 6142
Salt



HD ■ 6123 / □ 6143
Wine

Coral Duo

Applications

For unbeatable soil and moisture removal.

Features and Benefits

Coral Duo provides unrivalled dirt removal - being particularly effective at trapping and retaining soil and moisture in the first few footsteps. Research shows that it retains up to 10% more dirt in the first steps than any other textile entrance system. Its ribbed construction is not only functional, it provides an aesthetically pleasing aspect to any entrance area.

- 75% of the yarn is Econyl® regenerated solution dyed polyamide.
- Combination product with alternating strips of scraping Coral Brush yarns and moisture absorbing Coral Classic, reinforced with tough and resilient monofilament fibres
- Total Thicknesses:** 9mm

Made with 100% Regenerated Nylon
ECONYL



9730*
Black Diamond




9725
Cafe Bahia



9721*
Dark Steel



9714
Sicilian Sand



9727*
Volga Blue



9710
Luna Pearl

*Stock Items

Lead time for non-stock colors is 6-8 weeks.

Available Sizes

Mat Size (ft)

3' x 5'

5' x 3'

4' x 6'

6' x 4'

Also available: 6'6" x 90' (2m x 27.5m) approx.

Weight: 7 lbs/sq.m.

Custom cuts are also available

Coral Brush

Applications

The great all-around performer for dirt and moisture removal. Now stops up 94% of walked in dirt & moisture.

Features and Benefits

Coral Brush can be used in all types of entrance areas and is the ideal solution when you need a textile entrance system that can simultaneously absorb moisture and remove dry dirt. Independent research shows that thanks to its unique construction, Coral Brush reaches maximum scores on both counts.

- 100% of the yarn is Econyl® regenerated solution dyed polyamide.
- Made with 3 types of yarn:
 - Capillary yarns absorb moisture
 - Active scraping yarns, help brush soil from shoes
 - Heavy duty textured yarns, increase resilience



Total Thickness: 9mm

Custom cuts are also available



5709♦ Royal Purple	5705♦ Bondi Blue	5722♦ Cornflower Blue
5727*♦ Stratos Blue	5710*♦ Asphalt Grey	5721*♦ Hurricane Grey
5723♦ Cardinal Red	5706♦ Brick Red	5714♦ Shark grey
5724*♦ Chocolate Brown	5715*♦ Charcoal Grey	5730*♦ Vulcan Black
5716♦ Masala Brown	5754♦ Straw Brown	5764♦ Petrified Grey
5767♦ Slate Blue	5741♦ Cannon Grey	5750♦ Aztec Black

♦Also available in Tile.

*Stock Items

Lead time for non-stock colors is 6-8 weeks.

Note: Nominal sizes are quoted

Forbo Cleaning Products



Neutral pH Cleaner

Recommended For Use With:
Marmoleum®; Walton; Marmoleum® Dual Tile;
MCT; Eternal
Approximate Spread Rate (ft² / gallon)
Quart = 32 gallons of cleaner
Gallon = 128 gallons of cleaner



Spray Buff

Recommended For Use With:
Marmoleum®; Walton; Marmoleum® Dual Tile;
MCT; Eternal
Approximate Spread Rate (ft² / gallon)
Varies (available in quarts only)



Mop On Restorer

Recommended For Use With:
Marmoleum®; Walton; Marmoleum® Dual Tile;
MCT; Eternal
Approximate Spread Rate (ft² / gallon)
Quart = 32 gallons of cleaner
Gallon = 128 gallons of cleaner
(available in gallons only)



Heavy-Duty Cleaner

Recommended For Use With:
Marmoleum®; Walton; Marmoleum® Dual Tile;
MCT; Eternal
Approximate Spread Rate (ft² / gallon)
Quart = 32 gallons of cleaner
Gallon = 128 gallons of cleaner



Matte Floor Finish

Recommended For Use With:
Marmoleum®; Walton; Marmoleum® Dual Tile;
MCT; Eternal
Approximate Spread Rate (ft² / gallon)
Quart = 450 - 550 ft²;
Gallon = 1,800 - 2,200 ft²



Gloss Floor Finish

Recommended For Use With:
Marmoleum®; Walton; Marmoleum® Dual Tile;
MCT; Eternal
Approximate Spread Rate (ft² / gallon)
Quart = 450 - 550 ft²;
Gallon = 1,800 - 2,200 ft²



Adhesive Remover

Recommended For Use With:
All Forbo Flooring Products
Approximate Spread Rate (ft² / gallon)
Varies



Residential Floor Finish

Recommended For Use With:
Marmoleum®; Walton; Marmoleum® Dual Tile;
MCT; Eternal
Approximate Spread Rate (ft² / gallon)
Quart = 450 - 550 ft²;
Gallon = 1,800 - 2,200 ft²



FLOORING SYSTEMS

North American Headquarters
8 Maplewood Drive
Hazleton, PA 18202
1-800-842-7839
570-459-0771
www.forboflooringNA.com

Canada Office
111 Westmore Drive
Toronto, ON M9V 3Y6
1-800-268-8108
416-745-4200
www.forboflooringNA.com