

## DoP (declaration of performance) **Declaration of performance**

Nr. 795.1.2

## 795 UNI-QUICK

1. Unique identification	Each package is labelled with a unique batch number that can be traced back to the specifications drafted for this adhesive.	
2. Designation	Forbo Eurocol Nederland 795 Uni-Quick; a cement-bound, fast curing powdered tile adhesive.	
3. Application	For fast gluing of ceramic wall and floor tiles, dark coloured natural stone and ceramic mosaic on solid, cement-bound walls and floors. Suitable for interior and exterior application.	
4. Name and contact address manufacturer	Forbo Eurocol Nederland B.V. Industrieweg 1-2 NL-1521 NA Wormerveer The Netherlands Tel. +31 75 6271600 Email: info.eurocol@forbo.com	
5. Name and contact address authorized	n/a	
6. System of assessment and verification of constancy of performance	3	
7. Activity of the notified certification body as required by the harmonized standard	The registered certifying body IKOB-BKB, identification no. 0957, performed the activities under system 3 and showed that the tile adhesive in question fulfils the initial type certification requirements described in Annex ZA of NEN-EN 12004:2007+A1:2012 and issued the certification of performance constancy and the conformity certificate.	
8. European Technical Assessment	n/a	
9. Declared performance	C2F in accordance with NEN-EN 12004:2007+A1:2012; an improved cement-bound powdered tile adhesive with fast curing.	
Essential characteristics	Performance	Test method
Initial adhesive strength	≥ 1 N/mm²	NEN-EN 1348:2008 §8.2
Adhesive strength after water exposure	≥ 1 N/mm²	NEN-EN 1348:2008 §8.3
Heat exposure	≥ 1 N/mm²	NEN-EN 1348:2008 §8.4
Adhesive strength after water exposure and freeze/thaw	≥ 1 N/mm²	NEN-EN 1348:2008 §8.5
Material behaviour in case of fire	Class E	NEN-EN 13501-1:2007+A1:2009
Released dangerous substances	see MSDS	
Optional characteristics	Performance	Test method
Fast full cure after 6 hours	≥ 0.5 N/mm²	NEN-EN 1348:2008 §8.2
Declaration drafted in accordance with Annex ZA of NEN-EN	12004:2007+A1:2012	
10. The performance of the points 1 and 2 are consistent with performance is issued under the sole responsibility of the in ite	•	

Wormerveer, 22-08-2013

signed: ing. T.W. Breeuwer; Manager R&D

