

## Forbo LEED v4.1 Compliance Sheet

### Allura Flex

---

Product Description: Forbo Allura Flex luxury vinyl tiles are comprised of a vinyl wear layer with a high-performance PUR topcoat which provides color clarity. A calendared wear layer provides clear image, superior strength and durability. The thick fiberglass interlayer ensures dimensional stability, flexibility, tension releases and strength with a thick solid backing for comfort, balance and prevention of curl.

---

Sustainable Attributes: Allura Flex is phthalate-free and is manufactured with 100% renewable energy.

---

MasterFormat Section: 09 65 19.00 – Resilient Vinyl Tile Flooring

---

Collection Names: Allura Flex 1.0 FL1, Allura Flex 0.55 FL5

---

Manufacturing Location: Forbo Flooring - Novilon BV Coevorden, The Netherlands

---

Site Accreditation: ISO 14001, ISO 9001, ISO 45001, SA8000

---

Warranty Information: 10-year

---

Sustainability Report: Click Here: [Forbo Annual Sustainability Report](#)

---



## LEED Credits

---

LEED v4.1 MR Credit: Construction and Demolition Waste Management - End of Life Scenario: Landfill

---

LEED v4.1 MR Credit: Environmental Product Declarations (EPD): Product-specific Type III EPD

---

EPD Standard Used: ISO 14025

---

Declared Unit: 1 m<sup>2</sup>

---

Global Warming Potential Value (GWP: A1-A3): 1.66E+01 kg CO<sub>2</sub> eq.

---

EPD Program Operator: UL Environment

---

LEED v4.1 MR Credit: Responsible Sourcing of Raw Materials (Option: Recycled Content): 22% Pre-Consumer Recycled Content

---

LEED v4.1 MR Credit: Responsible Sourcing of Raw Materials (Option: Extended Producer Responsibility): No EPR

---

LEED v4.1 MR Credit: Material Ingredient Reporting: HPD v3.0

---

Reporting Threshold: 100 ppm

---

Extent of Disclosed Inventory: 100%

---

LEED v4.1 EQ Credit: Acoustic Performance: Contact Forbo's [Product Support & Education Services Team](#) for Testing Data

---

LEED v4.1 EQ Credit: Low Emitting Materials: Tested and complies with CDPH 01350 v1.2

---

VOC Content: TVOC ≤ 0.5 mg/m<sup>3</sup>

---

VOC Emissions Documentation Available: CDPH 01350 VOC Emission Test Certificate; ClearChem Declaration

---



The Health Product Declaration® logo is a registered trademark of HPD Collaborative.  
A ClearChem declaration is available for this product: <https://clearchem.berkeleyanalytical.com/clearchem-declared/forbo-flooring-systems>

