



Forbo Flooring Systems is part of the Forbo Group, a global leader in flooring and movement systems, and offers a full range of flooring products for commercial and affordable housing and new build markets. High quality linoleum, vinyl, textile, flocked and entrance flooring products combine functionality, colour and design, offering total flooring solutions for any environment.

**UK**  
Forbo Flooring UK Limited  
High Holborn Road  
Ripley  
Derbyshire DE5 3NT

**London EC1 showroom**  
79 St John Street, Clerkenwell  
London EC1M 4NR  
Tel: 0207 553 9300

**For commercial enquiries:**  
If calling from the North,  
Midlands, London & South East  
Tel: 0800 0282 162  
Fax: 01772 646 912  
If calling from Scotland & South West  
Tel: 0800 0935 258  
Fax: 01592 643 999

**Nuway enquiries:**  
Tel: 01773 740 688  
Fax: 01773 740 640

**Residential enquiries:**  
Tel: 0800 0935 846  
Fax: 01592 643 999  
Email: [info.flooring.uk@forbo.com](mailto:info.flooring.uk@forbo.com)  
[www.forbo-flooring.co.uk](http://www.forbo-flooring.co.uk)

**Samples:**  
**Tel: 0800 731 2369**  
**email: [samples.uk@forbo.com](mailto:samples.uk@forbo.com)**

**Ireland**  
Forbo Ireland Ltd  
2 Deansgrange Business Park  
Blackrock  
Co Dublin  
Tel: 00353 1 2898 898  
Fax: 00353 1 2898 177  
Email: [info.ireland@forbo.com](mailto:info.ireland@forbo.com)  
[www.forbo-flooring.ie](http://www.forbo-flooring.ie)

**Registered office:**  
Forbo Flooring UK Limited  
High Holborn Road  
Ripley  
Derbyshire DE5 3NT  
Registered in England 9200318



**COMMITTED  
TO THE HEALTH  
OF ONE**  
[WWW.FORBO-FLOORING.CO.UK/CHO](http://WWW.FORBO-FLOORING.CO.UK/CHO)

**forbo**  
FLOORING SYSTEMS

creating better environments

# AFFORDABLE HOUSING FLOORING PORTFOLIO



creating better environments

**forbo**  
FLOORING SYSTEMS



# CONTENTS

<b>DEDICATED TO SERVING YOU</b>	4
<b>WHY CHOOSE FORBO FLOORING?</b>	8
SERVICE PROPOSITION	8
PRODUCT PROPOSITION	10
<b>CASE STUDY</b>	12
<b>WHO WE WORK WITH</b>	14
<b>SELECTING THE RIGHT PRODUCTS FOR THE RIGHT AREA</b>	16
<b>LIVING AREAS</b>	18
NOVILON CUSHIONED VINYL	20
NOVITEX FELT BACKED VINYL	22
FLOTEX FLOCKED FLOORING	23
ALLURA LUXURY VINYL TILES	24
<b>NEW</b> ETERNAL DE LUXE VINYL	25
<b>BATHROOMS AND WETROOMS</b>	26
SURESTEP LAGUNA AND SAFESTEP	
AQUA SAFETY FLOORING	28
NOVILON & NOVITEX CUSHIONED VINYL	29
<b>COMMUNAL AREAS</b>	30
<b>NEW</b> MODUL'UP	
ADHESIVE FREE VINYL	32
SARLON ACOUSTIC VINYL	34
ETERNAL GENERAL PURPOSE VINYL	35
TESSERA CARPET TILES	36
STEP SAFETY VINYL	37
<b>ENTRANCES</b>	38
NUWAY RIGID ENTRANCE SYSTEMS	40
CORAL TEXTILE ENTRANCE SYSTEMS	41
<b>COMMITTED TO THE HEALTH OF ONE</b>	42
<b>CREATING BETTER ENVIRONMENTS</b>	44
<b>THE NEXT STEPS</b>	46

Cover image: Novilon vinyl installed at Roman House, by Gilltown Ltd.





# DEDICATED TO SERVING YOU

When it comes to large scale housing projects, we understand that you need more than just a supplier. Our role in major project delivery and involvement from the early stages means we can provide a specialist support service for the Housing sector, working with your designers and flooring contractors and helping you to choose the most appropriate product to meet your requirements.



## HOUSE BUILDERS

- High end choice of style
- Flooring solutions for the whole house
- Hard wearing yet stylish products stand up to the demands of family life to help reduce snagging complaints



## CONTRACTORS

- Multiple width vinyl sheet and modular options to reduce installation time and costs
- Loose lay, Click and adhesive free options available
- Free installation off-cut collection service via our "Back to the Floor" scheme to reduce your waste and landfill costs





# DEDICATED TO SERVING YOU

When it comes to housing refurbishment, we know you are looking for a floor covering that will stand up to the daily wear and tear of family life, while your tenants want colour and design to make their house a home.



## HOUSING ASSOCIATIONS / ALMOs

- Solutions to keep installation costs and time to a minimum
- Design orientated solutions for all areas, including acoustics for communal areas and entrance matting systems
- Health and Safety Executive compliant slip resistant options
- Free plan design service available



## TENANTS

- A wide variety of designs and finishes to choose from
- Easy to clean and maintain
- Added underfoot comfort, acoustic or slip resistant properties for peace of mind




# WHY CHOOSE FORBO FLOORING?



## SERVICE PROPOSITION

**Linoleum** **Luxury Vinyl Tiles**  
**Entrance Flooring Systems**  
General Purpose **Acoustic Vinyl**  
Project Vinyl **Carpet Tiles**  
**Safety Flocked** Static Control Flooring  
**Vinyl Flooring** **Adhesive Free Vinyl**

From entrance to exit, whether new build or refurbishment, our integrated flooring portfolio specifically selected for the Housing sector can help you choose the right flooring solutions for your project.



Complete housing flooring solutions all delivered by one trusted supplier, delivered in one order and with one invoice.



Forbo's FREE plan design service can create plan boards of your floor layout complete with samples to help you and your tenants visualise the end result.



Forbo offer a quick and free sample service to help you in your decision process.

Call **0800 731 2369** or email **[samples.uk@forbo.com](mailto:samples.uk@forbo.com)**



At Forbo we are dedicated to creating healthier domestic indoor environments through a range of products that offer benefits such as Allergy UK approval, sound absorption, added underfoot comfort and slip resistance properties without compromising on colour and design.



# WHY CHOOSE FORBO FLOORING?

NOVILON

ETERNAL

CORAL

NOVILON

STEP

## PRODUCT PROPOSITION

Forbo offers a truly integrated portfolio, meaning we can help provide a vast range of flooring solutions for all areas of a housing project.

**step®**

safety vinyl achieves

≥ 36


**Wet Pendulum**

**sarlon®**  
**Acoustic**

offers impact sound reduction from  
**15dB – 19dB**

Our Health and Safety Executive compliant, sustainable safety flooring range, Step, provides peace of mind without compromising on the style tenants desire.

Offering up to 19dB sound impact reduction, our Sarlon acoustic vinyl collection is ideal for potentially noisy areas such as corridors and hallways, helping to reduce sound travelling to neighbouring homes or from level to level. They also offer tenants comfort underfoot.



Novilon, Novitex & Eternal de Luxe are available in **multiple widths**

Our Novilon vinyl ranges are available in 2, 3 and 4m widths, resulting in quick and easy installations with less wastage, and reducing the need for vast amounts of welding in larger areas. Eternal de Luxe and Novitex are available in 2 and 4m widths.


**modul'up**



Saves time and money.



Walk straight on – no drying required.



No odours or emissions.

Using "lay flat, stay flat" technology, our NEW Modul'up sheet vinyl range requires no adhesive, making it quick and easy to install, ready for immediate use and effortless to remove at the end of its long and useful service life.





Novilon Nova Wood 6032 | light sunny oak



Novilon Viva 8523 | vincenza light grey



Novilon Nova Wood 6032 | light sunny oak



Novilon Nova Wood 6032 | light sunny oak



Novilon Viva 8523 | vincenza light grey

# BOVIS HOMES SPECIFIES NOVILON FOR ITS AFFORDABLE HOUSING

The contemporary aesthetics of Forbo Flooring Systems' Novilon cushioned vinyl, combined with its exceptional performance characteristics, has led Bovis Homes to incorporate the floor covering within its West Midlands region's Affordable Social Housing Specification.

At Bovis Homes' Kingsmere development in Bicester, which consists of a mix of affordable and open market properties, Forbo's Novilon was installed in all of the screeded ground floor rooms in the rented plots, such as the kitchen, hall, guest cloakroom, lounge and first floor bathroom and in the shared ownership homes, the floor covering was fitted to the ground floor kitchen and guest cloakroom, as well as the first floor bathroom.

Maxine Coppin, Partnership Development Coordinator at Bovis Homes, commented: *"When it comes to specifying products for a social housing project, tenant safety is paramount. Forbo's Novilon vinyl is perfect for these projects as it delivers the relevant slip resistance required by our housing association clients and it's also easy to maintain for the end users."*

*"In addition to its practical performance, Novilon also comes in a wide variety of colours and designs for our clients to choose from. For the Kingsmere project, our client wanted a natural wooden aesthetic for the flooring of the kitchens and so, Novilon in the Light Sunny Oak colourway was specified. In the bathrooms the Vincenza design was chosen, which exudes a modern concrete effect. These colourways also complemented the aesthetics of the kitchens and bathrooms being installed to the properties."*

Forbo's Novilon is a collection of inspiring floor coverings designed to complement every type of interior. It is also hardwearing and easy to maintain thanks to its features such as Aquagrip, a unique safety feature, Diamond Seal, which protects the floor from scratches, spillages and scuffmarks, and Noviclean, a top layer treatment for easy cleaning.

Joshua Wattrus, Flooring Department Manager at the Wattrus Group Limited, the installers on the project, commented: *"Forbo provide us with fantastic service, from its high quality products through to the contacts we deal with at their head office. Its range of floor coverings are easy to fit and are always delivered in good condition, so we know that we are always installing top-notch products."*

Forbo can provide a truly integrated flooring solution for an entire building or housing scheme. Offering a diverse mix of resilient, carpet, flocked and entrance flooring systems, the flooring manufacturer can create the plans required to meet the demands of every area of homes and communal spaces, from entrance to exit.

Please visit [www.forbo-flooring.co.uk/affordablehousing](http://www.forbo-flooring.co.uk/affordablehousing) for more information about Forbo Flooring Systems.





WHO WE  
WORK WITH

**Taylor  
Wimpey**

**BLOOR HOMES**

  
**MORRIS**

  
**YORKSHIRE  
HOUSING**

  
**BOVIS  
HOMES**





In all buildings, different areas have differing functional requirements for floor coverings so the 'one flooring product fits all areas' solution is often not appropriate – and Affordable Housing is no exception.

That's why Forbo Flooring Systems is uniquely placed to provide a truly integrated flooring solution for your entire building or housing scheme. Offering a diverse mix of resilient, carpet, flocked and entrance flooring systems, we can work with you to create flooring plans that meet all the demands of every area of homes and communal use areas, from entrance to exit.



CORAL



## ENTRANCES

You need flooring that:

- Reduces slips and trips at entrances
- Protects interior floor finishes

**coral®  
nuway®**

See pages 38 – 41



SARLON



## COMMUNAL AREAS

You need flooring that:

- Is tough and durable
- Ensures safety underfoot
- Helps reduce noise

**sarlon®  
eternal  
tessera®  
step®  
modul'up**

See pages 30 – 37



NOVILON



## LIVING AREAS – KITCHENS

You need flooring that:

- Is slip resistant
- Is easy to clean and maintain
- Is scratch and scuff resistant

**novilon®  
novitex  
flotex®  
allura  
eternal deluxe**

See pages 18 – 25



ALLURA




## LIVING AREAS – SITTING ROOMS & BEDROOMS

You need flooring that:

- Offers stylish aesthetics
- Is easy to clean and maintain
- Is comfortable and warm underfoot

**novilon®  
novitex  
flotex®  
allura  
eternal deluxe**

See pages 18 – 25



SURESTEP LAGUNA



## BATHROOMS

You need flooring that:

- Is slip resistant
- Is waterproof
- Is hygienic and easy to clean

**surestep® laguna  
safestep® aqua  
novilon®  
novitex**

See pages 26 – 29





# LIVING AREAS

Kitchens, living rooms  
and bedrooms

Novilon Viva Fusion 6131 | limousin  
installed at The Clink, Durham, by Gilltown Ltd





novilon®

Novilon Viva Fusion 5966 | aluminium



Novilon 89114 | golden oak

# NOVILON CUSHIONED VINYL

Novilon is a contemporary collection which offers the very best in design. From contemporary and traditional woods to larger scale modern slates and tiles, Novilon offers the beauty of a natural look floor with the practical benefits of a vinyl floor covering.

For more product information and to see the full colour range in Novilon, please visit [www.forbo-flooring.co.uk/novilon](http://www.forbo-flooring.co.uk/novilon)



400 / 300 / 200cm  
ROLL WIDTHS



LOOSE LAY  
SHEET\*  
\*Up to 15m<sup>2</sup>  
in domestic  
applications only

Description	Cushioned vinyl sheet*	
Roll width	ISO 24341	400 / 300 / 200cm
Roll length	ISO 24341	30m
Total thickness	ISO 24346	2.4mm
Thickness wear layer	ISO 24340	0.25mm
Collection size	Varies by design	
Application	EN 10874	Class 23/31
CE	EN 14041	
Reaction to fire	EN 13501-1	B <sub>1</sub> -s1
Slip resistance	EN 13893	Class DS

\*Novilon Viva specification  
Please visit [www.forbo-flooring.co.uk/downloads](http://www.forbo-flooring.co.uk/downloads) for the full range of Novilon specifications




As with a natural diamond, Diamond Seal represents hardness, scratch resistance and durability. It also provides superior protection against spillages and scuff marks. Diamond Seal ensures a natural low gloss and highly realistic design that is a hallmark of the Novilon collections.



Aquagrip is Forbo's unique safety feature – meaning the level of grip is not significantly reduced by spills or splashes of water or any other liquid. Which means a floor for your home that is beautiful, practical and safer to walk on.



Top layer treatment for easy cleaning, also preventing dirt and scuff marks. The best natural surface finish.







novitex

Novitex F5749 | classic herringbone



flotex®

Flotex Calgary 290012 | cement

NOVITEX FELT BACKED VINYL

Novitex combines all the beauty, durability and ease of cleaning of Novilon with the installation flexibility of a textile backing. When loose laid, Novitex is more tolerant of small subfloor imperfections and these benefits are especially useful when installing in new build homes.

For more product information and to see the full colour range in Novitex, please visit [www.forbo-flooring.co.uk/novitex](http://www.forbo-flooring.co.uk/novitex)





IMPACT  
SOUND  
REDUCTION



20 YEAR  
GUARANTEE



400 / 200cm  
ROLL WIDTHS



LOOSE LAY  
SHEET\*

\*Up to 15m<sup>2</sup>  
in domestic  
applications only

Description		Cushioned vinyl sheet with felt backing
Roll width	ISO 24341	400 / 200cm
Roll length	ISO 24341	30m
Total thickness	ISO 24346	2.90mm
Thickness wear layer	ISO 24340	0.35mm
Collection size		25
Application	EN 10874	Class 23/31
CE	EN 14041	
Reaction to fire	EN 13501-1	B <sub>fl</sub> -s1
Slip resistance	EN 13893	Class DS

FLOTEX FLOCKED FLOORING

Flotex is a high tech textile which brings together the warmth and comfort associated with a carpet and the ease of cleaning and durability of a hard floor, resulting in a truly unique flooring solution for living areas. Flotex is also the only textile floor covering to have been awarded the Allergy UK Seal of Approval™.

For more product information and to see the full colour range in Flotex, please visit [www.forbo-flooring.co.uk/flotex](http://www.forbo-flooring.co.uk/flotex)



ALLERGY UK  
APPROVED



SHEET



50 X 50 cm  
TILES



100 X 25cm  
PLANKS



IMPACT  
SOUND  
REDUCTION

Description		Flocked flooring
Dimensions		Sheet: Roll width 2m Roll length ≤ 30m
		Tile: 50cm x 50cm (3m <sup>2</sup> per box)
		Planks: 100cm x 25cm (2.5m <sup>2</sup> per box)
Total thickness	ISO 1765	Sheet: 4.3mm. Tile & Plank: 5.3mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size		Varies by design
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	Sheet: ΔLw = 20 dB Tile & Plank: ΔLw = 19 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B <sub>fl</sub> -s1
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV

22

23





allura

Allura w60374 or Allura Click cc60374 | natural collage oak



eternal de luxe

Eternal de Luxe 3024 | grey pine

# ALLURA LUXURY VINYL TILES

The modular format of Allura tiles and planks guarantees a quick and easy installation with less wastage than traditional sheet materials, making it ideal for new build and refurbishment projects where time is of the essence. Our stunning Allura LVT ranges also offer R10 slip resistance underfoot without compromising on style or design. Our Allura Flex loose lay tiles are also designed to be used alongside our Tessera carpet tiles, while our Click format delivers quick and easy adhesive free installation.

For more product information and to see the full colour range in Allura Luxury Vinyl Tiles please visit [www.forbo-flooring.co.uk/allura](http://www.forbo-flooring.co.uk/allura)



PHthalate  
FREE



DIMENSIONAL  
STABILITY



R10  
SLIP  
RESISTANCE






DRYBACK  
FULLY  
ADHERED



FLEX  
LOOSE  
LAY



CLICK  
SYSTEM

  		
Description	Luxury vinyl tiles	
Dimensions (planks)	50 x 15cm / HP 90 x 15cm 100 x 15cm / 120 x 20cm 150 x 28cm / 180 x 32cm	
Dimensions (tiles)	50 x 50cm / 75 x 25cm 75 x 50cm / 75 x 75cm 100 x 100cm	
Packaging per carton (planks)	3.0m <sup>2</sup> (40 pcs) / 4.5m <sup>2</sup> (40 pcs) 3.0m <sup>2</sup> (20 pcs) / 2.9m <sup>2</sup> (12 pcs) 4.2m <sup>2</sup> (10 pcs) / 4.6m <sup>2</sup> (8 pcs)	
Packaging per carton (tiles)	3.0m <sup>2</sup> (12 pcs) / 4.0m <sup>2</sup> (24 pcs) 3.75m <sup>2</sup> (10 pcs) / 0.56m <sup>2</sup> (1 pcs) 1.00m <sup>2</sup> (1 pcs)	
Total thickness	ISO 1765	2.5mm
Thickness wear layer	ISO 24340/ EN 428	0.55mm / 0.7mm
Collection size	112	
Application	EN 10874	0.55mm Class 33/42 0.7mm Class 34/43
CE	EN 14041	
Reaction to fire	EN 13501-1	B <sub>fl</sub> s1
Slip resistance	EN 13893	DS: ≥0.30

Technical specification for fully adhered version. Please see [www.forbo-flooring.co.uk/allura](http://www.forbo-flooring.co.uk/allura) for Flex and Click information.



# ETERNAL DE LUXE VINYL

The design quality, realism and appearance you expect from a Luxury Vinyl Tile with all the convenience of a sheet product, our new Eternal de Luxe range is a collection of 22 wood, stone and concrete looks with superior aesthetics. All items are also available as a Decibel option which provides 17dB impact sound reduction alongside superior underfoot comfort and indentation resistance.

For more product information and to see the full colour range in Eternal de Luxe, please visit [www.forbo-flooring.co.uk/eternaldeluxe](http://www.forbo-flooring.co.uk/eternaldeluxe)




PHthalate  
FREE




IN REGISTER  
EMBOSSING  
\*SELECTED DESIGNS



IMPACT  
SOUND  
REDUCTION

		
Description	Sheet vinyl	
Dimensions	Roll width 2 / 4 m Roll length ± 25 lm	
Total thickness	ISO 1765	2.0mm
Thickness wear layer	EN-ISO 24340/ EN428	0.7mm
Acoustical impact noise reduction	EN-ISO 717-2	5 dB 17 dB (Acoustic version)
Collection size	22	
Application	EN 10874	Class 23/34/43
CE	EN 14041	
Reaction to fire	EN 13501-1	B <sub>fl</sub> -s1
Slip resistance	EN 13893	D5: μ ≥ 0.30







# BATHROOMS AND WETROOMS

Safestep Aqua 180592 | lava + Surestep Material 17172 | black concrete





surestep® laguna  
safestep® aqua  
surestep® star barefoot

Surestep Laguna 181482 | greige & 181982 | aquamarine



novilon®  
novitex

Novitex 6590 | anthracite leaf

# SURESTEP LAGUNA, SAFESTEP AQUA AND SURESTEP STAR BAREFOOT SAFETY FLOORING

The bathroom is the most common room in the house where potential slip incidents can occur, yet traditional safety vinyls can often fall flat when it comes to style and aesthetics. Our innovative new Step crystals ensure Health and Safety Executive compliant genuine safety flooring without compromising on clarity of design. Three items from the Surestep Star range are also available in barefoot construction.

For more product information and to see the full colour range in our Step Wetroom Solutions, please visit [www.forbo-flooring.co.uk/wetroom](http://www.forbo-flooring.co.uk/wetroom)



COMPLIANT



R10 SLIP  
RESISTANCE




WET  
PENDULUM




SURFACE  
ROUGHNESS

Surestep Laguna, Surestep Star Barefoot and Safestep Aqua		
Description	Sheet safety vinyl	
Dimensions	EN-ISO 24341	Roll width 2.0m Roll length 20-27 lm
Total thickness	ISO 1765	2.0mm
Thickness wear layer	EN-ISO 24340	0.7mm
Collection size	15 / 8 / 3 per range	
Application	EN 10874	Class 34/43
Slip resistance Surestep Laguna + Surestep Star barefoot	EN 13845 Annex C	ESb/ESf
	DIN 51130	R10
	TRRL Pendulum – Wet test – slider 96	≥ 36
Slip resistance Safestep Aqua	EN 13845 Annex C	ESb
	DIN 51130	R10
	TRRL Pendulum – Wet test – slider 55	≥ 36
CE	EN 14041	
Reaction to fire	EN 13501-1	B <sub>fl</sub> -s1
Slip resistance	EN 13893	DS: ≥0.30



SURESTEP LAGUNA



SAFESTEP AQUA

# NOVILON & NOVITEX CUSHIONED VINYL

Our Novilon cushioned vinyl ranges all feature our unique Aquagrip finish, which means the level of grip underfoot is not significantly reduced by spills or splashes of water or any other liquid. Novilon items are available in 2, 3 and 4m widths and Novitex items in 2 and 4m widths for a seam free installation that guarantees a waterproof floor covering.

For more product information and to see the full colour range in Novilon and Novitex, please visit [www.forbo-flooring.co.uk/novilon](http://www.forbo-flooring.co.uk/novilon) and [www.forbo-flooring.co.uk/novitex](http://www.forbo-flooring.co.uk/novitex)



R10 SLIP  
RESISTANCE




R10 SLIP  
RESISTANCE



400 / 300 / 200cm  
ROLL WIDTHS

Description – Novilon		Cushioned vinyl sheet
Description – Novitex		Cushioned vinyl sheet with felt backing
Roll width	ISO 24341	Novilon: 400 / 300 / 200cm Novitex: 400 / 200cm
Roll length	ISO 24341	30m
Total thickness Novilon Viva	ISO 24346	2.4mm
Total thickness Novitex	ISO 24346	2.90mm
Thickness wear layer Novilon Viva	ISO 24340	0.25mm
Thickness wear layer Novitex	ISO 24340	0.35mm
Collection size – Novilon Viva	23	
Collection size – Novitex	25	
Application	EN 10874	Class 23/31
CE	EN 14041	
Reaction to fire	EN 13501-1	B <sub>fl</sub> -s1
Slip resistance	EN 13893	Class D5



NOVILON



NOVITEX





# COMMUNAL AREAS

Entrances, foyers  
and hallways

Eternal Wood 11652 | vintage oak





# ADHESIVE FREE VINYL


A ground breaking new floor covering which delivers a true “lay flat, stay flat” solution that does not require any adhesive for installation, Modul’up is quick and easy to install, reducing both costs and “downtime” as the floor is ready for use immediately after installation. Offering high performance acoustic and compact versions, Modul’up is ideal for use in heavy traffic areas as it won’t ruck or roll. It can also be easily and quickly removed at the end of its service life without damaging the subfloor.

For more product information and to see the full colour range in Modul’up, please visit [www.forbo-flooring.co.uk/modulup](http://www.forbo-flooring.co.uk/modulup)




Description		
Dimensions	EN-ISO 24341	Roll width 2.0m Roll length 25m
Total thickness	ISO 24340 EN428	Compact 2.0mm 19 dB 3.45mm
Thickness wear layer	EN-ISO 24340	Compact ~ 0.7mm 19 dB ~ 0.67mm
Collection size		20
Application	EN-ISO 10874	Compact ~ Class 34/43 19 dB ~ Class 34/42
Acoustical impact sound reduction	EN-ISO 717-2	$\Delta L_w = 4$ dB $\Delta L_w = 19$ dB
In-room impact noise	NF S 31-074	$L_{n,e,w} < 75$ dB, Class B $L_{n,e,w} < 65$ dB, Class A
Residual indentation (Minimum value requirement)	EN-ISO 24343-1	Compact ~ 0.02mm ( $\leq 0.10$ mm) 19 dB ~ 0.08/0.06mm ( $\leq 0.20$ mm)
CE	EN 14041	
Reaction to fire	EN 13501-1	$B_{fl-s1^{(2)}}$ / $C_{fl-s1^{(3)}}$
Slip resistance	EN 13893	DS ~ $\mu \geq 0.30$

Available in a **19dB high traffic acoustic** version for underfoot comfort and sound reduction



Also available in a **compact** intensive traffic version







sarlon®

Sarlon Concrete 432734 | umber



eternal  
eternal de luxe

Eternal Wood 11652 | vintage oak

SARLON ACOUSTIC VINYL

Achieving lower noise pollution is essential to reducing stress and promoting the well-being and comfort of people. Our collection of Sarlon acoustic sheet vinyl delivers sound impact reduction of between 15dB and 19dB, helping to keep noise levels in busy communal areas to a minimum and reducing the risk of disturbing neighbouring tenants.

For more product information and to see the full colour range in Sarlon, please visit [www.forbo-flooring.co.uk/sarlon](http://www.forbo-flooring.co.uk/sarlon)


PHthalate  
FREE

15 dB

19 dB

IMPACT SOUND  
REDUCTION

Description		Sheet acoustic vinyl
Dimensions	EN-ISO 24341	Roll width 2.0m Roll length ≥ 25m
Total thickness	ISO 24340 EN428	15 dB 2.6mm 19 dB 3.4mm
Thickness wear layer	EN-ISO 24340	15 dB 0.7mm 19 dB 0.67mm
Collection size		Varies by design
Application	EN 10874/EN651	Class 34/42
Impact sound reduction	EN-ISO 717-2	ΔLw = 15 dB ΔLw = 19 dB
In-room impact noise	NF S 31-074	L <sub>n,e,w</sub> < 65 dB, Class A
Residual indentation (Typical value requirement)	EN-ISO 24343-1	15 dB ~0.05mm 19 dB ~0.08mm 0.20mm
CE	EN 14041	
Reaction to fire	EN 13501-1	B <sub>s1</sub> s1
Slip resistance	EN 13893	DS: ≥0.30



ETERNAL GENERAL PURPOSE VINYL

A hard wearing, design orientated sheet vinyl featuring our market leading PUR Pearl finish, the Eternal collection will withstand the daily onslaught from foot traffic in busy areas, while still remaining easy to clean and maintain.

For superior aesthetics, our Eternal de Luxe range features cutting edge embossing technology.

For more product information and to see the full colour range in Eternal, please visit [www.forbo-flooring.co.uk/eternal](http://www.forbo-flooring.co.uk/eternal)

PHthalate  
FREE

PUR Pearl™

PUR Wood Pearl™

MARKET LEADING  
MATT FINISH

UP TO 17 dB

IMPACT  
SOUND  
REDUCTION

Description		Sheet vinyl
Dimensions		Roll width 2.0m Roll length 24-30 Im
Total thickness	ISO 1765	2.0mm
Thickness wear layer	EN-ISO 24340/ EN428	0.7mm
Acoustical impact noise reduction	EN-ISO 717-2	5 dB 17 dB (Acoustic version)
Collection size		Varies by design
Application	EN 10874	Class 34/43
CE	EN 14041	
Reaction to fire	EN 13501-1	B <sub>s1</sub> s1
Slip resistance	EN 13893	DS: ≥0.30








# TESSERA CARPET TILES


Ideal for projects where quick delivery and installation times are key, our Tessa carpet tiles and planks offer modular flexibility. Not only do carpet tiles generate less installation wastage than traditional broadloom carpet, they can help reduce ongoing maintenance costs as individual tiles can be lifted and replaced as required. Tessa carpet tiles can also be installed alongside Allura Flex loose lay tiles using the same tackifier and without the need for transition strips, for an integrated solution.

For more product information and to see the full colour range in Tessa, please visit [www.forbo-flooring.co.uk/tessa](http://www.forbo-flooring.co.uk/tessa)



Description	Tufted low loop pile carpet tile*	
Dimensions	50cm x 50cm	
Total thickness	5.7mm ± 10%	
Pile height	2.8mm ± 0.5mm	
Pile weight	520gsm ± 10%	
Yarn	100% Aquafil polyamide	
Collection size	Varies by design	
Application	EN 1307	Class 33
Impact sound reduction	ISO 10140-3	$\Delta L_W = 23$ dB
Recycled content	66%	
CE	EN 14041	
Reaction to fire	EN 13501-1	B <sub>fl</sub> -s1

\*Tessa Teviot specification.  
Please visit [www.forbo-flooring.co.uk/downloads](http://www.forbo-flooring.co.uk/downloads) for the full range of Tessa specifications.




# STEP SAFETY VINYL

With wood, stone and textured options available, Step opens up a world of design led safety options ideal for use in heavy traffic or potentially wet public use areas. Our innovative Step Crystals in the wear layer deliver clear design, while ensuring Health and Safety Executive compliant genuine safety flooring.

For more product information and to see the full colour range in Step, please visit [www.forbo-flooring.co.uk/step](http://www.forbo-flooring.co.uk/step)



Description	Sheet safety vinyl	
Dimensions	Roll width 2m	Roll length 20-27 lm
Total thickness	ISO 1765	2.0mm
Thickness wear layer	EN-ISO 24340	0.7mm
Collection size	Varies by design	
Application	EN 10874	Class 34/43
Slip resistance	EN 13845 Annex C	ESf
	DIN 51130	R10
	TRRL Pendulum – Wet test – slider 96	≥ 36
CE	EN 14041	
Reaction to fire	EN 13501-1	B <sub>fl</sub> -s1
Slip resistance	EN 13893	DS: ≥0.30







# ENTRANCES

External and internal

Coral Classic 4701 | anthracite





nuway®

Nuway Connect with Coral 4201 | anthracite inserts

## NUWAY RIGID ENTRANCE SYSTEMS

The first line of defence in any building, our bespoke Nuway entrance systems are designed to scrape the worst of dirt and moisture from the soles of shoes and the treads of wheeled traffic, helping to keep interior floor coverings dryer and cleaner and to prevent slips.

For more product information and to see the full colour range in Nuway, please visit [www.forbo-flooring.co.uk/nuway](http://www.forbo-flooring.co.uk/nuway)

OPEN CONSTRUCTION

CLOSED CONSTRUCTION

DOUBLE  
DOUBLE

REVERSIBLE\*  
\*Tuftguard only

100%  
OF THE ALUMINIUM USED IN  
NUWAY TUFTGUARD IS RECYCLED

### nuway® tuftguard

The original and most widely used rigid entrance mat in the UK. Reversible, effectively doubling its lifespan and guaranteed for up to 15 years. Available in open or closed format with single or double wiper strips for increased moisture removal.

### nuway® tuftguard black anodised

All the benefits of Tuftguard combined with a matt black aesthetic. The black anodised scraper bars are available in Tuftguard Classic or Tuftguard Design.

### nuway® grid

Single sided product available with 14 inserts, including new Ultragrip Rubber for sure footing in multi-directional entrances.

### nuway® connect

Single sided product offering 'mix and match' opportunities including bristle, Ultragrip Rubber and Coral inserts.

	Best Seller Tuftguard Classic	Tuftguard Plain	Tuftguard Design
Scraper bars to remove dirt	<p>Aluminium and Black Anodised Aluminium</p>	<p>Aluminium</p>	<p>Aluminium and Black Anodised Aluminium</p>
Wiper bars to remove moisture	<p>Single or double</p> <p>Buffed rubber for use in interior entrances</p>	<p>Single or double</p> <p>Unbuffed rubber for use in external entrances</p>	<p>Single or double</p> <p>Additional choice of 9 colours to reflect interior colour schemes</p>



coral®

Coral Welcome 3207 | blue velvet

## CORAL TEXTILE ENTRANCE SYSTEMS

A well planned entrance area will not only help prevent slip and trip hazards for people entering and exiting the building, it can also help prolong the life of interior floor coverings, keeping ongoing repair and maintenance costs to a minimum. Testing by Cleaning Research International has shown that by stopping up to 95% of walked-in dirt and moisture, Coral reduces the time spent cleaning the building's other floor coverings by up to 65%.

For more product information and to see the full colour range in Coral, please visit [www.forbo-flooring.co.uk/coral](http://www.forbo-flooring.co.uk/coral)

UP TO 95%  
DIRT & MOISTURE  
REMOVAL


RECOVERS AS NEW  
AFTER INTENSE  
CLEANING

UP TO 65%  
REDUCTION IN  
CLEANING TIMES

TILE OPTIONS  
AVAILABLE

Description	Tufted cut pile*
Dimensions (size includes 2.5cm salve edge on each side)	Roll width 105 / 155 / 205cm* Roll length ≤ 27.5m Tiles 50 x 50cm
Mat dimensions	55 x 90cm / 90 x 155cm / 135 x 205cm / 205 x 300cm
Total thickness	ISO 1765 Approx 9.0mm
Backing	EVERFORT® vinyl**
Yarn	100% polyamide – BCF solution dyed
Collection size	13 (12 tiles in a box, 3m²)
Application	EN 1307 Class 33
CE	EN 14041 <small>Note: The requirements of EN14041 do not apply to loose laid mats and rugs</small>
Reaction to fire	EN 13501-1 B <sub>fl</sub> -s1
Slip resistance	EN 13893 DS
Personal charging	ISO 6356 <2 kV

\*Coral Classic specification  
\*\*Coral Classic tiles also available with Bitumen backing. Fire Resistant (FR) version available. See individual ranges for format options.





## COMMITTED TO THE HEALTH OF ONE



[WWW.FORBO-FLOORING.CO.UK/CHO](http://WWW.FORBO-FLOORING.CO.UK/CHO)

'Committed to the health of one' is a philosophy that underpins our mission to create better quality indoor environments that will, in turn, enhance the health, comfort and well-being of all those who live, learn and work in them. We want to increase awareness of the importance of making responsible choices wherever interior floor finishes are concerned. Clean air and the availability of natural daylight are both important factors that affect the quality of an indoor space.

So are the safety, acoustic, hygiene and bacteriostatic qualities of the floor coverings installed, and even their light reflection values and emission levels need to be considered. No matter what type of interior space, the use of floor coverings that are intrinsically safe and hygienic, with low emissions, effective acoustic properties and high LRVs can make an effective contribution towards the health and well-being of all the individuals who use it.

## DESIGNING FOR DEMENTIA ENVIRONMENTS



Understanding age related changes and impairments – sensory, mobility, cognitive or a combination of these – is the first step towards creating an environment which supports the needs of older people and those with dementia. Appropriately designed environments can keep them safe from dangers and provide the freedom and confidence to use their abilities to the fullest.

We recognise the need to support clients who are creating environments which are supportive of people with dementia and worked closely with The University of Stirling's Dementia Services Development Centre (DSDC) to review over 1000 floor finishes to assess their suitability for use in a dementia-friendly environment.

The Forbo products have been rated through their design in relation to dementia design principles and their usability within a dementia supportive environment. Each product has been classified to identify the suitability of the product when selecting flooring options. Accredited products will be marked with a special DSDC accredited product logo.

The DSDC accredited product logo is awarded on the merit of the individual product and colourway, not the product's final application. For an environment to be considered 'dementia-inclusive' or 'dementia-friendly', careful consideration must be given to the specification of adjoining finishes, their performance specification, and their suitability for their intended use.

Forbo can offer a portfolio of products that are DSDC accredited. For more information please visit [www.forbo-flooring.co.uk/agedcare](http://www.forbo-flooring.co.uk/agedcare)

## HEALTHY HOMES REPORT THE RESULTS




The design and quality of homes and neighbourhoods is a key contributor to the health and wellbeing of the people who live there, and almost 30% of buyers and renters would pay more for properties with those qualities.

The findings are part of the "Health and Wellbeing in Homes" report produced by the UK Green Building Council (UK-GBC), which includes consumer research by Saint-Gobain. The report aims to increase the focus of the property industry on how they can positively improve the mental, social and physical health and wellbeing of home occupiers, by providing recommendations and evidence for the industry.

According to the report, there are 18 factors that make up a healthy home, ranging from lighting, sound insulation and materials, through to connections with the local community, and practical considerations such as having laundry provision to prevent moisture and mould build up.

To read the full report visit [www.ukgbc.org/campaigns-policy/task-groups/better-homes-people](http://www.ukgbc.org/campaigns-policy/task-groups/better-homes-people)







## CREATING BETTER ENVIRONMENTS

We use several transparent independent third party certification systems for our flooring products. We're also keen to include our products in the building rating systems for a sustainable environment.

From how they're made to how they perform, we make outstanding floors that are truly sustainable. That's because our floors are good for people, good for buildings and good for the environment. So, from the building they're in to the world outside, we're helping our customers work, live and relax in better environments.

### IT'S ABOUT THE THINGS YOU CAN'T SEE

A Forbo floor is always beautiful and stylish to look at. A floor that's comfortable to live, work and play on. But looks aren't everything; often, it's the things you can't see that really matter.

### FROM HOW IT'S MADE, OUR FOOTPRINT...

From how we run our factories to how we choose our raw materials, the way we make our floors is a big part of how we meet our mission to create better environments.

### TO HOW IT PERFORMS, YOUR FOOTSTEPS...

We include the whole life of a floor when we think about its sustainability performance. Which means we make sure our floors start performing from the moment they're fitted. The following page shows some examples of our sustainability initiatives. For more details, please visit our website [www.forbo-flooring.co.uk/cbe](http://www.forbo-flooring.co.uk/cbe)

### GREEN INFORMATION

We provide environmental data sheets for our products which are available online. Please visit [www.forbo-flooring.co.uk/cbedownloads](http://www.forbo-flooring.co.uk/cbedownloads) to download them.

We also provide high quality electronic information such as **BIM models** with all the relevant and up-to-date information included. Visit [www.forbo-flooring.co.uk/BIM](http://www.forbo-flooring.co.uk/BIM) to find out more.


### SITE CERTIFICATION

As well as reducing our impact on the planet, we're also working on caring for the people that touch our business, from employees to suppliers. That's why all our UK manufacturing facilities and most of our sites in Europe **are certified to OHSAS 18001 – Occupational Health and Safety and SA8000®**. The SA8000 Standard, established by SAI and one of the world's pre-eminent social standards, is a tool for implementing international labour standards to protect workers along each step of the supply chain.



## OUR FOOTPRINT

### How it's made



## YOUR FOOTSTEPS

### How it performs



# THE NEXT STEPS

At Forbo Flooring Systems, we have a range of services that can help you in your journey to selecting the right flooring for the right area in your housing scheme. From a free sample service, to dedicated sales staff who know our Affordable Housing flooring portfolio inside out, let us help you take the next steps.



## SAMPLES

Forbo offer a quick and free sample service to help you in your decision process.

Call **0800 731 2369** or email **[samples.uk@forbo.com](mailto:samples.uk@forbo.com)**



## ANY QUESTIONS?

For more information on all our integrated flooring solutions, please visit **[www.forbo-flooring.co.uk/products](http://www.forbo-flooring.co.uk/products)**



If you would like to speak to one of our dedicated key account managers to discuss your project and flooring needs further, simply visit **[www.forbo-flooring.co.uk/affordablehousing](http://www.forbo-flooring.co.uk/affordablehousing)** and fill in our online form and someone will be in touch with you.



## BIM

For new house build projects, did you know that Forbo offers fully rendered BIM objects?

Simply visit Bimstore or NBL to download our objects for free.

