Eternal Step SR Aqua by Forbo Flooring Systems

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 65 16: Safety Vinyl Sheet Flooring

PRODUCT DESCRIPTION: Eternal Step SR Aqua vinyl sheet floor covering is a heterogeneous product with a compact calendared backing and a flexible reinforced glass fleece innerlayer for dimensional stability. The scratch resistant PUR wearlayer contains transparent anti-slip crystals. The unique embossed shape is designed for wet room or barefoot areas. Guage: .080" (2.0mm) Width: 79" (2 meters) Length: 82' (25 meters) Roll Size: 60 yd2 (50 m2)

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

C Material

Product

C 100 ppm • 1,000 ppm C Per GHS SDS

Threshold level

C Per OSHA MSDS C Other

Residuals/Impurities

C Considered C Partially Considered Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No

All Substances Above the Threshold Indicated Are:

Basic Method / Product Threshold

○ Yes Ex/SC ○ Yes ○ No Characterized % weight and role provided for all substances.

○ Yes Ex/SC ○ Yes ○ No Screened

All substances screened using Priority Hazard Lists with results disclosed.

○ Yes Ex/SC ⊙ Yes ○ No Identified All substances disclosed by Name (Specific or Generic) and

Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY **GREENSCREEN SCORE** | HAZARD TYPE

ETERNAL STEP SR AQUA [POLYVINYL CHLORIDE (PVC) LT-P1 | RES CALCIUM CARBONATE BM-3 BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3 DOLOMITE NoGS DIPROPYLENE GLYCOL DIBENZOATE LT-P1 | MUL FATTY ACIDS, C14-22, 2-ETHYLHEXYL ESTERS, EPOXIDIZED NoGS FIBERGLASS (PRIMARY CASRN IS 65997-17-3) NoGS TITANIUM DIOXIDE LT-1 | CAN | END QUARTZ LT-1 | CAN SILICA, FUSED LT-1 | CAN **POLYURETHANE FOAMS LT-UNK]**

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Percentage (%) ranges for ingredients are used as a means of keeping the exact formulations proprietary.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

LCA: Environmental Product Declaration (EPD) by UL - Industry Generic

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? C Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2019-01-16 PUBLISHED DATE: 2019-01-16 EXPIRY DATE: 2022-01-16

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ETERNAL STEP SR AQUA

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.

OTHER PRODUCT NOTES:

POLYVINYL CHLORIDE (PVC)					
HAZARD SCREENING METHOD:	HAZARD SCREE	ENING DATE: 2019	-01-16		
%: 47.0000	GS: LT-P1	RC: PreC	NANO: NO	ROLE: Polymer Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced			

SUBSTANCE NOTES:

CALCIUM CARBONATE	1			ID: 471-34
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-01-	-16
%: 14.8500	GS: BM-3	RC: None	NANO: No	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES:

BIS(2-ETHYLHEXYL) TEREPHTHALATE				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-01-16		
%: 13.4400	GS: BM-3	RC: None	NANO: NO	ROLE: Softener Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No hazards found SUBSTANCE NOTES: DOLOMITE ID: 16389-88-1 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-01-16 %: **8.3500** GS: NoGS RC: None nano: **No** ROLE: Filler HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No hazards found SUBSTANCE NOTES:

DIPROPYLENE GLYCOL DIBENZOATE				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-16		
%: 7.5600	GS: LT-P1	RC: None	NANO: NO	ROLE: Softener Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	to Class 2 - Hazard to Waters		3

SUBSTANCE NOTES:

.

FATTY ACIDS, C14-22	2, 2-ETHYLHEXYL ESTERS, EPOXIDIZED			ID: 95370-96-0
HAZARD SCREENING METHO	D: Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE: 2019-01-16	
%: 4.4000	GS: NoGS	RC: None	NANO: No ROLE: Stabilizers Bind	ler & Process Additive
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	No hazards found			
SUBSTANCE NOTES:				
FIBERGLASS (PRIMA	RY CASRN IS 65997-17-3)			ID: 94551-77-6
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2019-01	-16
%: 2.2000	GS: NoGS		RC: None NANO: No	ROLE: Carrier

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-16		
%: 0.7000	GS: LT-1	RC: None NANO: No ROLE: Pigments		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CANCER	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		

SUBSTANCE NOTES: The titanium dioxide (TiO2) is bound within the product, requiring no further labeling. Identified on the US EPA Safer Chemical Ingredient List. Form-specific hazards: airborne particles of respirable size – occupational setting. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific Hazards such as Titanium Dioxide. This HPD will be updated as appropriate when these guidelines become available. The Material Health Harmonization Task Group convened by the USGBC states that pigmentary titanium dioxide was "determined to be Benchmark 2 using the full GS (GreenScreen) method" hpdrepository.hpd-collaborative.org HPD v2.1 created via HPDC Builder Page 2 of 12 (http://ow.ly/Z5ken).

QUARTZ				ID: 14808-60-7	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2019-01-16		
%: 0.5000 - 2.5000	GS: LT-1	RC: None	NANO: NO	ROLE: Anti-Slip Particles	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation
SUBSTANCE NOTES:		
SILICA, FUSED		ID: 60676-86-0
HAZARD SCREENING METHOD: Phai	ros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-01-16
%: 0.5000 - 2.5000	GS: LT-1	RC: None NANO: No ROLE: Anti-Slip Particles
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen

SUBSTANCE NOTES:

POLYURETHANE FOAMS					
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-01-16		1-16	
%: 0.3000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Finish	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: Finis	h contains no Isocyanates.				

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard M Office scenario	ethod V1.2 (Section (01350/CHPS) - Classroom &		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2014- 04-18	EXPIRY DATE:	CERTIFIER OR LAB: Berkeley Analytical		
CERTIFICATION AND COMPLIANCE NOTES:					
LCA	Environmental Pro	oduct Declaration (EP	D) by UL - Industry Generic		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: The Green Standard CERTIFICATE URL: https://www.forboflooringna.com	ISSUE DATE: 2018- 07-19	EXPIRY DATE: 2023- 07-19	CERTIFIER OR LAB: UL Environment		
CERTIFICATION AND COMPLIANCE NOTES:					
Section 4: Accessories					
This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.					
FORBO 660 ADHESIVE (VOC 12.00 G/L)	HPD URL:	No HPD available			
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER N Standard recommended adhesive used for install					
FORBO ADHESIVE REMOVER	HPD URL:	No HPD available			
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER N					
NEUTRAL PH CLEANER	HPD URL:	No HPD available			
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER N	NOTES:				
READY TO USE NEUTRAL PH CLEANER	HPD URL:	No HPD available			
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER N	NOTES:				

HPD v2.1.1 created via HPDC Builder Page 6 of 8

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used for interim maintenance.

FORBO WALL BASE

HPD URL: http://www.forboflooringna.com

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used with Eternal Step SR Aqua installation using the recommended adhesive.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Forbo Flooring Systems ADDRESS: 8 Maplewood Dr. Hazle Township PA 18202, United States WEBSITE: www.forboflooringna.com CONTACT NAME: Shannon Wolski-Konecnik TITLE: Product Support & Education Services Administrator PHONE: 570-450-0319 EMAIL: shannon.wolski@forbo.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

GLO Global warming

MUL Multiple hazards

OZO Ozone depletion

NEU Neurotoxicity

MAM Mammalian/systemic/organ toxicity

PBT Persistent Bioaccumulative Toxic

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.