# **Allura Flex** by Forbo Flooring Systems

# **Health Product** Declaration v2.3

created via: HPDC Online Builder

# HPD UNIQUE IDENTIFIER: 59854757888

CLASSIFICATION: 09 65 19.23 Vinyl Tile Flooring

PRODUCT DESCRIPTION: Allura Flex is a luxury vinyl tile that is comprised of a vinyl wear layer with a high performance PUR topcoat which provides color clarity. A calendared wear layer provides clear image, superior strength and durability. The thick glass inter-layer ensures dimensional stability, flexibility, tension releases and strength with a solid backing for comfort, balance and prevention of curl. The mechanical foam back layer contributes to its acoustical properties. Wear Layer - 0.55 mm (21.65 mils), 1.0 mm (39.37 mils); Gauge - 4 mm (0.157"), 5 mm (0.197"); Tile Size - Varies (Ranges from 50 cm x 50 cm (19.7" x 19.7"), 150 cm x 20 cm (59.1" x 7.9"), 75 cm x 15 cm (29.5" x 5.9"), 75 cm x 25 cm (29.5" x 9.8"), and others.

# Section 1: Summary

### CONTENT INVENTORY

- **Inventory Reporting Format**
- C Nested Materials Method
- Basic Method

**Threshold Disclosed Per** 

C Material

O Product

- **Threshold Level** C 100 ppm ⊙ 1,000 ppm
- O Per GHS SDS O Other

Explanation(s) provided : ⊙ Yes ○ No

# **Basic Method / Product Threshold**

For all contents above the threshold, the n Characterized	nanufacturer has: • Yes • No
Provided weight and role. Screened	⊙ Yes ⊖ No
Provided screening results using HPDC-a, methods.	
Identified	O Yes O No
Provided name and CAS RN or other iden	tifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

### **PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY** GREENSCREEN SCORE | HAZARD TYPE

ALLURA FLEX [ PVC (POLYVINYL CHLORIDE) LT-P1 | MAM DOLOMITE NoGS CHALK (CALCIUM CARBONATE) BM-3 | EYE RECYCLED FORBO SPHERA VINYL (PVC) LT-P1 MAM RECYCLED FORBO ALLURA VINYL (PVC) LT-P1 | MAM RECYCLED FORBO ETERNAL VINYL (PVC) LT-P1 MAM PLASTICIZER OILS (BIS(2-ETHYLHEXYL) TEREPHTHALATE) BM-3dg DOTP & DIBENZOATES (DIPROPYLENE GLYCOL DIBENZOATE) LT-P1 | MUL EPOXIDISED ESTERS, PROPRIETARY MIXTURES & LUBRICANTS (FATTY ACIDS, C14-22, 2-ETHYLHEXYL ESTERS, EPOXIDIZED) NoGS FIBERGLASS TISSUE LT-UNK TITANIUM DIOXIDE BM-1\* | CAN | END | MAM PIGMENT YELLOW 93 LT-P1 PIGMENT RED 254 LT-UNK PIGMENT BLUE 15 BM-3 CARBON BLACK BM-1\* | CAN | EYE | MAM | PHY ACRYLATED ALIPHATIC URETHANE NoGS URETHANE ACRYLATE NoGS

# **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 3 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1 Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

Percentage (%) ranges for ingredients are used as a means of keeping the exact formulations proprietary.

\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

### **CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

listings. VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario LCA: Environmental Product Declaration (EPD) by UL

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4.1 Option 1.

Third Party Verified? O Yes

PREPARER: Self-Prepared VERIFIER: **VERIFICATION #:** 

SCREENING DATE: 2024-05-09 PUBLISHED DATE: 2024-05-10 EXPIRY DATE: 2027-05-09

No

**Residuals/Impurities Evaluation** C Completed C Partially Completed Not Completed

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

# **ALLURA FLEX**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.

OTHER PRODUCT NOTES:

PVC (POLYVINYL CHLOR	NDE)				ID: 9002-86-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	/	HAZARD S	CREENING DATE:	2024-05-09 13:20:42
%: 33.0000 - 37.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE I	ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MAM	GHS - Japan		-	respiratory irritatior gle exposure - Cate	
МАМ	GHS - Japan		repeated exposure	mage to organs thro Specific target org exposure - Catego	gans/systemic toxicity
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precaution	ary List	
			Precautionary list avoidance	of substances recor	nmended for
RESTRICTED LIST	Cradle to Cradle Products Innov (C2CPII)	vation Institute	C2C Certified v4 F List (RSL) - Effecti		estricted Substances
			Core Restrictions		
RESTRICTED LIST	International Living Future Instit	ute (ILFI)	Living Building Ch Chemicals - Effect	allenge 4.0 - Red Li ive April 1, 2024	st of Materials &
			Red List substance V4.0 projects	es to avoid in Living	Building Challenge

SUBSTANCE NOTES:

DOLOMITE				ID: 16389-88-1
HAZARD DATA SOURCE:	Pharos Chemical and Materials Li	brary	HAZARD SC	CREENING DATE: 2024-05-09 13:29:00
%: <b>0.0000 - 22.5000</b>	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD Pr	iority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Addit	ional Hazard Lists
SUBSTANCE NOTES: Dolo	mite is used as a filler for Allura Flex.				
CHALK (CALCIUM CARBON	IATE)				ID: <b>471-34-1</b>
HAZARD DATA SOURCE: F	Pharos Chemical and Materials Librar	у	HAZARD S	CREENING DATE: 20	)24-05-09 13:32:20
%: 0.0000 - 22.5000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE RO	LE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
EYE	GHS - New Zealand		Eye irritation categ	ory 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Addit	ional Hazard Lists
SUBSTANCE NOTES: Chall	k (Calcium Carbonate) is used as a filler	r for Allura Flex.			
					10,0000.000
RECYCLED FORBO SPHER HAZARD DATA SOURCE:	A VINYL (PVC) Pharos Chemical and Materials Librar	'V	HAZARD S	CREENING DATE: 20	ID: 9002-86-2
%: 0.0000 - 22.0000	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE RO	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MAM	GHS - Japan		H335 - May cause	respiratory irritation [S	pecific target

MAM

GHS - Japan

H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]

H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024
		Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: Scrap closed-loop recycled Forbo vinyl is used as an additional filler in the production of new Forbo vinyl flooring. Sourced internally (pre-consumer) or globally (post-consumer from logistics, installation, and End Of Life\*). Refer to Forbo's Sphera Vinyl Flooring HPD for a full ingredient list.

# **RECYCLED FORBO ALLURA VINYL (PVC)**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-05-09 13:37:14 %: 0.0000 - 22.0000 GreenScreen: LT-P1 RC: Both NANO: No SUBSTANCE ROLE: Filler HAZARD TYPE LIST NAME AND SOURCE WARNINGS MAM GHS - Japan H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] MAM GHS - Japan H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION RESTRICTED LIST Perkins+Will (P+W) P&W - Precautionary List Precautionary list of substances recommended for avoidance RESTRICTED LIST Cradle to Cradle Products Innovation Institute C2C Certified v4 Product Standard Restricted Substances (C2CPII) List (RSL) - Effective July 1, 2022 **Core Restrictions** RESTRICTED LIST International Living Future Institute (ILFI) Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects

ID: 9002-86-2

SUBSTANCE NOTES: Scrap closed-loop recycled Forbo vinyl is used as an additional filler in the production of new Forbo vinyl flooring. Sourced internally (pre-consumer) or globally (post-consumer from logistics, installation, and End Of Life\*). Refer to Forbo's Allura Vinyl Flooring HPD for a full ingredient list.

### **RECYCLED FORBO ETERNAL VINYL (PVC)**

ID: 9002-86-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SC	CREENING DATE: 2024-05-09 13:36:4
%: 0.0000 - 22.0000	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
МАМ	GHS - Japan			respiratory irritation [Specific target gle exposure - Category 3]
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or [Specific target organs/systemic toxicity exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precautiona	ary List
			Precautionary list o avoidance	of substances recommended for
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	ovation Institute	C2C Certified v4 P List (RSL) - Effectiv	roduct Standard Restricted Substances ve July 1, 2022
			Core Restrictions	
RESTRICTED LIST	International Living Future Inst	itute (ILFI)	Living Building Cha Chemicals - Effecti	allenge 4.0 - Red List of Materials & ive April 1, 2024
			Red List substance V4.0 projects	es to avoid in Living Building Challenge

SUBSTANCE NOTES: Scrap closed-loop recycled Forbo vinyl is used as an additional filler in the production of new Forbo vinyl flooring. Sourced internally (pre-consumer) or globally (post-consumer from logistics, installation, and End Of Life\*). Refer to Forbo's Eternal Vinyl Flooring HPD for a full ingredient list.

### PLASTICIZER OILS (BIS(2-ETHYLHEXYL) TEREPHTHALATE)

# ID: 6422-86-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD S	CREENING DATE: 2024-05-09 13:21:12
%: 0.0000 - 15.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Softener
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (	GSPI)	GSPI - Six Classe	s Precautionary List
			Some Solvents	
SUBSTANCE NOTES:				
DOTP & DIBENZOATES (DIP	PROPYLENE GLYCOL DIBENZOATE)			ID: <b>27138-31-</b>
HAZARD DATA SOURCE: P	haros Chemical and Materials Library	,	HAZARD S	CREENING DATE: 2024-05-09 13:21:4
%: 0.0000 - 15.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Softener
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Haza Waters	ardous to	Class 3 - Severe H	Hazard to Waters
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (	GSPI)	GSPI - Six Classe	s Precautionary List
			Some Solvents	
				ID: <b>95370-96-</b>
EPOXIDISED ESTERS, PROF	PRIETARY MIXTURES & S, C14-22, 2-ETHYLHEXYL ESTERS,			ID: <b>95370-96-</b>
EPOXIDISED ESTERS, PROF LUBRICANTS (FATTY ACIDS EPOXIDIZED)		,	HAZARD S	ID: 95370-96- CREENING DATE: 2024-05-09 13:22:1
EPOXIDISED ESTERS, PROF LUBRICANTS (FATTY ACIDS EPOXIDIZED)	S, C14-22, 2-ETHYLHEXYL ESTERS,	RC: None	HAZARD S NANO: <b>No</b>	
EPOXIDISED ESTERS, PROF LUBRICANTS (FATTY ACIDS EPOXIDIZED) HAZARD DATA SOURCE: P	S, C14-22, 2-ETHYLHEXYL ESTERS, Pharos Chemical and Materials Library			CREENING DATE: 2024-05-09 13:22:1
EPOXIDISED ESTERS, PROF LUBRICANTS (FATTY ACIDS EPOXIDIZED) HAZARD DATA SOURCE: P %: 3.0000 - 4.0000	S, C14-22, 2-ETHYLHEXYL ESTERS, Pharos Chemical and Materials Library GreenScreen: NoGS		NANO: <b>No</b> Warnings	CREENING DATE: 2024-05-09 13:22:1 SUBSTANCE ROLE: Stabilizer
EPOXIDISED ESTERS, PROF LUBRICANTS (FATTY ACIDS EPOXIDIZED) HAZARD DATA SOURCE: P %: 3.0000 - 4.0000 HAZARD TYPE	S, C14-22, 2-ETHYLHEXYL ESTERS, Pharos Chemical and Materials Library GreenScreen: NoGS		NANO: <b>No</b> Warnings	CREENING DATE: 2024-05-09 13:22:1
EPOXIDISED ESTERS, PROF LUBRICANTS (FATTY ACIDS EPOXIDIZED) HAZARD DATA SOURCE: P %: 3.0000 - 4.0000 HAZARD TYPE None found	S, C14-22, 2-ETHYLHEXYL ESTERS, Pharos Chemical and Materials Library GreenScreen: NoGS LIST NAME AND SOURCE		NANO: <b>No</b> WARNINGS No war	CREENING DATE: 2024-05-09 13:22:1 SUBSTANCE ROLE: Stabilizer
EPOXIDISED ESTERS, PROF LUBRICANTS (FATTY ACIDS EPOXIDIZED) HAZARD DATA SOURCE: P %: 3.0000 - 4.0000 HAZARD TYPE None found ADDITIONAL LISTINGS	S, C14-22, 2-ETHYLHEXYL ESTERS, Pharos Chemical and Materials Library GreenScreen: NoGS LIST NAME AND SOURCE		NANO: <b>No</b> WARNINGS No war	CREENING DATE: 2024-05-09 13:22:1 SUBSTANCE ROLE: Stabilizer
EPOXIDISED ESTERS, PROF LUBRICANTS (FATTY ACIDS EPOXIDIZED) HAZARD DATA SOURCE: P %: 3.0000 - 4.0000 HAZARD TYPE None found ADDITIONAL LISTINGS None found	S, C14-22, 2-ETHYLHEXYL ESTERS, Pharos Chemical and Materials Library GreenScreen: NoGS LIST NAME AND SOURCE		NANO: <b>No</b> WARNINGS No war	CREENING DATE: 2024-05-09 13:22:1 SUBSTANCE ROLE: Stabilizer
EPOXIDISED ESTERS, PROF LUBRICANTS (FATTY ACIDS EPOXIDIZED) HAZARD DATA SOURCE: P %: 3.0000 - 4.0000 HAZARD TYPE None found ADDITIONAL LISTINGS None found SUBSTANCE NOTES:	S, C14-22, 2-ETHYLHEXYL ESTERS, Pharos Chemical and Materials Library GreenScreen: NoGS LIST NAME AND SOURCE		NANO: <b>No</b> WARNINGS No war	CREENING DATE: 2024-05-09 13:22:1 SUBSTANCE ROLE: Stabilizer nings found on HPD Priority Hazard Lists
EPOXIDISED ESTERS, PROF LUBRICANTS (FATTY ACIDS EPOXIDIZED) HAZARD DATA SOURCE: P %: 3.0000 - 4.0000 HAZARD TYPE None found ADDITIONAL LISTINGS None found SUBSTANCE NOTES: FIBERGLASS TISSUE	S, C14-22, 2-ETHYLHEXYL ESTERS, Pharos Chemical and Materials Library GreenScreen: NoGS LIST NAME AND SOURCE	RC: None	NANO: <b>No</b> WARNINGS No war NOTIFICATION No	CREENING DATE: 2024-05-09 13:22:1 SUBSTANCE ROLE: Stabilizer
EPOXIDISED ESTERS, PROF LUBRICANTS (FATTY ACIDS EPOXIDIZED) HAZARD DATA SOURCE: P %: 3.0000 - 4.0000 HAZARD TYPE None found ADDITIONAL LISTINGS None found SUBSTANCE NOTES: FIBERGLASS TISSUE	S, C14-22, 2-ETHYLHEXYL ESTERS, Pharos Chemical and Materials Library GreenScreen: NoGS LIST NAME AND SOURCE LIST NAME AND SOURCE	RC: None	NANO: <b>No</b> WARNINGS No war NOTIFICATION No	CREENING DATE: 2024-05-09 13:22:1 SUBSTANCE ROLE: Stabilizer nings found on HPD Priority Hazard Lists listings found on Additional Hazard Lists
EPOXIDISED ESTERS, PROF LUBRICANTS (FATTY ACIDS EPOXIDIZED) HAZARD DATA SOURCE: P %: 3.0000 - 4.0000 HAZARD TYPE None found ADDITIONAL LISTINGS None found SUBSTANCE NOTES: FIBERGLASS TISSUE	S, C14-22, 2-ETHYLHEXYL ESTERS, Pharos Chemical and Materials Library GreenScreen: NoGS LIST NAME AND SOURCE LIST NAME AND SOURCE	RC: None	NANO: No WARNINGS No war NOTIFICATION No HAZARD S	CREENING DATE: 2024-05-09 13:22:1 SUBSTANCE ROLE: Stabilizer nings found on HPD Priority Hazard Lists listings found on Additional Hazard Lists ID: 94551-77- CREENING DATE: 2024-05-09 13:33:0

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions
		Exempted from REACH Annex V listing due to intrinsic safety
SUBSTANCE NOTES:		

 		-	<b>•</b>	 _
 ΔΝΙ	UM	11	())	-
			$\mathbf{v}$	

ID: 13463-67-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Lil	brary	HAZARD S	CREENING DATE: 2024-05-09 13:22:50
%: 0.0000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	E	WARNINGS	
CAN	US CDC - Occupational Ca	US CDC - Occupational Carcinogens		vinogen**
CAN	CA EPA - Prop 65		Carcinogen - spec	ific to chemical form or exposure route**
CAN	IARC		Group 2B - Possib from occupational	ly carcinogenic to humans - inhaled sources**
CAN	MAK		• ·	93A - Evidence of carcinogenic effects o establish MAK/BAT value**
END	TEDX - Potential Endocrine	e Disruptors	Potential Endocrin	e Disruptor**
CAN	MAK		Carcinogen Group risk under MAK/BA	4 - Non-genotoxic carcinogen with low AT levels**
CAN	IARC		Group 2b - Possib	ly carcinogenic to humans**
CAN	EU - GHS (H-Statements)	Annex 6 Table 3-1	H351 - Suspected Category 2]**	of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]**	of causing cancer [Carcinogenicity -
МАМ	GHS - Japan		repeated exposure	mage to organs through prolonged or Specific target organs/systemic toxicity exposure - Category 1]**

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
	EPA)	Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: \*\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

PIGMENT YELLOW 93					ID: 5580-57-4
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	CREENING DATE:	2024-05-09 14:06:46
%: <b>0.0000 - 1.0000</b>	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE R	OLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	nings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innov (C2CPII)	ation Institute	C2C Certified v4 I List (RSL) - Effect		estricted Substances
			Core Restrictions		

SUBSTANCE NOTES:

PIGMENT RED 254				ID: 84632-65-5
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-05-09 14:07:27	
%: 0.0000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Ir (C2CPII)	nnovation Institute	C2C Certified v4 F List (RSL) - Effecti	Product Standard Restricted Substances ive July 1, 2022	
			Core Restrictions		
SUBSTANCE NOTES:					
PIGMENT BLUE 15				ID: <b>147-14-8</b>	
HAZARD DATA SOURCE: P	haros Chemical and Materials Lib	orary	HAZARD S	CREENING DATE: 2024-05-09 14:07:44	
%: 0.0000 - 1.0000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	nings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
POSITIVE LIST	US Environmental Protectio	al Protection Agency (US US EF		US EPA - DfE Safer Chemicals Ingredients list (SCIL)	
	EPA)		Colorants - Green Circle (Verified Low Concern)		
SUBSTANCE NOTES:					
CARBON BLACK				ID: <b>1333-86-4</b>	
	haros Chemical and Materials Lib	orary	HAZARD S	CREENING DATE: 2024-05-09 14:08:00	
%: 0.0000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	US CDC - Occupational Car	rcinogens	Occupational Carc	cinogen**	
CAN	МАК		Carcinogen Group but not sufficient for	3B - Evidence of carcinogenic effects or classification**	
CAN	CA EPA - Prop 65		Carcinogen - spec	ific to chemical form or exposure route**	

CAN

EYE

CAN

CAN

MAM

IARC

GHS - New Zealand

GHS - New Zealand

GHS - Japan

GHS - Japan

GHS - Japan

following repeated exposure - Category 1]\*\*

H351 - Suspected of causing cancer [Carcinogenicity -

H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity

Group 2b - Possibly carcinogenic to humans\*\*

Eye irritation category 2\*\*

Category 2]\*\*

Carcinogenicity category 2\*\*

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

No listings found on Additional Hazard Lists

ID: 52404-33-8

#### None found

SUBSTANCE NOTES: \*\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

# ACRYLATED ALIPHATIC URETHANE

HAZARD DATA SOURCE: P	Pharos Chemical and Materials Library	,	HAZARD S	CREENING DATE: 2024-05-09 14:05:27
%: 0.0000 - 0.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
4				

SUBSTANCE NOTES:

URETHANE ACRYLATE				ID: <b>68987-79-1</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2024-05-09 14:06:03
%: 0.0000 - 0.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 013	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2023-06-14 00:00:00 EXPIRY DATE: 2026-06-14 00:00:00	CERTIFIER OR LAB: Berkeley Analytical		
CERTIFICATION AND COMPLIANCE NOTES:				
LCA	Environmental Product Declaration (EPD)	Environmental Product Declaration (EPD) by UL		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All	ISSUE DATE: 2023-09-01 00:00:00 EXPIRY DATE: 2028-09-01 00:00:00	CERTIFIER OR LAB: UL Environment		

CERTIFICATION AND COMPLIANCE NOTES:

# 🕒 Section 4: Accessories

CERTIFICATE URL:

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### FORBO SUSTAIN 1195 ADHESIVE

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

### HPD URL: No HPD Available

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Sustain 1195 is the standard recommended adhesive for Allura Flex installations. Refer to Forbo's Sustain 1195 Technical Data Sheet for full installation recommendations and requirements.

#### FORBO T 940 ADHESIVE

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

#### HPD URL: No HPD Available

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo T 940 can be used as an alternate adhesive for Allura Flex installations. Refer to Forbo's T 940 Adhesive Technical Data Sheet for full installation recommendations and requirements.

#### FORBO 660 ADHESIVE

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

### HPD URL: No HPD Available

#### ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo 660 Adhesive can be used as an alternate adhesive for Allura Flex installations. Refer to Forbo's 660 Adhesive Technical Data Sheet for full installation recommendations and requirements.

# FORBO WALL BASE

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

### HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Wall Base is an optional accessory for use with Allura Flex. Forbo Wall Base is produced in roll form and constructed from high grade resins, thermoplastic binders, fillers, and pigments.

# FORBO ADHESIVE REMOVER MANUFACTURER (OR GENERIC): Forbo Flooring Systems

# HPD URL: No HPD Available

ACCESSORY TYPE: Cleaning Product CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Adhesive Remover is a recommended cleaning product for use with Allura Flex.

# FORBO NEUTRAL PH CLEANER

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

# HPD URL: No HPD Available

# ACCESSORY TYPE: Cleaning Product

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Neutral pH Cleaner is a recommended cleaning product for use with Allura Flex.

# FORBO HEAVY DUTY CLEANER

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

# HPD URL: No HPD Available ACCESSORY TYPE: Cleaning Product CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Heavy Duty Cleaner is a recommended cleaning product for use with Allura Flex.

# FORBO MATTE FLOOR FINISH

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

# HPD URL: No HPD Available

# ACCESSORY TYPE: Maintenance Product

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Matte Floor Finish is an optional accessory for use with Allura Flex.

# Section 5: General Notes

Allura Flex contains no Isocyanates.

### MANUFACTURER INFORMATION

MANUFACTURER: Forbo Flooring Systems ADDRESS: 8 Maplewood Drive Hazleton, PA 18202 COUNTRY: United States WEBSITE: www.forboflooringNA.com CONTACT NAME: Jeff Miller TITLE: Sustainability & Documentation Administrator PHONE: 570-450-0319 EMAIL: jeff.miller@forbo.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

GreenScreen (GS)

PreC Pre-consumer recycled content
 PostC Post-consumer recycled content
 UNK Inclusion of recycled content is unknown
 None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator<sup>TM</sup>, and when available, full GreenScreen<sup>®</sup> assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

for compliance with the HPD standard noted.