eurocol

Page 1/12

Revision: 08.05.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.05.2023

Version number 12.0 (replaces version 10.2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 042 Euroblock Turbo
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Special priming
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Forbo Eurocol Deutschland GmbH August-Röbling-Straße 2 99091 Erfurt GERMANY

Tel.: +49 361 730 41 0 Fax: +49 (0)361 73041-92

E-Mail: Elisabeth.Reinhardt@forbo.com

www.forbo-eurocol.de

· Further information obtainable from:

Laboratory

Elisabeth Reinhardt

Elisabeth.Reinhardt@forbo.com

· 1.4 Emergency telephone number:

Poison information center for the states of Mecklenburg-Western Pomerania, Saxony, Saxony-Anhalt and Thuringia:

+49-361-730730

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

Printing date 08.05.2023 Version number 12.0 (replaces version 10.2) Revision: 08.05.2023

Trade name: 042 Euroblock Turbo

· Hazard pictograms

(Contd. of page 1)

· Hazara piciogr





GHS07 GHS

· Signal word Danger

· Hazard-determining components of labelling:

4,4'-methylenediphenyl diisocyanate

MDI - based polyisocyanate prepolymer

o-(p-isocyanatobenzyl)phenyl isocyanate

2,2'-methylenediphenyl diisocyanate

diphenylmethanediisocyanate,isomeres and homologues

· Hazard statements

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eve irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Additional information:

Contains isocyanates. May produce an allergic reaction. For professional use only. From 24 August 2023, appropriate training must be provided prior to industrial and professional use. Restricted to professional users.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 08.05.2023 Version number 12.0 (replaces version 10.2) Revision: 08.05.2023

Trade name: 042 Euroblock Turbo

Dangarous components:	· · · · · · · · · · · · · · · · · · ·	
Dangerous components:	1	
CAS: 101-68-8	4,4'-methylenediphenyl diisocyanate	≥25-≤50
EINECS: 202-966-0	🗞 Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;	
Reg.nr.: 01-2119457014-47-XXXX		
	H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204	
	Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5 \%$	
	Skin Irrit. 2; H315: C ≥ 5 %	
	Resp. Sens. 1; H334: $C \ge 0.1$	
	%	
	STOT SE 3; H335: C ≥ 5 %	
CAS: 67815-87-6	MDI - based polyisocyanate prepolymer	≥25-≤50
	Resp. Sens. 1, H334; STOT RE 2, H373; Acute Tox.	
	4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit.	
	2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 5873-54-1	o-(p-isocyanatobenzyl)phenyl isocyanate	≥10-≤25
EINECS: 227-534-9	♦ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;	210 325
LINECS. 227 334 7	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2,	
	H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204	
	Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5$ %	
	Skin Irrit. 2; H315: $C \ge 5\%$	
	Resp. Sens. 1; H334: $C \ge 0.1$	
	Resp. sens. 1, 11334. $C \ge 0.1$	
	5TOT SE 3; H335: C ≥ 5 %	
CAS: 2536-05-2	2,2'-methylenediphenyl diisocyanate	≥1-<5%
EINECS: 219-799-4	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;	
	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2,	
	H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204	
	Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5 \%$	
	Skin Irrit. 2; H315: C≥5 %	
	Resp. Sens. 1; H334: $C \ge 0.1$	
	%	
	STOT SE 3; H335: C ≥ 5 %	
CAS: 9016-87-9	diphenylmethanediisocyanate,isomeres and homologues	≥1-<5%
	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2,	
	H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204	
	Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5 \%$	
	Skin Irrit. 2; H315: C ≥ 5 %	
	Resp. Sens. 1; H334: $C \ge 0.1$	
	%	
	STOT SE 3; H335: C ≥ 5 %	

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 4)

Printing date 08.05.2023 Version number 12.0 (replaces version 10.2) Revision: 08.05.2023

Trade name: 042 Euroblock Turbo

(Contd. of page 3)

· After skin contact:

After contact with skin, wash immediately with plenty of soap and water. Take off all contaminated clothing immediately and wash before wearing again. In case of skin irritation, consult a doctor.

· After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting. Rinse out mouth and drink plenty of water. Consult a doctor if symptoms persist.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Carbon dioxide

Foam

Fire-extinguishing powder

CO2, extinguishing powder

· 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Recommended storage temperature:

10-30°C

(Contd. on page 5)

Printing date 08.05.2023 Version number 12.0 (replaces version 10.2) Revision: 08.05.2023

Trade name: 042 Euroblock Turbo

(Contd. of page 4)

10-30°C

- · Storage class (TRGS): 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingre	dients with limit values that require monitoring at the workplace:
101-6	8-8 4,4'-methylenediphenyl diisocyanate
	Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO
<i>5873-</i>	54-1 o-(p-isocyanatobenzyl)phenyl isocyanate
	Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO
2536-	05-2 2,2'-methylenediphenyl diisocyanate
	Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO
9016-	87-9 diphenylmethanediisocyanate,isomeres and homologues
	Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO
D 3.15	

· DNELs

101-68-8 4	1,4'-methylenediphenyl diisocyanate	
Oral	DNEL Acute - oral, systemic effects	20 mg/kg bw/day (general public)
Dermal	DNEL Acute - dermal systemic effects	50 mg/kg bw/day (Worker)
		25 mg/kg bw/day (general public)
	DNEL Acute - dermal, local effects	17.2 mg/kg (general public)
Inhalative	DNEL long-term - inhalation local effects	$0.05 \text{ mg/m}^3 \text{ (Worker)}$
		0.025 mg/m³ (general public)
	DNEL Long-term – inhalation, systemic effects	$0.05 \text{ mg/m}^3/d \text{ (Worker)}$
		0.025 mg/m³/d (general public)
	DNEL Acute – inhalation, systemic effects	0.1 mg/m^3 (Worker)
		0.05 mg/m³ (general public)
	DNEL Acute - inhalation, local effects	0.1 mg/m³ (Worker)
		0.05 mg/m³ (general public)
5873-54-1	o-(p-isocyanatobenzyl)phenyl isocyanate	
Inhalative	DNEL long-term - inhalation local effects	$0.05 \text{ mg/m}^3 \text{ (Worker)}$
		0.025 mg/m³ (general public)
	DNEL Acute - inhalation, local effects	0.1 mg/m³ (Worker)
		0.05 mg/m³ (general public)
2536-05-2	2,2'-methylenediphenyl diisocyanate	1
Inhalative	DNEL long-term - inhalation local effects	0.05 mg/m³ (Worker)
		0.025 mg/m³ (general public)
		(Contd. on pag

Printing date 08.05.2023 Version number 12.0 (replaces version 10.2) Revision: 08.05.2023

Trade name: 042 Euroblock Turbo

		(Contd. o	fр
DNEL Acute - inhalation,	local effects	$0.1 \text{ mg/m}^3 \text{ (Worker)}$	
		0.05 mg/m³ (general public)	
PNECs			
101-68-8 4,4'-methylenediphenyl diis	•		
PNEL Predicted No Effects Level (SO			
PNEC short term, fresh water		atic organisms)	
PNEC short term, sea water		uatic organisms)	
PNEC short term, sewage plant	1 mg/l (Aqu	atic organisms)	
PNEC short term, intermittent release	es 10 mg/l (Aq	uatic organisms)	
5873-54-1 o-(p-isocyanatobenzyl)phe			
PNEC short term, fresh water		atic organisms)	
PNEC short term, sea water	0.1 mg/l (Aq	uatic organisms)	
PNEC short term, sewage plant		atic organisms)	
PNEC short term soil 1 mg/kg (teresstric organisms)		esstric organisms)	
PNEC short term, intermittent release			
2536-05-2 2,2'-methylenediphenyl di	<u>.</u>		
PNEC short term, fresh water	1 mg/l (Aquatic organisms)		
PNEC short term, sea water	0.1 mg/l (Aq	0.1 mg/l (Aquatic organisms)	
PNEC short term, sewage plant	10 mg/l (Aq	10 mg/l (Aquatic organisms)	
PNEC short term soil		uatic organisms)	
PNEC short term, intermittent release	2s 10 mg/l (Aq	10 mg/l (Aquatic organisms)	
Ingredients with biological limit valu	es:		
101-68-8 4,4'-methylenediphenyl diis	socyanate		
BMGV 1 µmol creatinine/mol			
Medium: urine	.1 • 1 1		
Sampling time: At the end of a Parameter: isocyanate-derive		oosure	
5873-54-1 o-(p-isocyanatobenzyl)phe			
BMGV 1 µmol creatinine/mol	,. isocymiaic		
Medium: urine			
Sampling time: At the end of		oosure	
Parameter: isocyanate-derive			
2536-05-2 2,2'-methylenediphenyl di	isocyanate		
BMGV 1 \(\text{µmol creatinine/mol} \)			
Medium: urine Sampling time: At the end of i	the neriod ad av	nosure	
Parameter: isocyanate-derive		iosui c	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

(Contd. on page 7)

Printing date 08.05.2023 Version number 12.0 (replaces version 10.2) Revision: 08.05.2023

Trade name: 042 Euroblock Turbo

(Contd. of page 6)

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- General Information

Physical state
Colour:
Odour:
Weak, character

Odour: Weak, characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range Undetermined.
Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined.
· Upper: Not determined.
· Flash point: 210 °C

Decomposition temperature: Not determined.pH Not determined.

· Viscosity:

· Kinematic viscosity Not determined.

· Viscosity at 100°C:

• **Dynamic at 20 °C:** 145-220 mPas

· Solubility

• water: Not miscible or difficult to mix.

• Partition coefficient n-octanol/water (log value)
• Vapour pressure:

Not determined.

Not determined.

(Contd. on page 8)

Printing date 08.05.2023 Version number 12.0 (replaces version 10.2) Revision: 08.05.2023

Trade name: 042 Euroblock Turbo

	(Contd. of page	
Density and/or relative density		
Density at 20 °C:	1.15 g/cm^3	
Relative density	Not determined.	
Density (@15°C)	Not determined.	
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of heal environment, and on safety.	lth and	
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Solvent content:	1 Toutet does not present an expression nazara.	
VOC (EC)	0.00 %	
Change in condition	0.00 / 0	
Evaporation rate	Not determined.	
Information with regard to physical hazard of	olassas	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
	77 - 1	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

· Desensitised explosives

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Void

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if inhaled.

(Contd. on page 9)

Printing date 08.05.2023 Version number 12.0 (replaces version 10.2) Revision: 08.05.2023

Trade name: 042 Euroblock Turbo

		(Contd. of pa
LD/LC50	values relevant for classification:	
ATE (Acu	te Toxicity Estimates)	
Oral	LD50	>6,667-8,000 mg/kg (rat)
Inhalative	LD50	>2.13-2.56 mg/kg
101-68-8 4	1,4'-methylenediphenyl diisocyanate	
Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>9,400 mg/kg (rabbit)
67815-87-	6 MDI - based polyisocyanate prepolyn	ner
Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	9,400 mg/kg (rat)
Inhalative	Acute toxicity Estimate inhalative (4h)	11 mg/l
5873-54-1	o-(p-isocyanatobenzyl)phenyl isocyana	nte
Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	9,400 mg/kg (rabbit)
Inhalative	Acute toxicity Estimate inhalative (4h)	1.5 mg/l
2536-05-2	2,2'-methylenediphenyl diisocyanate	
Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>9,400 mg/kg (rabbit)
Inhalative	Acute toxicity Estimate inhalative (4h)	11 mg/l
9016-87-9	diphenylmethanediisocyanate,isomere	s and homologues
Oral	LD50	>10,000 mg/kg (rat)
Dermal	LD50	9,400 mg/kg (rabbit)
Inhalative	Acute toxicity Estimate inhalative (4h)	11 mg/l

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

- · Carcinogenicity Suspected of causing cancer.
- · STOT-single exposure May cause respiratory irritation.
- · STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· Aquatic toxicity:		
101-68-8 4,4'-m	ethylenediphenyl diisocyanate	
LC50 (96h) mg/	ltr. >1,000 mg/ltr (Fish)	
ErC (72h)	>1,640 mg/l (algae)	
EC50 (3h)	>100 mg/l (Microorganism)	
2536-05-2 2,2'-	methylenediphenyl diisocyanate	
LC50 (96h) mg/	ltr. >1,000 mg/ltr (Fish)	
		(Contd. on page 1

Printing date 08.05.2023 Version number 12.0 (replaces version 10.2) Revision: 08.05.2023

Trade name: 042 Euroblock Turbo

		(Contd. of page 9)
ErC (72h)	>1,640 mg/l (algae)	
9016-87-9 diphe	nenylmethanediisocyanate,isomeres and homologues	
LC50 (96h) mg/l	/ltr. >1,000 mg/ltr (Fish)	
EC50 (48h)	>1,000 mg/l (daphnia)	
•	ce and degradability	
101-68-8 4,4'-	'-methylenediphenyl diisocyanate 0 %	
2536-05-2 2,2'-	'-methylenediphenyl diisocyanate 0 %	

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	not regulated	
14.2 UN proper shipping name ADR, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
14.4 Packing group		
ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	to IMO	
instruments	Not applicable.	

Contd. on page 11)

Printing date 08.05.2023 Version number 12.0 (replaces version 10.2) Revision: 08.05.2023

Trade name: 042 Euroblock Turbo

(Contd. of page 10)

· UN "Model Regulation":

not regulated

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · **VOC (EU)** 0.0 g/l
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

· Relevant phrases

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.
- EUH204 Contains isocyanates. May produce an allergic reaction. For professional use only. From 24 August 2023, appropriate training must be provided prior to industrial and professional use.

· Department issuing SDS: Quality Management department

· Contact:

Laboratory

Elisabeth Reinhardt

Elisabeth.Reinhardt@forbo.com

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 12)

Printing date 08.05.2023 Version number 12.0 (replaces version 10.2) Revision: 08.05.2023

Trade name: 042 Euroblock Turbo

(Contd. of page 11)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

· * Data compared to the previous version altered.