

**eternal**<sup>®</sup>  
EXPERIENCE **ETERNAL**  
SHEET VINYL FLOORING,  
**ALL DAY, EVERY DAY.**

# EXPERTISE AND HERITAGE IN DESIGN VINYL SHEET FLOORING

## Eternal stands for HERITAGE and EXPERTISE.

We have been producing heterogeneous vinyl sheet for commercial applications since the '90s. We focus on producing the highest quality of product with no compromise. Ever.

### *Expertise and heritage in design vinyl sheet flooring*

Experience the unparalleled quality of wood and material design flooring, crafted to look as good as or even better than their natural counterparts. Our enduring designs add a timeless appeal to any interior, whilst the proven surface finish ensures durability and exceptional protection against scuffs and scratches, keeping your

space looking great for years to come. Choose Eternal Design Vinyl for outstanding quality and thoughtful design, elevating any space with unmatched beauty and durability.

Innovation is present in the addition of a new Fast Flooring solution: Eternal NEXT. A true loose lay solution for commercial applications, ready for re-use or recycling at the end of its first life. Created with the expertise of the development team responsible for millions of worry free installed square meters of Modul'up, our acoustic loose lay vinyl floor.





## EXPERTISE IN DESIGN

- Crafted to offer timeless, stylish aesthetics for any project.
- State of the art designs, including extensive possibilities to make combinations within the collection.
- Realistic wood and stone designs, expertly designed to rival the beauty of their natural counterparts.
- Co-ordinated design offer with Modul'up loose lay, Step safety flooring and other Forbo Flooring ranges.
- Multiple finishes tailored for varied effects, all delivering exceptional performance:
  - PUR Pearl: A consistent, natural look with easiest cleaning properties.
  - PUR Satin: An extra matte finish.
  - PUR Wood: An authentic wood-like appearance.

## EXPERTISE IN PERFORMANCE

- The ultimate worry-free flooring solution, delivering high quality performance for decades.
- Market-leading minimal residual indentation, thanks to balanced product construction.
- Exceptional protection against scuffs and scratches with Forbo's advanced PUR Pearl lacquering and embossing techniques.
- Easy to handle during installation and remains stable and flat, thanks to Eternal's proven high tech product construction.
- Introducing the innovative Eternal Next construction, leveraging Forbo's expertise in adhesive free solutions for quick and easy installation, reuse, and recycling.

## EXPERTISE IN SUSTAINABILITY

- Contains at least 20% recycled content, with all production waste repurposed.
- 100% phthalate-free and designed with the lowest possible emission levels.
- Produced using 100% renewable green electricity, meeting all relevant quality and environmental standards.
- Micro-embossing technology minimises the need for chemical cleaning, extending the floor's lifespan.
- Pairing Eternal with Coral and Nuway entrance systems, the lifetime of the floor will increase substantially.

# DESIGN EXPERTISE

Our Forbo Flooring collections are crafted with meticulous care and an unwavering attention to detail. The stylish, sophisticated and high-quality **Eternal** collection has a heritage of delivering the best in design for multiple segments and applications, blending style and functionality for years to come.

The **most beautiful wood designs** are showcased in the Eternal collection, ranging from realistic interpretations to intriguing blends of wood patterns and materials, maximizing the impact of good design on the floor. Whether you opt for understated elegance or bold statements, these designs spark quality and offer refined choices for any interior.

Drawing on global colour and material trends, the design team has created a collection full of possibilities, offering seamless integration both within the Eternal range and across Forbo's diverse vinyl assortments. Expertise that shows in every image and design story.

Whether you're seeking a natural ambiance, a soft and inviting atmosphere, or a bold, daring design, **Eternal** strikes the perfect balance between form and style.



## PUR Pearl, PUR Satin & PUR Wood Pearl

Multiple embossing structures on a matt lacquer are tailored for varied effects. All delivering exceptional performance on cleaning properties.

**PUR Pearl:** a consistent, natural look with easiest cleaning properties.

**PUR Satin:** an extra matte finish, a little more rustic.

**PUR Wood Pearl:** an authentic wood-like appearance.



The Eternal collection offers a broad choice in commercial vinyl flooring, including realistic wood effects, stone and abstract designs, a broad palette of colours and some imaginative digitally printed visuals created to inspire.

Eternal design vinyl sheet meets all the functional and practical requirements demanded in a variety of application areas in Health and Aged Care, Education, Office, Retail and Leisure & Hospitality environments.



**Colour and Material stories** are at the heart of the Eternal collection, including some of the most realistic concrete and stone designs and playful interpretations as well. The range also features a palette of soft, warm tones—from soothing hues inspired by nature to rich, deeper shades. These colours and designs are thoughtfully designed to be versatile, enabling spaces that are serene and calm or vibrant and stylish.



# eternal® wood

The Eternal Wood collection contains a large variety of realistic wood designs and plank sizes, including some multi-width plank designs.


Iconic designs such as elegant oak and whitewashed oak are complemented by new contemporary woods such as the soft and calm smooth oak, linear infinite oak and geometric woodprism pattern.



27852 | clear smooth oak LRV 33




27862 | golden smooth oak LRV 28



27872 | dark smooth oak LRV 20



12802 | elegant oak LRV 32



12832 | natural oak LRV 27



12862 | grey oak LRV 25



11442 | washed beech LRV 28




10362 | warm chestnut LRV 17



13412 | shadow oak LRV 20



11162 | tropical beech LRV 27



10232 | dark walnut LRV 18



27142 | pale infinite oak LRV 37



27152 | warm infinite oak LRV 26



27162 | brown infinite oak LRV 14



11982 | blond oak LRV 40




11912 | whitewashed oak LRV 30



11952 | steamed oak LRV 22



36942 | colourful planks LRV 41



36932 | natural planks LRV 30





36202 | light herringbone 42612 | elegance blush



13922 | bleached timber LRV 36



13802 | blond timber LRV 26



11572 | limed oak LRV 32



11582 | amber oak LRV 17



11632 | light oak LRV 31




11652 | vintage oak LRV 26



11652 | vintage oak



36202 | light herringbone LRV 32



36022 | classic herringbone LRV 21



13942 | classic timber LRV 22



11542 | traditional oak LRV 22



10842 | cream oak LRV 44



10832 | hazelnut oak LRV 21



10852 | chocolate oak LRV 17



36952 | woodlight prism LRV 34



36962 | wooddark prism LRV 18



36962 | wooddark prism 36642 | oak wood mix



36612 | denim wood mix 12232 | sapphire stone



36642 | oak wood mix LRV 51



36322 | terra wood mix LRV 19



36612 | denim wood mix LRV 48

# eternal® material

A collection of concretes, cements and other contemporary stone types, create an elegant base for any interior.

Travertin gives a classic look while pebble can be used rustic and playful due to the coarser base with small coloured stones that have been carefully matched to other items in the collection.




12472 | mortar textured concrete 13132 | warm concrete

13082 | gravel concrete 13022 | beton concrete



13002 | silver concrete 13022 | beton concrete 13082 | gravel concrete 13032 | anthracite concrete




11832 | light cement 11862 | grey cement 11842 | iron cement 11872 | smoke cement




13212 | taupe speckled ceramic 13282 | taupe grid 4910 | bronze arc



10032 | fossil stucco 10042 | graphite stucco 10012 | pebble stucco



13212 | taupe speckled ceramic 13192 | iron speckled ceramic 13202 | rust speckled ceramic




13282 | taupe grid 13262 | smoke grid




36692 | travertin


36702 | travertin prism 36692 | travertin



36702 | travertin prism 12092 | neutral stone 12242 | emerald stone 12232 | sapphire stone 12012 | quartz stone



36652 | blossom pebble



36682 | dawn pebble



36672 | dusk pebble






36662 | aurora pebble



36682 | dawn pebble 13202 | rust speckled ceramic

# eternal® colour

Eternal Colour offers a calm design and a more daring design with holographic accents. They all have a high colour intensity and optimum light fastness due to the coloured wearlayer. The earthy tones combine beautifully with each other and with Eternal Wood and Stone designs.







# eternal® NEXT

## ETERNAL LOOSE LAY SHEET SOLUTION



Eternal loose lay sheet solution Eternal NEXT is an innovative floor covering designed for adhesive free installation, dramatically reducing installation time and minimising disruption. Making no compromise on the known quality of Eternal.

Supporting circularity, Eternal NEXT can be easily lifted for reuse or recycling at the end of its useful life. Its adhesive free nature ensures that no damage is left on the subfloor.

All designs on this page are available in our Eternal NEXT construction.




627852 | clear smooth oak




627862 | golden smooth oak




612802 | elegant oak




611912 | whitewashed oak



610362 | warm chestnut




613412 | shadow oak




610032 | fossil stucco




610042 | graphite stucco



613212 | taupe speckled ceramic



613192 | iron speckled ceramic



613022 | beton concrete



613082 | gravel concrete

# FAST FLOORING



Quick, easy and economical. Fast Flooring is Forbo's overarching name for genuinely adhesive free floor coverings including entrance flooring and interior flooring ranges in sheet, tile and plank format for maximum flexibility. Our Eternal NEXT is one of our first ranges that completely complies to this category and stands at the forefront of Forbo Fast Flooring.


## THE ADVANTAGES OF FAST FLOORING AT A GLANCE:

**Quick:** can be fitted over different types of existing flooring and as there is no drying time required for adhesive, installation time can be reduced by up to 50%.

**Easy:** no adhesive required and really easy to install. There are no adhesive odours, less disruption and dust, and floors can be walked on immediately after installation.

**Economical:** a reduction in downtime will mean substantial savings for the user of the building including a potential saving on installation costs. The supplied & fitted price of Eternal Next is similar to a glue down floor covering, whilst maintenance and service cost in the future will be reduced.

**Renovation:** it is possible to install on top of existing clean and smooth subfloors, including existing compact floors. The savings in terms of cost and time are even greater when an existing Fast Flooring product is replaced with another Fast Flooring product like Eternal NEXT. The existing product comes off the floor quickly and easily with no damage to the subfloor and is ready for circular use.



613082 | gravel concrete 613022 | beton concrete

## ETERNAL NEXT ADHESIVE FREE FLOORS, THE ADVANTAGES



**NEW BUILD**

- Available in popular wood and stone designs
- Quick installation, immediate use, saving money and time
- Lay flat, stay flat technology. No movement of floor.
- Superior performance

Loose Lay Flooring

**RENOVATION**

- Available in popular wood and stone designs
- In most cases no subfloor preparation necessary
- Quick installation and no downtime, saving money and time
- Future replacement like for like, more time saving and circular opportunities

Loose Lay Flooring

**CIRCULAR**



# THE PILLARS OF OUR AMBITION

At Forbo Flooring Systems it is action that is important, not just promises. We want to be a trusted partner who provides full transparency, for example when it comes to circular flooring solutions. It is about the things we do, not just about the things we promise. We do this based on 3 pillars:

## Transparency, circularity and renewability

To meet the challenges of today's and tomorrow's requirements we develop and perform on 5 themes

### Product development and design

- Eternal NEXT is an easy to install and remove sheet product, enabling a smooth compact process for re-use or recycling.
- Fully transparent choices by using the EPD's which are 3rd party verified, using only 100% safe and traceable REACH compliant materials.

### Sourcing and raw materials

- Maximized use of recycled content in all products. Eternal contains 30,5% and Eternal NEXT 24% recycled content on average. Improving this further is a continuous process.
- Controlled supply chain certification, ISO 14001 and ISO 9001 standards and SA8000 for ethical supply chain.
- All our raw materials meet the strictest health requirements. Eternal is 100% phthalate free.

### Production and distribution

- Eternal production is dedicated to the concept of zero waste. 100% of production waste is reused inside Forbo Flooring.
- Eternal is produced in a production facility where substantial reductions of CO<sub>2</sub> emissions have been achieved and additional improvements are expected short term.

### Long lasting & easy to maintain

- Loose lay installation of Eternal NEXT saves time, installation waste, money and the environment.
- Forbo Flooring offers compatible Coral entrance flooring to keep Eternal cleaner for longer and reduce cleaning cost by up to 65%.
- Thanks to its hard-wearing properties and durability, strengthened even further with our exclusive PUR Pearl or Satin surface finish lacquer, Eternal flooring has a product lifetime that surpasses that of ordinary vinyl flooring.

### Recycling and end-of-life

- In an increasing number of countries installation waste of Eternal and Eternal NEXT can be recycled via the Back to the Floor scheme to close the materials loop.
- The loose lay Eternal NEXT flooring can be reused or recycled in its entirety and is 100% circular ready.

# THE DYNAMICS OF A BUILDING

There is an increase in demand for transitional environments; spaces need to be able to evolve and adapt to new functions. These constantly changing spaces require walls and floors that can perform as a chameleon, with timeless colours and basic materials. The trends and changing mindsets inspired the Forbo Design team to analyse the different dynamics taking place within a building.

Five themes were identified: **receiving, moving, connecting, concentrating and recharging**, with each one referring to the different identities a space can have. They express a certain state of a person or an activity taking place within the building.



## Receiving

The theme 'receiving' describes the scenario of a person entering a building; making a transition from the outdoors to the indoors. A space where one should feel welcome and is accessible and transparent as first impressions are key. This is the area of the building that should clearly represent the 'feel' of the brand and meet the expectations of the client to make them feel comfortable and at home.

## Moving

'Moving' represents the action towards the destination and the purpose of why someone is in a building. Orientation is priority, so these areas need to be clear to read and offer guidance even when one is stressed. The space needs to be legible and aid with wayfinding

## Connecting

The dynamics of a 'connecting' space signifies areas where you will connect with other people within a building, such as open public spaces for spontaneous interactions or semi open spaces for dialogues or brainstorm. These areas allow for an extrovert energy boost or to give the brain time out.

## Concentrating

For 'concentrating', the attention is on the individual and avoiding unwelcome distractions. These are secluded spaces for privacy and focus, and while concentrating, people need a muted ambiance. Therefore, colour palettes in this area of a building should be subtle and quiet.

## Recharging

'Recharging' is connected to mindfulness and describes relaxed environments where people can let down their guard and be themselves. This area of the building should reflect a home-like setting, to allow people to refresh and recharge. Light and fresh shades should be used here, encouraging people to take a break, breathe and escape.



# CONNECTION BETWEEN COLLECTIONS

Although our collections, markets and segments evolve, our colour trends are often inspired by common sources. Unique themes such as geometric shapes and terrazzo, as well as our iconic patterns such as infinite oak and travertin, create consistency across our ranges.

The Forbo Flooring Global Colour Card, updated every two years, illustrates the collective work of our in-house designers. Using these trends as inspiration, they shape a harmonious and innovative vision for our flooring. This consistent approach is reflected in all our collections.

*\*This page shows items of several collections, Step Safety Vinyl, Modul'up, Eternal.*

## COLOUR & SHADES



26631 | sorrente azure 26500 | uni ivory 181582 | pale blue 180662 | reef green



26631 | sorrente azure 26500 | uni ivory  
181582 | pale blue 180662 | reef green

## TERRAZZO & MINERAL EFFECT



36682 | dawn pebble 13202 | rust speckled ceramic



36612 | denim wood mix 36652 | blossom pebble  
90403 | warm mini terrazzo

## GEOMETRIC SHAPES



98503 | natural shaped wood



98503 | natural shaped wood 98506 | terracotta shaped wood 36962 | wooddark prism

## SMOOTH WOOD & WARM CONCRETE




27162 | brown infinite oak 27142 | pale infinite oak




4603 | seashell urban concrete 13212 | taupe speckled ceramic  
27152 | warm infinite oak 98623 | dark infinity oak

## PATTERNS & COLOURS




17132 | blue concrete 17842 | speckled concrete



17842 | speckled concrete  
17132 | blue concrete



36202 | light herringbone 42592 | grey terra



36202 | light herringbone  
42592 | grey terra

# INSTALLATION AND COMPLEMENTARY PRODUCTS

## Tape for Eternal NEXT seams

Use of Modul'up tape is recommended to connect the seam of two Eternal NEXT sheets. This allows a completely adhesive free installation, whilst providing the strength to withstand heavy traffic.



## Welding

Matching welding rods have been developed for all items in this collection. With certain designs and in certain projects an invisible weld gives the best visual effect, we offer the alternative use of our coldweld for these occasions.



## Step Safety Vinyl

Our Step safety flooring collection provides a complete range of products designed to meet safety demands across a wide range of applications, from general areas to more extreme areas such as commercial kitchens, wetroom (barefoot) areas and industrial applications.

## Modul'up | Sarlon Acoustic Vinyl

Forbo Flooring is a specialist in acoustic vinyl flooring. Options with a sound reduction of 15dB or 19dB are available alongside the true acoustic loose lay solution Modul'up 19dB.



# HOW CAN WE HELP YOU?

Read the full Eternal and Eternal NEXT story on our website. [www.forbo-flooring.com/eternal](http://www.forbo-flooring.com/eternal)

## Floor visualizer

Would you like to visualize the floor you have in mind in a specific room or even your own project? Please go to our floor visualizer and play around with designs and images. [www.forbo-flooring.com/floorvisualizer](http://www.forbo-flooring.com/floorvisualizer)

## Sample service

Would you like to receive a sample, please go to our website or contact our local customer service.

## Installation, cleaning & maintenance

On our website you will find videos, PDF downloads and more to help you find the best way to install Eternal and Eternal NEXT or to learn how you clean and maintain your floor. Our technical teams are just a phonecall away should you still have questions. [www.forbo-flooring.com/eternaldownloads](http://www.forbo-flooring.com/eternaldownloads)

## Inspiration & references

Would you like to see how others apply Eternal, then please have a look at the 'Inspiration & references' part of our website. [www.forbo-flooring.com/references](http://www.forbo-flooring.com/references)

## BIM files

Should you want to integrate the floors in your own technical drawings we have BIM data for all floors for you available. [www.forbo-flooring.com/BIM](http://www.forbo-flooring.com/BIM)

## Protect your floor

Entrance flooring is fundamental to modern building design. A well designed entrance flooring system will prevent dirt and moisture from being tracked in and thereby prolongs the life of interior flooring, reduces cleaning & maintenance costs and the potential for slip injuries. With both textile (Coral) and rigid (Nuway) Entrance Systems in our portfolio, we can offer an entrance solution for every situation.. [www.forbo-flooring.com/entranceflooring](http://www.forbo-flooring.com/entranceflooring)



## Contact

Should you have remaining questions, please don't hesitate to contact us via; [www.forbo-flooring.com/contact](http://www.forbo-flooring.com/contact) or send an email to [question@forbo.com](mailto:question@forbo.com)






13132 | warm concrete 42412 | elegance linen



11982 | blond oak 42612 | elegance blush



27142 | pale infinite oak 36682 | dawn pebble

## Technical specifications

Eternal meets the requirements of EN ISO 10582

		Eternal	Eternal Next
Total thickness	EN ISO 24346	2.0 mm	2.5 mm
Surface finish		PUR Pearl / Satin / Wood	PUR Pearl / Satin
Wear layer thickness	EN ISO 24340	0.70 mm	0.70 mm
Wear layer binder content	EN ISO 10582	Type 1	Type 1
Collection size		85	12
Domestic use	EN ISO 10874	Class 23	Class 23
Commercial use	EN ISO 10874	Class 34	Class 34
Light industrial use	EN ISO 10874	Class 43	Class 43
Roll width	EN ISO 24341	2.0 m	2.0 m
Roll length	EN ISO 24341	≤ 25 m	≤ 25 m
Total weight	EN ISO 23997	2800 g/m <sup>2</sup>	3600 g/m <sup>2</sup>
Dimensional stability	EN ISO 23999	≤ 0.1 %	≤ 0.05 %
Slip resistance (ramp test)	DIN 51130	R10	R10
Castor chair continuous use	ISO 4918	Pass	Pass
Residual indentation <i>Typical value</i>	EN ISO 24343-1	≤ 0.05 mm ~ 0.02 mm	≤ 0.10 mm ~ 0.04 mm
Colour fastness to light	EN ISO 105-B02 method 3	≥ 6	≥ 6
Indoor air emissions: TVOC after 28 days	ISO 16516	≤ 0.02 mg/m <sup>3</sup>	≤ 0.01 mg/m <sup>3</sup>
Resistance to chemicals	EN ISO 26987	Very good	Very good
Flexibility	EN ISO 24344	Ø 10 mm	Ø 10 mm
LCA Life Cycle Assessment		LCA is the foundation for securing the lowest environmental impact	
Creating better environments			
Renewable electricity		Eternal is manufactured using 100% electricity from renewable sources	
Recycled content (mass)		30,5%	24%
		EN 14041 0200105-DoP-306	EN 14041 0200106-DoP-410
Eternal meets the requirements of EN 14041			
Reaction to fire	EN 13501-1	B <sub>1</sub> -s1, L, CS	B <sub>1</sub> -s1, L, CS
Slip resistance	EN 13893	μ ≥ 0.30	μ ≥ 0.30
Thermal conductivity	EN 12524	0.25 W/mK	0.25 W/mK
Body voltage	EN 1815	≤ 2.0 kV	≤ 2.0 kV

All Forbo Flooring Systems' sales organisations worldwide have a certified Quality Management System in accordance with ISO 9001.  
All Forbo Flooring Systems' manufacturing operations have a certified Environmental Management System in accordance with ISO 14001.  
The Life Cycle Assessment (LCA) of Forbo Flooring Systems' products is documented in individual Environmental Product Declarations (EPDs) which can be found on all of our websites.



# COLLECTION INFORMATION

Eternal Colour n°	Colour	Eternal NEXT Colour n°	installation direction	Pattern repeat	Planks size	NCS	LRV	Weldingrods
27852	clear smooth oak	627852	same direction	0 x 16,6 cm	150 x 16,6cm	S 3010-Y20R	33%	VW 293
27862	golden smooth oak	627862	same direction	0 x 16,6 cm	150 x 16,6cm	S 5010-Y10R	28%	VW 503
27872	dark smooth oak		same direction	0 x 16,6 cm	150 x 16,6cm	S 6010-Y30R	20%	VW 285
11912	whitewashed oak	611912	same direction	0 x 12,5 cm	150 x 12,5 cm	S 4010-Y10R	30%	VW 9
11952	steamed oak		same direction	0 x 12,5 cm	150 x 12,5 cm	S 5005-Y20R	22%	VW 159
11982	blond oak		same direction	0 x 12,5 cm	150 x 12,5 cm	S 3010-Y10R	40%	VW 269
36932	natural planks		same direction	0 x 0 cm	variable x 7,14 cm	S 4020-Y10R*	30%	VW 892
36942	colourful planks		same direction	0 x 0 cm	variable x 7,14 cm	S 3005-Y20R*	41%	VW 269
27142	pale infinite oak		same direction	0 x 0 cm	--	S 3010-Y20R	37%	VW 771
27152	warm infinite oak		same direction	0 x 0 cm	--	S 4020-Y20R	26%	VW 270
27162	brown infinite oak		same direction	0 x 0 cm	--	S 7010-Y30R	14%	VW 482
36202	light herringbone		same direction	12,5 x 100 cm	70 x 9 cm	S 4010-Y10R	32%	VW 680
36022	classic herringbone		same direction	12,5 x 100 cm	70 x 9 cm	S 5020-Y10R	21%	VW 3
11572	limed oak		same direction	0 x 12,5 cm	150 x 12,5 cm	S 4010-Y10R	32%	VW 889
11582	amber oak		same direction	0 x 12,5 cm	150 x 12,5 cm	S 6020-Y30R	17%	VW 350
11542	traditional oak		same direction	0 x 12,5 cm	150 x 12,5 cm	S 5030-Y20R	22%	VW 7
36952	woodlight prism		reversed direction	100 x 150 cm	--	S 4010-Y10R	34%	VW 569
36962	wooddark prism		reversed direction	100 x 150 cm	--	S 7005-Y20R	18%	VW 515
10362	warm chestnut	610362	same direction	0 x 25 cm	150 x 25 cm	S 6010-Y30R	17%	VW 3
10232	dark walnut		same direction	0 x 10 cm	150 x 10 cm	S 5020-Y40R	18%	VW 8
11442	washed beech		same direction	0 x 8 cm	37,5 x 8 cm	S 4020-Y20R	28%	VW 5
11162	tropical beech		same direction	0 x 20 cm	variable x 6,7 cm	S 4020-Y20R	27%	VW 218
12862	grey oak		same direction	0 x 20 cm	150 x 20 cm	S 4502-Y	25%	VW 689
12802	elegant oak	612802	same direction	0 x 20 cm	150 x 20 cm	S 4010-Y30R	32%	VW 1
12832	natural oak		same direction	0 x 20 cm	150 x 20 cm	S 5010-Y30R	27%	VW 296
13412	shadow oak	613412	same direction	0 x 52 cm	150 x 16 cm	S 5502-Y	20%	VW 139
13922	bleached timber		same direction	0 x 20 cm	150 x 20 cm	S 3005-Y50R	36%	VW 127
13942	classic timber		same direction	0 x 20 cm	150 x 20 cm	S 5010-Y30R	22%	VW 136
13802	blond timber		same direction	0 x 20 cm	150 x 20 cm	S 5010-Y10R	26%	VW 622
11632	light oak		same direction	0 x 16,7 cm	75 x 16,7 cm	S 4010-Y30R	31%	VW 15
11652	vintage oak		same direction	0 x 16,7 cm	75 x 16,7 cm	S 5005-Y20R	26%	VW 138
10832	hazelnut oak		same direction	0 x 20 cm	150 x 20 cm	S 5020-Y10R	21%	VW 136
10842	cream oak		same direction	0 x 20 cm	150 x 20 cm	S 3005-G80Y	44%	VW 752
10852	chocolate oak		same direction	0 x 20 cm	150 x 20 cm	S 6010-Y10R	17%	VW 310
36612	denim wood mix		reversed direction	0 x 0 cm	--	S 3005-G80Y*	48%	VW 152
36322	terra wood mix		reversed direction	0 x 0 cm	--	S 8005-Y20R*	19%	VW 45
36642	oak wood mix		reversed direction	0 x 0 cm	--	S 2005-Y10R*	51%	VW 133
13002	silver concrete		reversed direction	0 x 0 cm	--	S 3502-R	64%	VW 656
13082	gravel concrete	613082	reversed direction	0 x 0 cm	--	S 6500-N	16%	VW 19
13022	beton concrete	613022	reversed direction	0 x 0 cm	--	S 5000-N	28%	VW 18
13032	anthracite concrete		reversed direction	0 x 0 cm	--	S 7502-R	11%	VW 20
13132	warm concrete		reversed direction	0 x 0 cm	--	S 4502-Y20R	32%	VW 88
11832	light cement		reversed direction	0 x 0 cm	--	S 3502-B	37%	VW 747

Eternal Colour n°	Colour	Eternal NEXT Colour n°	installation direction	Pattern repeat	Planks size	NCS	LRV	Weldingrods
11842	iron cement		reversed direction	0 x 0 cm	--	S 6500-N	16%	VW 738
11862	grey cement		reversed direction	0 x 0 cm	--	S 4502-B	28%	VW 697
11872	smoke cement		reversed direction	0 x 0 cm	--	S 5502-Y	23%	VW 739
12472	mortar textured concrete		reversed direction	0 x 0 cm	--	S 3502-Y	39%	VW 737
10012	pebble stucco		reversed direction	0 x 0 cm	--	S 6000-N	18%	VW 28
10032	fossil stucco	610032	reversed direction	0 x 0 cm	--	S 3502-Y	34%	VW 191
10042	graphite stucco	610042	reversed direction	0 x 0 cm	--	S 4502-Y	22%	VW 139
36652	blossom pebble		reversed direction	0 x 0 cm	--	S 3005-Y20R	48%	VW 333
36662	aurora pebble		reversed direction	0 x 0 cm	--	S 7005-Y	15%	VW 976
36672	dusk pebble		reversed direction	0 x 0 cm	--	S 7005-Y	18%	VW 16
36682	dawn pebble		reversed direction	0 x 0 cm	--	S 3005-Y20R	51%	VW 814
13192	iron speckled ceramic	613192	reversed direction	0 x 0 cm	--	S 6500-N	15%	VW 856
13202	rust speckled ceramic		reversed direction	0 x 0 cm	--	S 6010-Y10R	15%	VW 482
13212	taupe speckled ceramic	613212	reversed direction	0 x 0 cm	--	S 4502-Y20R	29%	VW 681
13262	smoke grid		reversed direction	0 x 0 cm	--	S 5500-N	25%	VW 396
13282	taupe grid		reversed direction	0 x 0 cm	--	S 5005-Y20R	22%	VW 159
12092	neutral stone		reversed direction	0 x 0 cm	--	S 3500-N	35%	VW 143
12012	quartz stone		reversed direction	0 x 0 cm	--	S 6000-N	20%	VW 28
12232	sapphire stone		reversed direction	0 x 0 cm	--	S 5005-R80B	22%	VW 52
12242	emerald stone		reversed direction	0 x 0 cm	--	S 4010-G90Y	28%	VW 963
36702	travertin prism		same direction	0 x 100 cm	--	S 3005-Y20R	38%	VW 741
36692	travertin		same direction	0 x 0 cm	--	S 2502-Y	42%	VW 752
42402	elegance snow		reversed direction	0 x 0 cm	--	S 1002-G50Y	76%	VW 62
42412	elegance linen		reversed direction	0 x 0 cm	--	S 1002-Y	69%	VW 968
42422	salmon		reversed direction	0 x 0 cm	--	S 3010-Y50R	38%	VW 932
42432	silt		reversed direction	0 x 0 cm	--	S 1502-Y	62%	VW 767
42442	limestone		reversed direction	0 x 0 cm	--	S 2005-Y30R	49%	VW 961
42452	greige		reversed direction	0 x 0 cm	--	S 3500-N	38%	VW 688
42462	elegance fossil		reversed direction	0 x 0 cm	--	S 4005-Y20R	30%	VW 928
42472	elephant		reversed direction	0 x 0 cm	--	S 6000-N	19%	VW 736
42482	earth		reversed direction	0 x 0 cm	--	S 6502-Y	17%	VW 930
42492	sage		reversed direction	0 x 0 cm	--	S 4010-G70Y	30%	VW 937
42512	elegance willow		reversed direction	0 x 0 cm	--	S 3020-G90Y	42%	VW 959
42522	elegance trout		reversed direction	0 x 0 cm	--	S 2502-B	52%	VW 309
42532	elegance daffodil		reversed direction	0 x 0 cm	--	S 1030-Y	58%	VW 915
42542	grey lavender		reversed direction	0 x 0 cm	--	S 5010-R90B	21%	VW 962
42552	bottle green		reversed direction	0 x 0 cm	--	S 7005-G50Y	15%	VW 929
42562	ochre		reversed direction	0 x 0 cm	--	S 3040-Y	31%	VW 668
42572	steel		reversed direction	0 x 0 cm	--	S 7010-R90B	10%	VW 81
42592	grey terra		reversed direction	0 x 0 cm	--	S 5030-Y50R	14%	VW 851
42602	elegance soft lilac		reversed direction	0 x 0 cm	--	S 3010-R10B	38%	VW 960
42612	elegance blush		reversed direction	0 x 0 cm	--	S 3020-Y50R	31%	VW 914

\* Additional NCS codes are available upon request