

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.01.2023

Version number 1.2 (replaces version 1.1)

Revision: 11.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking	g
· 1.1 Product identifier	
 Trade name: <u>876 Eurofiller Wood Perfect</u> 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Spacings sealent 	
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Forbo Eurocol Deutschland GmbH August-Röbling-Straße 2 99091 Erfurt GERMANY 	
Tel.: +49 361 730 41 0 Fax: +49 (0)361 73041-92 E-Mail: Elisabeth.Reinhardt@forbo.com www.forbo-eurocol.de	
 Further information obtainable from: Laboratory Elisabeth Reinhardt Elisabeth.Reinhardt@forbo.com 1.4 Emergency telephone number: Poison information center for the states of Mecklenburg-Western Pomerania, Saxony, Saxony-Anha Thuringia: +49-361-730730 	lt and
SECTION 2: Hazards identification	
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation. 	
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void Additional information: 	

EUH 208: Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one, 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

GB

Printing date 11.01.2023

Version number 1.2 (replaces version 1.1)

Revision: 11.01.2023

Trade name: 876 Eurofiller Wood Perfect

Dangerous components:		
CAS: 64771-71-7	Paraffins (petroleum), normal C>10	≥0-≤2.5%
CAS: 2634-33-5 EINECS: 220-120-9	<i>1,2-benzisothiazol-3(2H)-one</i> Acute Tox. 2, H330;	≥0-<0.05%
CAS: 55965-84-9 Reg.nr.: 01-2120764691-48-XXXX	reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	≥0.00025-<0.00159
CAS: 2682-20-4 EINECS: 220-239-6	2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 $(M=1)$; Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A; H317:C \geq 0.0015 %	<0.0015%

preservation agents (BENZISOTHIAZOLINONE, BENZISOTHIAZOLINONE, Mixture of 5-Chloro-2methyl-isothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one with magnesium chloride and magnesium nitrate, METHYLISOTHIAZOLINONE)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- *After skin contact: Generally the product does not irritate the skin.*
- *After eye contact: Rinse opened eye for several minutes under running water.*
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- + 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

GB

Printing date 11.01.2023

Version number 1.2 (replaces version 1.1)

Revision: 11.01.2023

Trade name: 876 Eurofiller Wood Perfect

(Contd. of page 2)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Dilute with plenty of water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class (TRGS): 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Not required.

(Contd. on page 4)

Printing date 11.01.2023

Version number 1.2 (replaces version 1.1)

Revision: 11.01.2023

Trade name: 876 Eurofiller Wood Perfect

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties		
• 9.1 Information on basic physical and chemical p	properties	
· General Information		
· Physical state	Fluid	
· Colour:	Whitish	
· Odour:	Characteristic	
• Odour threshold:	Not determined.	
· Melting point/freezing point:	Undetermined.	
• Boiling point or initial boiling point and boiling		
range	100 °C (7732-18-5 water, distilled, conductivity or of	
	similar purity)	
· Flammability	Not applicable.	
· Lower and upper explosion limit		
- Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable.	
• Decomposition temperature:	Not determined.	
· pH at 20 °C	7.5	
Viscosity:		
· Kinematic viscosity	Not determined.	
· Viscosity @100°C:		
· Dynamic:	Not determined.	
Solubility		
water:	Fully miscible.	
• Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density	1 / 2	
Density at 20 °C:	$l g/cm^3$	
· Relative density	Not determined.	
Density (@15°C)	Not determined.	
· Vapour density	Not determined.	
• 9.2 Other information		
· Appearance:		
· Form:	Fluid	
· Important information on protection of health an	d	
environment, and on safety.		
• Auto-ignition temperature:	Product is not selfigniting.	
• Explosive properties:	Product does not present an explosion hazard.	
· Solvent content:		
· Organic solvents:	0.3 %	
· Water:	76.8 %	
· <i>VOC (EC)</i>	0.28 %	
	(Contd. on page 5)	

Printing date 11.01.2023

Version number 1.2 (replaces version 1.1)

Revision: 11.01.2023

Trade name: 876 Eurofiller Wood Perfect

		(Contd. of page
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard of	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

Dermal	LD50	187,793 mg/kg
55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methy 2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		
Oral	LD50	66 mg/kg (rat)
Dermal	LD50	>141 mg/kg (rat)
Inhalative	LC50 (4h)	0.17 mg/l (rat)
2682-20-4 2-methyl-2H-isothiazol-3-one		
Oral	LD50	120 mg/kg (rat)
Dermal	LC50 (4h) mg/l	242 mg/l (rat)
Inhalative	LC50 (4h)	0.11 mg/l (rat)

Printing date 11.01.2023

Version number 1.2 (replaces version 1.1)

Revision: 11.01.2023

Trade name: 876 Eurofiller Wood Perfect

(Contd. of page 5)

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards • Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

2634-33-5 1,2-benzisothiazol-3(2H)-one		
LC50 (96h) mg/ltr.	1.6-2.18 mg/ltr (rainbow trout) (OECD 203)	
EC50 (48h)	2.94-3.27 mg/l (Daphnia magna) (OECD 202)	
EC50 (72h)	0.11 mg/l (Scenedesmus quadricauda) (OECD 201)	
	0.11 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
EC10 (72h)	0.04 mg/ltr. (Scenedesmus quadricauda) (OECD 201)	
NOEC	0.21 mg/l (rainbow trout) (OECD 215)	
2682-20-4 2-methyl-2H-isothiazol-3-one		
LC50 (96h) mg/ltr.	6 mg/ltr (rainbow trout)	
EC50 (48h)	1.6 mg/l (daphnia)	
EC50 (72h)	0.157 mg/l (algae)	

• 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. on page 7)

Printing date 11.01.2023

Version number 1.2 (replaces version 1.1)

Revision: 11.01.2023

Trade name: 876 Eurofiller Wood Perfect

(Contd. of page 6)

SECTION 14: Transport informat	ion	
14.1 UN number or ID number ADR, IMDG, IATA	not regulated	
14.2 UN proper shipping name ADR, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	not regulated	
14.4 Packing group ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

· VOC (EU) 12.2 g/l

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

· Relevant phrases

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.

Printing date 11.01.2023

Version number 1.2 (replaces version 1.1)

Revision: 11.01.2023

Trade name: 876 Eurofiller Wood Perfect

	(Contd. of page 7)
H317 May cause an allergic skin reaction.	
H318 Causes serious eye damage.	
H330 Fatal if inhaled.	
H400 Very toxic to aquatic life.	
H410 Very toxic to aquatic life with long lasting effects.	
H411 Toxic to aquatic life with long lasting effects.	
• Department issuing SDS: Quality Management department	
Contact:	
Laboratory	
Elisabeth Reinhardt	
Elisabeth.Reinhardt@forbo.com	
· Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreen	ment Concerning the
International Carriage of Dangerous Goods by Road)	nem concerning me
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 2: Acute toxicity – Category 2	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Skin Irrii. 2. Skin corrosion/irritation – Calegory 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 1A: Skin sensitisation – Category 1A	
Asp. Tox. 1: Aspiration hazard – Category I	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
* * Data compared to the previous version altered.	
	GB