

CLASSIFICATION: SECTION 09 65 19 / 09 65 33 - Resilient & Conductive Flooring

PRODUCT DESCRIPTION: ColoRex EC Plus is a heavy duty loose lay tile with a unique dovetail locking system. When installed in conjunction with our grounding strap, it has the below electrical resistance: 5×10^4 ohms surface to ground to 10^6 ohms surface to ground. Size: 23.94" x 23.94" (60.8cm x 60.8cm). Gauge: 0.413" (10.5mm). Packaging: 5 tiles per box at 19.89 ft² (1.79 meters²).

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided
for Residuals/Impurities?
 Yes No

Are All Substances Above the Threshold Indicated:

Characterized Yes No

Percent Weight and Role Provided?

Screened Yes No

Using Priority Hazard Lists with Results Disclosed?

Identified Yes No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

**COLOREX EC PLUS | POLYVINYL CHLORIDE (PVC) LT-P1 | RES
LIMESTONE; CALCIUM CARBONATE LT-UNK BIS(2-ETHYLHEXYL)
TEREPHTHALATE BM-3 CARBON BLACK LT-1 | CAN TITANIUM DIOXIDE
LT-1 | CAN | END PARAFFIN LT-UNK FATTY ACIDS, C16-18, ZINC SALTS
LT-UNK CALCIUM STEARATE LT-UNK]**

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen
Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Percentage (%) ranges for ingredients are used as a means of keeping the exact formulations proprietary.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -
Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-08-17

PUBLISHED DATE: 2018-08-30

EXPIRY DATE: 2021-08-17



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

COLOREX EC PLUS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.

OTHER PRODUCT NOTES:

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

%: 12.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Binder
-------------------	------------------	-----------------	-----------------	---------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Also used in the ColoRex recycled scrap (scrap used as binder, 0.1% - 63%).

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

%: 10.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Filler
-------------------	-------------------	-----------------	-----------------	---------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Also used in the ColoRex recycled scrap (scrap used as binder, 0.1% - 63%).

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

%: 8.0000	GS: BM-3	RC: None	NANO: No	ROLE: Binder
------------------	-----------------	-----------------	-----------------	---------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Also used in the ColoRex recycled scrap (scrap used as binder, 0.1% - 63%).

#: **5.0000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Pigment**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Also used in the ColoRex recycled scrap (scrap used as binder, 0.1% - 63%).

TITANIUM DIOXIDE

ID: 13463-67-7

#: **1.0000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Filler**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Also used in the ColoRex recycled scrap (scrap used as binder, 0.1% - 63%). The titanium dioxide (TiO₂) is bound within the product, requiring no further labeling. Identified on the US EPA Safer Chemical Ingredient List. Form-specific hazards: airborne particles of respirable size – occupational setting. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials (“Special Conditions”), including those with Form-Specific Hazards such as Titanium Dioxide. This HPD will be updated as appropriate when these guidelines become available. The Material Health Harmonization Task Group convened by the USGBC states that pigmentary titanium dioxide was “determined to be Benchmark 2 using the full GS (GreenScreen) method” hpdrepository.hpd-collaborative.org HPD v2.1 created via HPDC Builder Page 2 of 12 (<http://ow.ly/Z5ken>).

PARAFFIN

ID: 8002-74-2

#: **0.1000 - 1.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Processing Aid**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Also used in the ColoRex recycled scrap (scrap used as binder, 0.1% - 63%).

FATTY ACIDS, C16-18, ZINC SALTS

ID: 91051-01-3

%: **0.1000 - 1.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Processing Aid**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Also used in the ColoRex recycled scrap (scrap used as binder, 0.1% - 63%).

CALCIUM STEARATE

ID: 1592-23-0

%: **0.1000 - 1.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Processing Aid**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Also used in the ColoRex recycled scrap (scrap used as binder, 0.1% - 63%).

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2017-07-23**

EXPIRY DATE:

CERTIFIER OR LAB: **Berkeley Analytics**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL: <https://www.ul.com/>

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

FORBO WALL BASE

HPD URL: <http://www.forboflooringna.com>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used with ColoRex EC Plus installation using the recommended adhesive.

COLOREX INNER CORNER PROFILE

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used with a ColoRex EC Plus installation with recommended adhesive.

COLOREX OUTER CORNER PROFILE

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used with a ColoRex EC Plus installation with recommended adhesive.

COLOREX SKIRTING STRIP

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used with a ColoRex EC Plus installation with recommended adhesive. Skirting strip is not conductive.

COVE FORMER PROFILE

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used with a ColoRex EC Plus installation with recommended adhesive. Cove former profile is not conductive.

ACCESS RAMP

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used with ColoRec EC Plus installation. Access Ramp is not conductive.

NEUTRAL PH CLEANER

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used for routine cleaning.

READY TO USE NEUTRAL PH CLEANER

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used for routine cleaning.

FORBO HEAVY DUTY CLEANER

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used for interim maintenance.

Section 5: General Notes

ColoRex EC Plus contains no Isocyanates.



MANUFACTURER INFORMATION

MANUFACTURER: **Forbo Flooring Systems**
 ADDRESS: **8 Maplewood Drive**
Hazle Township PA 18202, United States
 WEBSITE: **www.forboflooringna.com**

CONTACT NAME: **Shannon Wolski**
 TITLE: **Product Support and Education Services Administrator**
 PHONE: **5704500319**
 EMAIL: **shannon.wolski@forbo.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.