

CLASSIFICATION: 09 65 16: Safety Vinyl Sheet Flooring

PRODUCT DESCRIPTION: Eternal Step Wood vinyl sheet floor covering is a heterogeneous product with a compact calendared backing and a flexible reinforced glass fleece innerlayer for dimensional stability. The scratch resistant PUR wearlayer contains transparent anti-slip crystals. Guage: .080" (2.0mm) Width: 79" (2 meters) Length: 82' (25 meters) Roll Size: 60 yd2 (50 m2)

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided
for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

ETERNAL STEP WOOD [**POLYVINYL CHLORIDE (PVC)** **LT-P1** | RES
CALCIUM CARBONATE **BM-3** **BIS(2-ETHYLHEXYL) TEREPHTHALATE** **BM-**
3 **DOLOMITE** **NoGS** **DIPROPYLENE GLYCOL DIBENZOATE** **LT-P1** | MUL
FATTY ACIDS, C14-22, 2-ETHYLHEXYL ESTERS, EPOXIDIZED **NoGS**
CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE **LT-UNK**
TITANIUM DIOXIDE **LT-1** | CAN | END **QUARTZ** **LT-1** | CAN **SILICA, FUSED**
LT-1 | CAN **POLYURETHANE FOAMS** **LT-UNK**]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen
Benchmark or List translator Score ... LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Percentage (%) ranges for ingredients are used as a means of keeping the exact formulations proprietary.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -
Classroom & Office scenario
LCA: Environmental Product Declaration (EPD) by UL - Industry Generic

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2019-01-15

PUBLISHED DATE: 2019-01-16

EXPIRY DATE: 2022-01-15



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ETERNAL STEP WOOD

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.

OTHER PRODUCT NOTES:

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-01-15

#: 47.0000 GS: LT-P1 RC: PreC NANO: No ROLE: Polymer Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-01-15

#: 14.8500 GS: BM-3 RC: None NANO: No ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-01-15

#: 13.4400 GS: BM-3 RC: None NANO: No ROLE: Softner Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

No hazards found

SUBSTANCE NOTES:

DOLOMITE

ID: 16389-88-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-15**

#: **8.3500** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

No hazards found

SUBSTANCE NOTES:

DIPROPYLENE GLYCOL DIBENZOATE

ID: 27138-31-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-15**

#: **7.5600** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Softner Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
-----------------	---------------------------------------------	----------------------------

SUBSTANCE NOTES:

FATTY ACIDS, C14-22, 2-ETHYLHEXYL ESTERS, EPOXIDIZED

ID: 95370-96-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-15**

#: **4.4000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Stabilizers Binder & Process Additives**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

No hazards found

SUBSTANCE NOTES:

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-15**

#: **2.2000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Carrier**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

TITANIUM DIOXIDEID: **13463-67-7**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-15**%: **0.7000**GS: **LT-1**RC: **None**NANO: **No**ROLE: **Pigments**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER**US CDC - Occupational Carcinogens****Occupational Carcinogen****CANCER****CA EPA - Prop 65****Carcinogen - specific to chemical form or exposure route****CANCER****IARC****Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources****ENDOCRINE****TEDX - Potential Endocrine Disruptors****Potential Endocrine Disruptor****CANCER****MAK****Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value****CANCER****MAK****Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**

SUBSTANCE NOTES: The titanium dioxide (TiO₂) is bound within the product, requiring no further labeling. Identified on the US EPA Safer Chemical Ingredient List. Form-specific hazards: airborne particles of respirable size – occupational setting. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials (“Special Conditions”), including those with Form-Specific Hazards such as Titanium Dioxide. This HPD will be updated as appropriate when these guidelines become available. The Material Health Harmonization Task Group convened by the USGBC states that pigmentary titanium dioxide was “determined to be Benchmark 2 using the full GS (GreenScreen) method” hpcrepository.hpd-collaborative.org HPD v2.1 created via HPDC Builder Page 2 of 12 (<http://ow.ly/Z5ken>).

QUARTZID: **14808-60-7**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-15**%: **0.5000 - 2.5000**GS: **LT-1**RC: **None**NANO: **No**ROLE: **Anti-Slip Particles**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES:

SILICA, FUSED

ID: 60676-86-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-15**

#: **0.5000 - 2.5000**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Anti-Slip Particles**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen

SUBSTANCE NOTES:

POLYURETHANE FOAMS

ID: 9009-54-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-15**

#: **0.3000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Finish**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	No hazards found	

SUBSTANCE NOTES: **Finish contains no Isocyanates.**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2014-04-17**

EXPIRY DATE:

CERTIFIER OR LAB: **Berkeley Analytical**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

LCA

Environmental Product Declaration (EPD) by UL - Industry Generic

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2018-07-19**

EXPIRY DATE: **2023-07-19**

CERTIFIER OR LAB: **UL Environment**

APPLICABLE FACILITIES: **The Green Standard**

CERTIFICATE URL: <https://www.forboflooringna.com>

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

FORBO V 885 ADHESIVE (VOC 0.00 G/L)

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Standard recommended adhesive used for installation.

FORBO 660 ADHESIVE (VOC 12.00 G/L)

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Alternative adhesive that can be used with installation.

FORBO ADHESIVE REMOVER

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used for adhesive residue removal post installation.

NEUTRAL PH CLEANER

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used for routine cleaning.

READY TO USE NEUTRAL PH CLEANER

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used for routine cleaning.

HEAVY DUTY CLEANER

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used for interim maintenance.

FORBO WALL BASE

HPD URL: <http://www.forboflooringna.com>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Can be used with Eternal Step Wood installation using the recommended adhesive.

Section 5: General Notes

Eternal Step Wood contains no Isocyanates.



MANUFACTURER INFORMATION

MANUFACTURER: **Forbo Flooring Systems**
 ADDRESS: **8 Maplewood Dr.**
Hazle Township PA 18202, United States
 WEBSITE: **www.forboflooringna.com**

CONTACT NAME: **Shannon Wolski-Konecnik**
 TITLE: **Product Support & Education Services Administrator**
 PHONE: **570-450-0319**
 EMAIL: **shannon.wolski@forbo.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.