



ENTRANCE & SPECIALTY MATTING

COMMERCIAL > INDUSTRIAL

MINIMIZING MAINTENANCE WITH FORBO MATTING PRODUCTS

alk off mats are the most efficient way of stopping dirt at the door and keeping building maintenance to a minimum. They are also effective internally, in high traffic areas and severe wipe-off regions.

Some applications for our product lines would be: freight elevators, factory entrances, industrial and commercial entrances.

When planning a mat program, high traffic areas should be pinpointed and the strategic placement of mats are essential.


The function of our program is to effectively "Stop, Catch, Trap, Hold and Hide" soil and moisture all year round!

50% of dirt and moisture is collected on the first 10 feet of a mat... STOP your problems at the door with Forbo's Entrance Matting Solutions.

Anti-Fatigue matting has been proven to increase productivity levels and safety within the workplace. Our anti-fatigue matting line also comes in grease proof rubber; the perfect

application for restaurants and bars. Additional applications for anti-fatigue and anti-slip matting are: grocery stores, cashiers, machine-operators and industrial work stations.

Safety is the key to success in any operation. Create a safe work environment with Forbo's Specialized Matting.



PLEASE NOTE: This catalogue is to be used for reference purposes ONLY. Colour swatches may vary slightly from actual sample due to photography lighting and production dye-lots. Therefore, please only place an order after seeing an actual sample to obtain a more accurate confirmation of your colour choice. Note that Nominal sizes are quoted in this catalogue. Please also allow for approximately 4 weeks on all Special Order items.

Moderate Traffic

Coral Go & Coral Bright	4
Design SP	5
Heather Plush Premium	5
Laundro Supreme	6
Design Tweed	6
Twin Rib	7
Herringbone	7
Heavy Traffic	
Salsa	8
Prime Salsa	8-9
Super Salsa	8-9
Rubber Finger Tip	10
Super Grip	10
Water Keeper	11
Coco	11
Entrance Systems	
Coral Grip	12
Coral Duo	12
Logo Mat	13
Aqua Flow	13
Coral Brush	14
Specialty Mats	
Corrugated Switchboard	16
Industrial Runner	
Ribbed Runner	16
Anti-Fatigue	
Soft Spun	17
Marble Spun	
Bubble Mat	
Diamond Spun	18
Drainage / Anti-Fatigue	
Kushion Safe Heavy Duty	19
Kushion Safe Light Duty	
Interlocking Modular Tile	
Entrance Matting	
Nuway Tuftiguard	21
Nuway Tuftiguard HD	
Nuway Grid	
Nuway Connect	
Forbo Cleaning Products	

Coral Go and Coral Bright

Coral Go

Applications

Recommended for areas with moderate traffic.

Features and Benefits

- Affordable performance
- · Suitable for medium traffic
- Made with 100% recyclable econyl yarns

Total Thickness: 8mm

Widths: 90cm, 130cm, 200cm

Roll length: 27.5m approx.











Coral Bright

Applications

This hard-wearing entrance flooring is suitable for areas with medium traffic.

Features and Benefits

- · Suitable for medium traffic
- Modern color scheme
- · Affordable performance

Total Thickness: 9mm

Widths: 90cm, 130cm, 200cm

Roll length: 27.5m approx.









MODERATE TRAFFIC

Design SP

Applications

Recommended for moderate to high traffic areas, entranceways and lobbies.

Features and Benefits

- Unique Nop design provides the most effective scraping action
- Ideal for multi-directional traffic, as the Nop design effectively scrapes from all angles
- · Attractive pattern and exceptional performance
- Extra coarse solution dyed polypropylene fibre prevents fading
- 100% polypropylene fibre ensures a perfect bond, reduces curling edges and delamination
- · Easy to maintain with frequent vacuuming and periodic steam cleaning
- Latex additive increases fibre durability and scraping ability
- 22 oz./sq.yd. face weight



Available Sizes

Mat Size (ft)	Weight (lbs)	Roll Size (ft)	Weight (lbs)	
3 x 5	12	3 x 60	160	
4 x 6	19	4 x 60	215	
3 x 4	Anthracite Only			
Custom cuts are also available				



Heather Plush Premium

Applications

Recommended use as a wiper at the entranceways or around doors that allow traffic to move between warehouse and office areas.

Features and Benefits

- · Prevents dirt and dust from being tracked into office space
- · Designed to absorb water and hold dirt, keeping your floors clean and safe
- Made from durable 100% cut pile olefin filament
- Needle punched fibres
- Colour mixture is effective at hiding dirt
- · Vinyl back is resistant to mold and mildew
- 18 oz./sq.yd. face weight offers full pile for improved looks and durability



Available Sizes

Mat Size (ft)	Weight (lbs)	Roll Size (ft)	Weight (lbs)
2 x 3	4	3 x 60	122
3 x 4	8	4 x 60	163
3 x 5	10	6 x 60	245
4 x 6	16		
4 x 8	22		
Custom cuts are also available			



ENTRANCE MATTING

Laundro Supreme



Applications

Recommended for use in grocery stores, manufacturing facilities and garages, entranceways of retail stores and restaurants.

Features and Benefits

- · Wash and wear matting can be laundered
- Constructed from solution dyed 100% nylon 6,6 fibre
- Impervious to bleach damage, soiling, sunlight and repeated washings
- Fade resistant
- Superior rubber technology Nitrile rubber anti-skid gripper backing
- 19 oz./sq.yd. face weight

Each mat is custom made to your order.

Three weeks lead time required for each order.

Available Sizes

Mat Size (ft)	Weight (lbs)	Mat Size (ft)	Weight (lbs)
3x4	6	3x10	14
3x5	7	3x12	17
3x8	9	3x15	21
4x6	11	4x12	17
4x8	15		





















Design Tweed



Recommended for moderate to high traffic areas such as entranceways and lobbies.

Features and Benefits

- Attractive tweed pattern enhances its environment while simultaneously maintaining a dirt-free zone
- Compiled of 100% polypropylene cut pile on a durable vinyl backing
- Has effective wiping capabilities and is easily maintained with frequent vacuuming and periodic steam cleaning
- · 15 oz./sq.yd. face weight





Available Sizes

Mat Size (ft)	Weight	
3 x 60	120	
4 x 60	160	
6 x 60	250	
Custom cuts are also available		

MODERATE TRAFFIC

Twin Rib

Applications

Recommended for moderate traffic areas, entranceways and lobbies. An ideal and cost effective solution for indoor entrance ways.

Features and Benefits

- Classic design is a strong and effective element for all of your wiping and scraping needs, as it "grabs" at the dirt
- Bi-level construction traps dirt inside its ribbing, while constantly maintaining an attractive overall appearance
- Constructed with extra coarse fibres for aggressive scraping and 100% solution dyed polypropylene yarns
- Heavy vinyl backing
- Low maintenance, and easy to clean product that will aid in maintaining a clean environment all year round
- Easy to maintain with vacuuming and periodic steam cleaning
- 18 oz./sq.yd. face weight

				4
Available Siz	es			
Mat Size (ft)	Weight (lbs)	Roll Size (ft)	Weight (lbs)	
3 x 5	10	3 x 60	122	
4 x 6	16	4 x 60	163	
4 x 8	22	6 x 60	245	
Custom cuts are also available				



Herringbone


Applications

Recommended for moderate to high traffic areas, specifically for entranceways and lobbies. Ideal for use in multi-directional traffic.

- Dirt and dust gather within the pattern, while maintaining a virtually clean overall appearance
- Made from 100% polypropylene fibre in popular Herringbone pattern, which helps make it fade, mould and mildew resistant
- Coarse fibres for scraping dirt off shoes
- Easy to maintain with frequent vacuuming, wet or dry and periodic steam cleaning
- 22 oz./sq.yd. face weight

Available Siz	res			
Mat Size (ft)	Weight (lbs)	Roll Size (ft)	Weight (lbs)	
3 x 5	10	3 x 60	122	
4 x 6	16	4 x 60	163	
4 x 8	22	6 x 60	245	
Custom cuts are also available				









ENTRANCE MATTING

Salsa

Applications

Recommended for high traffic areas, large public applications. Indoor or outdoor applications. Ideal enhancement for floor protection and pedestrian safety.

Features and Benefits

- · Heavy denier fibre resists staining
- · Hobnail design effectively removes and holds debris from footwear
- Holds approximately 6 litres of water per square yard
- Fibre composition contains a dyed heavy duty solution
- Constructed with Pile Needle Felt
- Latex gel foam waffle backing will not easily move along floor surface and can be secured with glue
- Gel foam backing resists mould and mildew growth
- · 1500 grams/sq.m. face weight
- Total Thickness: 10.7mm

Available Sizes

- 2m x 25m Rolls (Can be cut into 1m pairs), 4m x 25m Rolls (Anthracite and Tobacco Only)
- Custom cuts available





















Latex Gel Foam Waffle Backing

Prime Salsa • Super Salsa

APPLICATIONS

Recommended for high traffic areas. Suitable for indoors and outdoors. The hobnail design is an ideal enhancement for floor protection and pedestrian safety.

AVAILABLE SIZES

Unfinished Edge Matting

• 2m x 25m Rolls (Can be cut into 1m width pairs)

Custom cuts available

Custom Finished Edge Matting

• Customized to order

ADDITIONAL OPTIONS

• Ultra Flex nosing available in brown and black

Each mat is custom made to your order.

Three weeks lead time required for each order.



- Meets standards of CRI Green label Plus Program for indoor Air Quality, and thus can contribute towards a facility's LEED Certification
- Made with 100% Asota solution dyed polypropylene fibres and can be installed indoors, as well as outdoors
- Permanently anti-static
- Mold and mildew resistant and easily cleaned by vacuuming, hosing or hot water extraction
- Heavy denier fibre resists staining which will increase the life of your matting
- Decorative hobnail design effectively removes and holds debris from footwear before it is tracked into your facility

Prime Salsa • Super Salsa

Prime Salsa

Holds approximately 5 litres of water per square yard

- 1500 grams / sq.m. face weight
- Backing made of D-back natural synthetic composite rubber

Custom Finished Edge Matting Unfinished Edge Matting

Super Salsa

- Holds approximately 7 litres of water per square yard
- 1750 grams / sq.m. face weight
- Backing made of D-back natural synthetic composite rubber

Custom Finished Edge Matting Unfinished Edge Matting




COLOURS SELECTION GUIDE

Midnight Blue *

Azure

P Prime Salsa

S Super Salsa



Prism *

ENTRANCE MATTING

Rubber Finger Tip



Applications

Ideal for indoor and outdoor applications, specifically for entranceways and lobbies.

Features and Benefits

- A key step in the solution for reducing the amount of dirt and water entering your building
- Provides aggressive scraping action to remove mud, dirt and snow
- · Heavy duty molded rubber fingers that are flexible and sturdy
- Beveled edges form a recess to contain water
- Thousands of flexible solid rubber tips aid in collecting dirt, snow, mud and moisture
- · To clean, simply turn mat over to remove dirt or water
- · Ideal for indoor or outdoor use

Available Sizes			
Mat Size (inches)	Weight (lbs)		
24 x 32	13		
32 x 39	18		
36 x 72	33		

Note: Nominal sizes are quoted

Super Grip

Applications

Recommended for both indoor and outdoor applications, specifically for entranceways and lobbies.

- · Effectively scrapes away dirt and snow off footwear
- UV Stable mat is easy to clean simply hose down or flip over
- Flexible enough to easily contour to variations in the floor surface
- Durable SBR rubber construction

Available Sizes		
Mat Size (ft)	Weight (lbs)	
3 x 5	18	



HEAVY TRAFFIC

Water Keeper

Applications

Recommended for heavy traffic areas, or areas which water must be contained within the mat.

Features and Benefits

- Attractive design pattern holds up to 1 gallon of water per square yard
- Raised reinforced rubber dam border helps trap moisture, dirt and debris, keeping dirt off the floor
- Moulded reinforced rubber raised squares help prevent pile from crushing, and extend the mats life
- SBR rubber gripper nibs on backing also help to reduce mat movement
- Rugged polypropylene fibres are needle punched
- 26 oz./sq.yd. face weight

zes		
Weight (lbs)	Mat Size (ft)	Weight (lbs)
12	4 x 6	20
25	4 x 10	32
Sizes		
5	3 x 4	10
30	3 x 20	50
27	4 x 12	40
66	6 x 8	40
	Weight (lbs) 12 25 Sizes 5 30 27	Weight (lbs) Mat Size (ft) 12 4 x 6 25 4 x 10 Sizes 5 30 3 x 20 27 4 x 12

















* Special Order

Coco

The Rinotap is suitable for small entrance and exit zones in light commercial areas. It is ideal for use in small offices, commercial buildings and residential environments.

Features and Benefits

- · Pile material is100% machine-spun coconut fibre yarns
- Backing is PVC with integrated stability scrim
- Phthalate free PVC backing also protects the floor beneath against tracked-in moisture.
- Stable and is not adversely affected by stretching
- Prevents spread of moisture and dirt, resulting in lower maintenance and cleaning costs for all floors.

Each mat is custom made to your order.

Three weeks lead time required for each order.

Available Sizes Roll Size (ft)

6'6" x 41'

Custom cuts are also available











Coral Grip

Applications

Great for coarse dirt and grit removal, inside and out.

Features and Benefits

Coral Grip is a versatile non-woven, clean-off barrier flooring that is suitable for use both inside and outside entrance systems. It has a patented design which features durable vinyl filaments which perform a highly effective scraping action and give Coral Grip its anti-slip functionality. As a result, it is excellent at preventing grit, course dirt, slush and snow from entering the building. Coral Grip is available in Medium Duty (MD) and Heavy Duty (HD) formats.

- PVC chips add to scraping properties
- Available with Everfort vinyl backing or open structure
- Total Thicknesses: HD with backing 17mm, □ HD open back 16mm
 - MD with backing 12mm, □ MD open back 11mm









HD ■ 6130/□ 6150 Ink*



MD ■ 6925 / □ 6945 Lead



HD ■ 6125 / □ 6145 Lead



MD ■ 6921 / □ 6941 Ash



HD ■ 6121 / □ 6141 Ash



MD **■** 6922 / **□** 6942 Salt



HD ■ 6122 / □ 6142 Salt



MD **■** 6923 / □ 6943 Wine



HD ■ 6123 / □ 6143 Wine

■ with Everfort vinyl backing
□ with open structure

*Stock Items. Lead time for non-stock colors is 6-8 weeks.

Coral Duo



Applications

For unbeatable soil and moisture removal.

Features and Benefits

Coral Duo provides unrivalled dirt removal - being particularly effective at trapping and retaining soil and moisture in the first few footsteps. Research shows that it retains up to 10% more dirt in the first steps than any other textile entrance system. Its ribbed construction is not only functional, it provides an aesthetically pleasing aspect to any entrance area.

- 75% of the yarn is Econyl® regenerated solution dyed polyamide.
- Combination product with alternating strips of scraping Coral Brush yarns and moisture absorbing Coral Classic, reinforced with tough and resilient monofilament fibres
- Total Thicknesses: 9mm





*Stock Items
Lead time for non-stock colors is 6-8 weeks.

Available Sizes

Mat Size (ft)

3' x 5' 5' x 3'

4' x 6' 6' x 4'

Also available: 6'6" x 90' (2m x 27.5m) approx. Weight: 7 lbs/sq.m.

Custom cuts are also available

ENTRANCE SYSTEMS

Logo Mat



Show off your company logo, product or image with custom designed logo matting Forbo Flooring Systems is an industry leader when it comes to custom matting projects. We can take the most intricate designs and customize it to your specifications.

Nylon 6.6 Matting

Your logo, image or artwork is reproduced onto Nylon 6.6 entrance matting as the "painter's canvas". The colour capabilities are limitless. A state-of-the art, colour injection dyeing process ensures colour and placement accuracy for your matting project. The dyeing process used is environmentally friendly - the dyes are not harmful to the environment. This technology is capable of changing patterns within fractions of a second to eliminate ink waste and waste between orders on the production line.



Aqua Flow



Applications

Outdoor high-traffic entrance areas such as ski resorts and other recreational facilities exposed to snow and mud conditions.

Features and Benefits


- Flow-through drainage mat keeps dirt and moisture off the mat for a clean appearance.
- · Extremely easy to clean, shake or hose off.
- Made from 60% recycled rubber materials.
- Dual wiper blade and nib construction provides outstanding cleaning action and anti-slip performance.

Available Sizes

32" x 39", 36" x 59"



Black





Coral Brush


Applications

The great all-around performer for dirt and moisture removal. Now stops up 94% of walked in dirt & moisture.

Features and Benefits

Coral Brush can be used in all types of entrance areas and is the ideal solution when you need a textile entrance system that can simultaneously absorb moisture and remove dry dirt. Independent research shows that thanks to its unique construction, Coral Brush reaches maximum scores on both counts.


- 100% of the yarn is Econyl® regenerated solution dyed polyamide.
- Made with 3 types of yarn:
 - Capillary yarns absorbs moisture
- Active scraping yarns, help brush soil from shoes
- Heavy duty textured yarns, increase resilience



Total Thickness: 9mm

All colours available in roll and tile formats.

Custom cuts are also available



All colours of **Coral Tile** are available in 20"x20" approx. (50cm x50cm) Phthalate free vinyl backed entry tile



- ♦ Also available in Tile.
- * Indicates stock colour.

All non-stock colours have a lead time of 6-8 weeks

Reasons Why You Need Forbo Matting

- **1. Improve Floor Safety** Whether in production areas or the front entranceway, matting reduces the likelihood of slips and falls on your property or place of work.
- 2. Increase Productivity By Providing Comfort -Anti-fatigue mats decrease the stress on the feet and legs by providing a cushioning surface for people to stand on over prolonged periods of time, resulting in greater comfort and increased productivity.
- **3. Reduce Injuries** Employees whose job requires them to stand to perform their tasks will suffer from lower back strain and leg fatigue. This leads to absenteeism or potential Workers Compensation claims. Install the right matting and reduce claims.



- **4. Direct Traffic** Matting products are an ideal way to control pedestrian traffic for safety reasons or to help direct people to where they need to go.
- **5. Protect Your Flooring** From polished granite to imported tile, ice-melters and sand will ruin the finish. From untreated concrete to painted floors, oils and chemicals can destroy any type of flooring. Forbo has the right mat to provide the protection you need; saving you the expense of floor repair.



- **6. Sustain Cleanliness** Mats are designed to remove dirt from footwear and contain it before it is tracked into your workplace.
- **7. Reduce Liability** Public buildings, commercial malls, office towers, and workplaces must ensure that all possible measures are in-place to prevent someone from slipping on wet flooring. Matting helps to remove snow and absorb water, helping to keep floors safe to walk on.
- **8. Lower Cleaning Costs** By trapping the salt, sand, water and dirt at the entranceway, your cleaning costs will be significantly reduced. Floor finishes will last longer and carpets will require less professional cleaning.
- 9. Promote a Healthy Workplace Point out the new mats in your office to your staff and explain some of the key benefits of matting. Your employees will take greater pride in their work environment and in maintaining the cleanliness and safety of their workplace.

Corrugated Switchboard

Applications

Recommended for use around high voltage applications, such as electrical panels, circuit breakers, etc.

Features and Benefits

- Non-conductive 1/4" Nitrite rubber/PVC matting engineered to protect workers against electrical shock when working around high voltage apparatus within product specifications
- Meets the requirements of ASTM-D 178-01, standard specification for rubber, insulating matting
- Meets optimal ASTM requirements of Ozone, Flame, and Oil resistance
- Recommended for maximum voltage use of 17,000 volts AC
- Type II Class 2

Colours Available

Black

Available Si	zes		* Consist Order	
Roll Size (ft)	Weight (lbs)	Roll Size (ft)	* Special Order Weight (lbs)	
Non Size (It)	Weight (103)	itoli 312e (1t)	Weight (103)	
2 x 75*	3.0 lbs/lin.ft.	4 x 75*	7.0 lbs/lin.ft.	
3 x 75	5.0 lbs/lin.ft.			
Custom cuts are also available				



INDUSTRIAL RUNNER


Ribbed Runner


Applications

Recommended for ramps, industrial walkways and outside entrances.

- Choose between wide and fine corrugated designs
- Durable 1/8" natural rubber improves slip resistance, and stands up longer
- Maintains its flexibility in cold environments
- · Helps to absorb noise from hard floors










Soft Spun







Also available in Grey

Applications

Recommended for use in commercial applications in areas such as workstations, cashiers, assembly lines and tellers. For use in dry to moist work environments.

Features and Benefits

- Ergonomically designed to reduce strain and to provide relief from aching feet and legs
- For light to moderate applications, Soft Spun is the most economical choice to improve employee comfort and increase productivity
- Choose from rolls or standard sized mats to suit your needs
- Provides workers with a comfortable surface to stand on for extended periods of time
- Provides protection from damp and cold floors
- Various textured surface options increase slip resistance
- 3/8" thick, closed cell PVC foam

Special Order: Supreme Soft Spun

5/8" thick in black pebble and various sizes

Safety Soft Spun

3/8" thick available in Ribbed and Pebble finish surface in various sizes

Available Sizes

Mat Size(ft)	Weight (lbs)	Rolls (ft)	Weight (lbs)	
2x3	6	2 x 60	78	
3x5	14	3 x 60	117	
		4x60	156	
Custom cuts are also available				

Marble Spun



Colours Available

- Grey/Black/White
- Black/White

Custom bevel sizes available.

Applications

Recommended for industrial applications such as machine shops, and shipping/packaging stations. Suitable for barber and hair salons as well.

Features and Benefits

- Ergonomically designed mats with a marbleized finish offer a less industrial look, making it ideal for use in offices or retail environments
- Tough PVC top stands up to the wear and tear of daily use
- Ease lower back and leg stress associated with long periods of standing
- · Heavy vinyl backing
- · Bevelled edges for safety
- 1/2" overall thickness

Available Sizes

Mat Size (in)	Weight (lbs)	Mat Size (in)	Weight (lbs)		
18 x 30	6	24 x 36*	9		
18 x 48	9	36 x 60 *	23		
Custom cuts are also available					

*Grey/Black/White only available in marked sizes

SPECIALTY MATTING

Bubble Mat

Applications

Recommended for industrial applications such as machine shops and shipping/ packaging stations.

Features and Benefits

- High quality 100% solid rubber, will not compress over time
- · Air pockets are designed to encourage changes in position improving worker circulation for day long comfort
- Domed surface provides sure footing as liquids settle between domes
- Significantly improves worker comfort by reducing lower back and leg stress
- 5/8" overall thickness, beveled edges for safety
- · Designed specifically for anti-fatigue applications
- Has excellent shock absorbing properties



Colours Available

Black

Available Sizes

Mat Size (ft)	Weight (lbs)	Mat Size (ft)	Weight (lbs)
2 x 3	10	3 x 4	19

Diamond Spun

Applications

Recommended for any dry work areas, such as factories, labs, assembly lines and shipping / packing stations.

Features and Benefits

- Ergonomically designed to reduce worker fatigue and improve comfort
- Vinyl surface is fused into a 3/8" thick, closed cell PVC sponge underlay
- Durable 3/16" Koroseal vinyls surface, in addition to its diamond style textured surface, provides an excellent overall slip resistant surface
- 9/16" overall thickness
- Bevelled edges for safety
- Available with OSHA Yellow safety borders

Available Sizes

Non-stock item. Please contact sales rep. for order information and pricing.

Custom widths up to 4' is available in black only.

Diamond Deluxe Soft Foot™ \

Available in 2'x 3', 3'x 5', and 3'x 12' mats and 2', 3', 4' width by 60' rolls. 1/2" thickness. Available in Yellow/Black, Black.

📉 Ultimate Diamond Spun 📖 📖

15/16" overall thickness and 3/4" Ergo Kushion has been fused to the back. Sizes 2 x 3 and 3 x 5. Available by special order.









DRAINAGE/ANTI-FATIGUE

Kushion Safe Heavy Duty







Applications

Recommended for industrial applications and commercial kitchens as the matting does not deteriorate. Ideal for wet, oily, and greasy environments. Other general use areas - grocery stores, restaurants, bars, food service, food processing stations, machine and wood working shops.


Features and Benefits

- Large drainage holes allow debris and liquids to pass through, keeping workers safe from slip and trip hazards
- · Grease Proof Orange and Grease Resistant Black
- Helps to reduce leg and lower back fatigue
- Will not deteriorate if regularly cleaned when subjected to continuous spills
- Raised underside knobs for excellent drainage capabilities
- Heavy weight 7/8" thick rubber, bevelled edges for safety

Available Sizes

Colour	Mat Size (ft)	Weight (lbs)
Grease Proof ORANGE	3 x 5	48
Standard BLACK	3 x 5	48


Kushion Safe Light Duty




Applications

Recommended for industrial applications and commercial kitchens as the matting does not deteriorate. Ideal for wet, oily, and greasy environments. Other general use areas - grocery stores, restaurants, bars, food service, food processing stations, machine and wood working shops.

- Large drainage holes allow debris and liquids to pass through, keeping workers safe from slip and trip hazards
- · Grease Proof Orange and Grease Resistant Black
- · Helps to reduce leg and lower back fatigue
- 1/2" Thick Product with bevelled edges for safety
- Will not deteriorate if regularly cleaned when subjected to continuous spills





Available Sizes

Mat Size (ft)	Weight (lbs)
3 x 5	30
3 x 5	23
	3 x 5

Interlocking Modular Tile

Applications


Recommended for industrial workstations, pools, showers, saunas and work-out areas.

Features and Benefits

- · Made from flexible recycled PVC
- Tiles are 3/4" thick
- · Cushion surface eases worker fatigue
- Helps prevent slips and falls
- Allows drainage for dry surface work areas
- Interlocking pieces install easily, without the use of any special tools
- · Optional bevelled edges add extra safety and finished look
- Can be used for large areas

Available Sizes

Mat Size (ft)	Weight (lbs)	
12" x 12"Tile	1.5	
12" Bevel Edge*	0.5	
12" Bevel Edge with Corner*	0.5	
12" Yellow Bevel Edge*	0.5	
12" Yellow Bevel Edge with Corner*	0.5	
*Must specify male or female		



Colours Available

• Black Tile, Yellow bevel edge



For complete flooring options go to: www.forboflooringNA.com








Nuway Tuftiguard



Features and Benefits

- · High tensile steel linkages give Nuway Tuftiguard construction integrity
- Tuftiguard is available in open or closed construction to suit the location of the mat and preferred cleaning regime
- Tuftiguard is available with single wiper strips or double wiper strips where extra moisture absorption is required.
- Tuftiguard is available in a choice of 12 mm and 17mm depths to match most matwells. Ramp frames are also available









Tuftiguard Classic

Tuftiguard Plain

Tuftiguard Design

Open Construction





Scraper bars



Aluminium





Buffed (Classic)

Wiper bar options Design



Nuway Tuftiguard HD

- The ideal matting solution for entrances with heavy duty loads and intense pedestrian and/ or wheeled traffic.
- Patented aluminium scraper bar ensures it's the strongest type of matting in the Nuway
- · Aluminium scraper bars have special ridges which effectively remove dirt while also being smooth enough for wheeled traffic to move easily.





Tuftiguard HD Classic Tuftiguard HD Plain

Tuftiguard HD Design





Wiper bar options Plain and Classic



Wiper bar options Design




Buffed (Classic)



Nuway Grid

Features and Benefits

- Coral carrier sections can allow colour co-ordinated entrance areas to be created with primary and secondary entrance matting products.
- Inserts include strips of textile inserts (for internal use only) different colourways drawn from the Coral classic, brush pure and burford ranges.
- Grid Ultragrip provides a slip resistant surface, ideal for entrances with multi directional traffic.
- Ultragrip rubber and standard rubber inserts are also available, which allow Nuway grid mats to be used in external entrances.
- · Available in a choice of 12 and 17mm depths to suit the majority of matwells



Coral Classic



4701 anthracite

Coral Brush Pure



5710 asphalt grey



Rubber insert



Ultragrip rubber




Burford insert

Nuway Connect

Features and Benefits

- Ultragrip rubber offers excellent sure footing and is ideal for multi-directional entrances. Its high rubber content prevents it getting slippy when wet.
- A choice of 6 Coral classic inserts allows colour co-ordination with matching Coral classic sheet product used in the secondary matting zone.
- All four elements, Coral, bristles, rubber and Ultragrip rubber, can be mixed and matched to create the precise entrance system to meet your needs.
- All inserts can also be replaced on site helping to extend the wear life of the product.


Connect carrier component structure



Available with a choice of 6 Coral classic inserts and 4 row bristle along with Ultragrip rubber and rubber inserts for internal and external use.

Carrier Section

Low lustre aluminium anodised finish helps to prevent a strobing effect in bright conditions. Note: there is a slight difference in the profile between 10mm and 17/22mm Connect. (see image on right).



Coral Classic



4701 anthracite



Coral Brush Pure

5710 asphalt grey




Ultragrip rubber



Bristles



Rubb



Forbo Cleaning Products



Neutral pH Cleaner

Recommended For Use With: Marmoleum®; Walton; Marmoleum® Modular Tile; Marmoleum®; Walton; Marmoleum® Modular Tile; MCT; Eternal

Approximate Spread Rate (ft² / gallon)

Quart = 32 gallons of cleaner Gallon = 128 gallons of cleaner



Spray Buff

Recommended For Use With: MCT; Eternal

Approximate Spread Rate Varies

(available in quarts only)



Mop On Restorer

Recommended For Use With: Marmoleum®; Walton; Marmoleum® Modular Tile; MCT; Eternal

Approximate Spread Rate (ft² / gallon)

Gallon = 128 gallons of cleaner (available in gallons only)



Heavy-Duty Cleaner

Recommended For Use With: Marmoleum®; Walton; Marmoleum® Modular Tile; MCT; Eternal

Approximate Spread Rate (ft² / gallon)

Quart = 32 gallons of cleaner Gallon = 128 gallons of cleaner



Matte Floor Finish

Recommended For Use With: MCT; Eternal

Approximate Spread Rate (ft² / gallon)

Quart = $450 - 550 \text{ ft}^2$; Gallon = 1,800 - 2,200 ft2



Semi-Gloss Floor Finish

Recommended For Use With: MCT; Eternal

Approximate Spread Rate (ft² / gallon)

Quart = $450 - 550 \text{ ft}^2$; Gallon = $1,800 - 2,200 \text{ ft}^2$



Adhesive Remover

Recommended For Use With: All Forbo Flooring Products Approximate Spread Rate (ft² / gallon) **Varies**



Residential Floor Finish

Recommended For Use With: Marmoleum®; Walton; Marmoleum® Modular Tile; MCT; Eternal

Approximate Spread Rate (ft² / gallon)

Quart = $450 - 550 \text{ ft}^2$; Gallon = $1,800 - 2,200 \text{ ft}^2$




Forbo makes choosing a quality entrance system easy with our new special offer packages.

Just tell us what color option you'd like and how many doors you have and we'll ship you what you need!


Step 1: Select color

Option 1: 9730 | 5730



- •STOPS up to 95% of the walk-in dirt and moisture
- **REDUCES** maintenance & cleaning costs by up to 65%
- MAXIMIZES the useful life of interior finishes
- **LENGTH MATTERS!** longer walk off = greater protection

Option 2: 9721 | 5721




Step 2: Choose door package

Single door package

2 meters long of coral duo and 3 meters long of coral brush by 1 meter wide. Regular retail = \$741.14

Special package price = \$545.00 x __ # of single doors





Double door package

2 meters long of coral duo and 3 meters long of coral brush by 2 meters wide. Regular retail = \$1,339.14

Special package price = \$960.00 x __ # of double doors

