eurocol

Page 1/7

Safety data sheet according to UK REACH

Printing date 23.08.2024

Version number 5

Revision: 23.08.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

Trade name: 923 Europlan Extreme

- · Article number: 923
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** *No further relevant information available.*
- · Application of the substance / preparation Levelling compound

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Forbo Eurocol Nederland B.V. Industrieweg 1-2

NL-1521 NA Wormerveer Holland Tel. +31 75 6271620 E-mail address: info.eurocol@forbo.com

Website: www.eurocol.com

[•] 1.4 Emergency telephone number:

In case of emergency please contact the Dutch National Poison Control, telephone number: 0031-(0)88-755 8000 (This number is only accessible to the physician treating the patient and only in case of accidental poisoning).

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

[•] Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage. *Skin Sens.* 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008
 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labelling: Portland cement clinker

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 23.08.2024

Version number 5

Revision: 23.08.2024

Trade name: 923 Europlan Extreme

H335 May cause respiratory irritation.

(Contd. of page 1)

nood may daadd n	
Precautionary sta	atements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261	Avoid breathing dust.
P280	Wear protective gloves.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	if present and easy to do. Continue rinsing.
P404	Store in a closed container.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
	-

[·] 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of cement, fillers and additives.

[·] Dangerous components:

 CAS: 65997-15-1
 Portland cement clinker
 >25-50%

 EINECS: 266-043-4
 Eye Dam. 1, H318; (1) Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT
 >25-50%

 SE 3, H335
 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT
 >25-50%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- General information: No special measures required.
- · After inhalation:
- In case of unconsciousness place patient stably in side/recovery position for transportation.
- [•] After skin contact:
- Immediately remove contaminated clothing, wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Rinse mouth with water and then drink plenty of water, consult physician immediately.
- Information for doctor: Product reacts with moisture into alkaline mixture.
- **4.2 Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- [·] 5.1 Extinguishing media
- Suitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

GB

Safety data sheet according to UK REACH

Printing date 23.08.2024

Version number 5

Revision: 23.08.2024

Trade name: 923 Europlan Extreme

(Contd. of page 2)

· Additional information Product itself does not burn.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Avoid formation of dust. Avoid contact with eyes and skin.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

• **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Thorough dedusting.

Prevent formation of dust.

Ensure sufficient ventilation and avoid formation of dust. Do not inhale dust. Avoid contact with eyes and skin.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

[·] Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in cool, dry conditions in well sealed packaging.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

65997-15-1 Portland cement clinker

WEL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

· Additional information: The lists valid during manufacture were used as basis.

[·] 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals. Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

Do not inhale dust.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Use suitable respiratory protective device (filter P2) in case of insufficient ventilation.

(Contd. on page 4)

GB

Printing date 23.08.2024

Version number 5

Revision: 23.08.2024

Trade name: 923 Europlan Extreme

(Contd. of page 3)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material is dependent on the penetration times, rates of diffusion and degradation.

· Material of gloves

Use chemical resistant gloves classified under EN374. Examples of preferred glove materials that form a barrier: butyl rubber or chloroprene rubber. If prolonged or repeated contact can occur, gloves with a protection class of 6 (breakthrough time greater than 480 minutes) are recommended according to EN 374. Ask your glove supplier to advise you on the right type and thickness.

The selection of suitable gloves does not only depend on the material, but also on further aspects of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material ≥ 480 Minutes
- For prolonged contact gloves made of the following materials are suitable:
- Chloroprene and butylrubber.
- · Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemic	cal properties
9.1 Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Powder
Colour:	Grey
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gas):	Not determined.
Decomposition temperature:	Not determined.
gnition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.

Printing date 23.08.2024

Version number 5

Revision: 23.08.2024

Trade name: 923 Europlan Extreme

	(Contd. of page 4)
Not applicable.	
Not determined.	
Not determined.	
Not applicable.	
Not applicable.	
Slightly soluble.	
Not determined.	
Not applicable.	
Not applicable.	
No further relevant information available.	
	Not applicable. Not determined. Not determined. Not applicable. Not applicable. Slightly soluble. Not determined. Not determined. Not applicable. Not determined. Not applicable. Not applicable. Not applicable. Not applicable.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** *No further relevant information available.*
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

1305-62-0 calcium dihydroxide

Oral LD50 7,340 mg/kg (rat)

Primary irritant effect:

- Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation

Product can cause irritation on the longer term dermatitis. This impact is caused by alcality of the product in water and on mechanical damage of the skin.

- May cause an allergic skin reaction.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause respiratory irritation.

• **STOT-repeated exposure** *Based on available data, the classification criteria are not met.*

(Contd. on page 6)

Safety data sheet according to UK REACH

Printing date 23.08.2024

Version number 5

Revision: 23.08.2024

(Contd. of page 5)

Trade name: 923 Europlan Extreme

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Do not discharge into the sewer.

Do not discharge rinse water arising from cleaning tools into sewers or surface water. Avoid transfer into the environment.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- **12.6 Other adverse effects** *No further relevant information available.*

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- [·] Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- [·] Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
 14.4 Packing group ADR, IMDG, IATA 	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
[·] 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to Ann Marpol and the IBC Code 	nex II of Not applicable.	
· UN "Model Regulation":	Void	

(Contd. on page 7)

Safety data sheet according to UK REACH

Printing date 23.08.2024

Version number 5

Revision: 23.08.2024

Trade name: 923 Europlan Extreme

(Contd. of page 6)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

[·] Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

[·] Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

[·] Directive 2012/18/EU

- Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

[·] Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Department issuing SDS: R&D department

· Contact: Ing. T.W. Breeuwer

• Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered.

GB ·