



Forbo Flooring Systems is part of the Forbo Group, a global leader in flooring and movement systems, and offers a full range of flooring products for both commercial and residential markets. High quality linoleum, vinyl, textile, flocked and entrance flooring products combine functionality, colour and design, offering you total flooring solutions for any environment.


Forbo Flooring B.V.
P.O. Box 13
1560 AA Krommenie
The Netherlands
T: +31 75 647 74 77
F: +31 75 647 77 01
contact@forbo.com
www.forbo-flooring.com



creating better environments

220636/012020

Find us on



allura

creating better environments





Allura, made with passion

Allura is made for end users and professionals in the flooring business by professionals in commercial flooring.

Allura has always been made with passion and knowledge and represents the next generation of LVT flooring.

At Forbo, we study how people work, live and interact in today's commercial interiors. We connect this knowledge to future trends and the changing dynamics of a building; we use our findings to innovate and differentiate our portfolio of products through design and function.

We solve today's and tomorrow's challenges by providing answers to key issues such as limiting valuable downtime, the re-use of floors and minimising environmental impacts.

*We are **passionate about design** and the **endless possibilities** Allura offers, both as a stand alone collection and in combination with other Forbo products.*


ALL ABOUT OUR FLOORS

The designs in our Allura collections are available in a variety of constructions. In this all-in one range you will find 51 items which are all available in dryback, flex and click pro constructions and in some case also in puzzle or ease. So depending on the demand of the subfloor, the amount of traffic and the type of traffic - you can still choose one design that can be applied everywhere. Here you can find more information about the different constructions.

allura dryback

FULLY ADHERED


- Largest choice in design, colour, size and shape
- Most durable, reliable product for applications of any size
- Maximum certainty and performance with a glued down product



allura flex

TACKIFIED LOOSE LAY


- Easy and quick, only using tackifier to install
- Stable product for demanding applications of any size
- Special backing for extra comfort and improved room acoustics



allura click pro

CLICK CONNECTED


- Clickable solution for any area up to 1000 m²
- Suitable for use with uneven subfloors and is genuinely adhesive free
- Balanced product that will perform over time



allura ease

LOOSE LAY


- Fully loose laid design offer for use across a wide variety of applications
- Easy to install but also to remove, re-use and recycle
- Quickest solution with no down time for both planks and tiles



allura puzzle

PUZZLE CONNECTED LOOSE LAY

- High traffic solution with strong puzzle connection
- Minimal subfloor preparation and quick to install
- Large tile format in wood and material colourways that is ready to use immediately



FIND THE RIGHT ALLURA COLLECTION FOR YOUR PROJECT

Every project is different and has its own specific demands. This can be in relation to the subfloor, the volume of traffic that passes through, or the size of the project. Also the installation skills or the size of the project. One thing is certain, we have the right solution in our portfolio.

	WHAT'S YOUR PROJECT?		ACOUSTIC REQUIREMENTS		INSTALLATION REQUIREMENTS					
	PROJECT SIZE	INTENSITY OF LOAD	ACOUSTICAL COMFORT		SUBFLOOR TOLERANCE	ADHESION	SPEED OF INSTALLATION	SKILLS NEEDED FOR INSTALLATION	INSTALLED PRICE	REMOVABILITY
Dryback	Unlimited	High	6 dB	+	Low	Yes	Traditional speed	Medium to advanced	Reference	Low - fully bonded
Flex	Unlimited	Medium	14 dB	++	Low	Tackified	Fast	Medium	Equal	Removable
Click Pro	< 1000 m² without transition profile	Low	7 dB/15 dB with Forbo underlay	++	Medium	No	Fastest	Low	Higher	Reusable
Ease	< 250 m²	Medium	7 dB	+	Low	No	Fastest	Medium	Lower	Reusable
Puzzle	< 500m²	High	7 dB	+	Medium	No	Fastest	Medium	Equal	Reusable
Decibel	Unlimited	Medium	19 dB	+++	Low	Tackified	Fast	Medium	Equal	Removable



63451 | white marble 63455 | black marble

HOW TO SPECIFY YOUR ORDER

The project requirements dictate which product is most suitable.


- DR7 – allura dryback wear layer 0.70 mm
- DR5 – allura dryback wear layer 0.55 mm
- DR4 – allura dryback wear layer 0.40 mm
- FL1 – allura flex wear layer 1.0 mm
- FL5 – allura flex wear layer 0.55 mm
- CL5 – allura click pro wear layer 0.55 mm
- EA7 – allura ease wear layer 0.70 mm
- PZ7 – allura puzzle wear layer 0.70 mm

The colourway numbers are mentioned below the sample. Add the code above as a suffix after the colourway number to specify your required format of the product. Items with multiple executions (size or shape) each have a different colourway number. Please note that not all designs are available from stock in every product construction.

Example:

When you want the grey waxed oak in Allura Flex with wear layer thickness 0.55 mm. Take the colourway number of grey waxed oak which is 63496 and add FL5 to the number.

This is how you would specify this example order:



63406 | bleached timber



natural giant oak



grey giant oak

Allura	60284 natural giant oak		60280 grey giant oak	
	Art. Number	Size	Art. Number	Size
Dryback 0.70	60284DR7	180 x 32 cm	60280DR7	180 x 32 cm
Dryback 0.55	60284DR5	180 x 32 cm	60280DR5	180 x 32 cm
Dryback 0.40	60284DR4	180 x 32 cm	60280DR4	180 x 32 cm
Flex 1.0	60284FL1	150 x 28 cm	60280FL1	150 x 28 cm
Flex 0.55	60284FL5	150 x 28 cm	60280FL5	150 x 28 cm
Click Pro 0.55	60284CLS	150,5 x 23,7 cm	60280CLS	150,5 x 23,7 cm
Ease 0.70	60284EA7	150 x 24 cm	60280EA7	150 x 24 cm
Puzzle 0.70	60284PZ7	96 x 96 cm	60280PZ7	96 x 96 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70	Puzzle 0.70
Article nr. suffix	DR7	DR5	DR4	FL1	FL5	CLS	EA7	PZ7
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no	no
Bevel	2 sided	2 sided	2 sided	4 sided	4 sided	4 sided	4 sided	
Pcs in box	8	9	10	7	9	6	6	1
M² in box	4,6m²	5,18m²	5,76m²	2,94m²	3,78m²	2,14m²	2,16m²	0,92m²



60284 | natural giant oak



deep country oak



central oak



light honey oak



whitened oak



rustic anthracite oak

	60302 deep country oak		60300 central oak		60305 light honey oak		60301 whitened oak		60306 rustic anthracite oak	
Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Dryback 0.70	60302DR7	150 x 28 cm	60300DR7	150 x 28 cm	60305DR7	150 x 28 cm	60301DR7	150 x 28 cm	60306DR7	150 x 28 cm
Dryback 0.55	60302DR5	150 x 28 cm	60300DR5	150 x 28 cm	60305DR5	150 x 28 cm	60301DR5	150 x 28 cm	60306DR5	150 x 28 cm
Dryback 0.40	60302DR4	150 x 28 cm	60300DR4	150 x 28 cm	60305DR4	150 x 28 cm	60301DR4	150 x 28 cm	60306DR4	150 x 28 cm
Flex 1.0	60302FL1	150 x 28 cm	60300FL1	150 x 28 cm	60305FL1	150 x 28 cm	60301FL1	150 x 28 cm	60306FL1	150 x 28 cm
Flex 0.55	60302FL5	150 x 28 cm	60300FL5	150 x 28 cm	60305FL5	150 x 28 cm	60301FL5	150 x 28 cm	60306FL5	150 x 28 cm
Click Pro 0.55	60302CLS	150,5 x 23,7 cm	60300CLS	150,5 x 23,7 cm	60305CLS	150,5 x 23,7 cm	60301CLS	150,5 x 23,7 cm	60306CLS	150,5 x 23,7 cm
Ease 0.70			60300EA7	150 x 24 cm	60305EA7	150 x 24 cm			60306EA7	150 x 24 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70
Article nr. suffix	DR7	DR5	DR4	FL1	FL5	CLS	EA7
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm
IR embossing	yes	yes	yes	yes	yes	yes	yes
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	7	9	6	6
M² in box	5,04m²	5,88m²	6,3m²	2,94m²	3,78m²	2,14m²	2,16m²



60300 | central oak



bleached timber



blond timber



greywashed timber



hazelnut timber

Allura	63406 bleached timber		63412 blond timber		63408 greywashed timber		63410 hazelnut timber	
	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Dryback 0.70	63406DR7	120 x 20 cm	63412DR7	120 x 20 cm	63408DR7	120 x 20 cm	63410DR7	120 x 20 cm
Dryback 0.55	63406DR5	120 x 20 cm	63412DR5	120 x 20 cm	63408DR5	120 x 20 cm	63410DR5	120 x 20 cm
Dryback 0.40	63406DR4	120 x 20 cm	63412DR4	120 x 20 cm	63408DR4	120 x 20 cm	63410DR4	120 x 20 cm
Flex 1.0	63406FL1	120 x 20 cm	63412FL1	120 x 20 cm	63408FL1	120 x 20 cm	63410FL1	120 x 20 cm
Flex 0.55	63406FL5	120 x 20 cm	63412FL5	120 x 20 cm	63408FL5	120 x 20 cm	63410FL5	120 x 20 cm
Click Pro 0.55	63406CLS	121,2 x 18,7 cm	63412CLS	121,2 x 18,7 cm	63408CLS	121,2 x 18,7 cm	63410CLS	121,2 x 18,7 cm
Ease 0.70	63406EA7	120 x 19 cm	63412EA7	120 x 19 cm	63408EA7	120 x 19 cm		

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70
Article nr. suffix	DR7	DR5	DR4	FL1	FL5	CLS	EA7
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm
IR embossing	yes	yes	yes	yes	yes	yes	yes
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	10	13	8	10
M² in box	2,88m²	3,36m²	3,6m²	2,4m²	3,12m²	1,81m²	2,28m²

Allura	63407 bleached timber		63413 blond timber		63409 greywashed timber		63411 hazelnut timber	
	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Dryback 0.70	63407DR7	50 x 15 cm	63413DR7	50 x 15 cm	63409DR7	50 x 15 cm	63411DR7	50 x 15 cm
Dryback 0.55	63407DR5	50 x 15 cm	63413DR5	50 x 15 cm	63409DR5	50 x 15 cm	63411DR5	50 x 15 cm

	Dry back 0.70	Dry back 0.55
Article nr. suffix	DR7	DR5
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm
IR embossing	yes	yes
Bevel	4 sided	4 sided
Pcs in box	40	46
M² in box	3m²	3,45m²



63410 | hazelnut timber



grey autumn oak



classic autumn oak



white autumn oak

Allura	60356 grey autumn oak		60353 classic autumn oak		60350 white autumn oak	
	Art. Number	Size	Art. Number	Size	Art. Number	Size
Dryback 0.70	60356DR7	100 x 15 cm	60353DR7	100 x 15 cm	60350DR7	100 x 15 cm
Dryback 0.55	60356DR5	100 x 15 cm	60353DR5	100 x 15 cm	60350DR5	100 x 15 cm
Dryback 0.40	60356DR4	100 x 15 cm	60353DR4	100 x 15 cm	60350DR4	100 x 15 cm
Flex 1.0	60356FL1	100 x 20 cm	60353FL1	100 x 20 cm	60350FL1	100 x 20 cm
Flex 0.55	60356FL5	100 x 20 cm	60353FL5	100 x 20 cm	60350FL5	100 x 20 cm
Click Pro 0.55	60356CLS	121,2 x 18,7 cm	60353CLS	121,2 x 18,7 cm	60350CLS	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	DR7	DR5	DR4	FL1	FL5	CLS
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	20	23	25	10	13	8
M² in box	3m²	3,45m²	3,75m²	2m²	2,6m²	1,81m²

Allura	60357 grey autumn oak		60354 classic autumn oak		60351 white autumn oak	
	Art. Number	Size	Art. Number	Size	Art. Number	Size
Dryback 0.70	60357DR7	90 x 15 cm HP	60354DR7	90 x 15 cm HP	60351DR7	90 x 15 cm HP
Dryback 0.55	60357DR5	90 x 15 cm HP	60354DR5	90 x 15 cm HP	60351DR5	90 x 15 cm HP
Flex 1.0	60357FL1	120 x 20 cm HP	60354FL1	120 x 20 cm HP	60351FL1	120 x 20 cm HP
Flex 0.55	60357FL5	120 x 20 cm HP	60354FL5	120 x 20 cm HP	60351FL5	120 x 20 cm HP

	Dry back 0.70	Dry back 0.55	Flex 1.0	Flex 0.55
Artide nr. suffix	DR7	DR5	FL1	FL5
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	5 mm / 1 mm	4 mm / 0,55 mm
IR embossing	no	no	no	no
Bevel	2 sided	2 sided	2 sided	2 sided
Pcs in box	40	46	12	15
M² in box	4,5m²	5,17m²	2,4m²	3m²



60351 | white autumn oak



grey waxed oak



waxed oak

Allura	63496 grey waxed oak		60063 waxed oak	
	Art. Number	Size	Art. Number	Size
Dryback 0.70	63496DR7	100 x 15 cm	60063DR7	100 x 15 cm
Dryback 0.55	63496DR5	100 x 15 cm	60063DR5	100 x 15 cm
Dryback 0.40	63496DR4	100 x 15 cm	60063DR4	100 x 15 cm
Flex 1.0	63496FL1	100 x 20 cm	60063FL1	100 x 20 cm
Flex 0.55	63496FL5	100 x 20 cm	60063FL5	100 x 20 cm
Click Pro 0.55	63496CL5	121,2 x 18,7 cm	60063CL5	121,2 x 18,7 cm
Ease 0.70	63496EA7	120 x 19 cm		
Puzzle 0.70	63496PZ7	96 x 96 cm		

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70	Puzzle 0.70
Article nr. suffix	DR7	DR5	DR4	FL1	FL5	CL5	EA7	PZ7
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided	
Pcs in box	20	23	25	10	13	8	10	1
M² in box	3 m²	3,45m²	3,75m²	2m²	2,6m²	1,81m²	2,28m²	0,92m²

Allura	63497 grey waxed oak		60055 waxed oak	
	Art. Number	Size	Art. Number	Size
Dryback 0.70	63497DR7	90 x 15 cm HP	60055DR7	90 x 15 cm HP
Dryback 0.55	63497DR5	90 x 15 cm HP	60055DR5	90 x 15 cm HP
Flex 1.0	63497FL1	120 x 20 cm HP	60055FL1	120 x 20 cm HP
Flex 0.55	63497FL5	120 x 20 cm HP	60055FL5	120 x 20 cm HP

	Dry back 0.70	Dry back 0.55	Flex 1.0	Flex 0.55
Article nr. suffix	DR7	DR5	FL1	FL5
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	5 mm / 1 mm	4 mm / 0,55 mm
IR embossing	no	no	no	no
Bevel	2 sided	2 sided	2 sided	2 sided
Pcs in box	40	46	12	15
M² in box	4,5m²	5,17m²	2,4m²	3m²



60063 | waxed oak



pure oak



steamed oak

Allura	60295 pure oak		60293 steamed oak	
	Art. Number	Size	Art. Number	Size
Dryback 0.70	60295DR7	120 x 20 cm	60293DR7	120 x 20 cm
Dryback 0.55	60295DR5	120 x 20 cm	60293DR5	120 x 20 cm
Dryback 0.40	60295DR4	120 x 20 cm	60293DR4	120 x 20 cm
Flex 1.0	60295FL1	120 x 20 cm	60293FL1	120 x 20 cm
Flex 0.55	60295FL5	120 x 20 cm	60293FL5	120 x 20 cm
Click Pro 0.55	60295CLS	121,2 x 18,7 cm	60293CLS	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	DR7	DR5	DR4	FL1	FL5	CLS
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	10	13	8
M² in box	2,88m²	3,36m²	3,6m²	2,4m²	3,12m²	1,81m²



60293 | steamed oak



natural collage oak



grey collage oak

Allura	60374 natural collage oak		60375 grey collage oak	
	Art. Number	Size	Art. Number	Size
	Dryback 0.70	60374DR7 120 x 20 cm	60375DR7	120 x 20 cm
	Dryback 0.55	60374DR5 120 x 20 cm	60375DR5	120 x 20 cm
	Dryback 0.40	60374DR4 120 x 20 cm	60375DR4	120 x 20 cm
Flex 1.0	60374FL1	120 x 20 cm	60375FL1	120 x 20 cm
Flex 0.55	60374FL5	120 x 20 cm	60375FL5	120 x 20 cm
Click Pro 0.55	60374CLS	121,2 x 18,7 cm	60375CLS	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	DR7	DR5	DR4	FL1	FL5	CLS
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	10	13	8
M² in box	2,88m²	3,36m²	3,6m²	2,4m²	3,12m²	1,81m²



60375 | grey collage oak



black rustic oak

60074 black rustic oak		
Allura	Art. Number	Size
Dryback 0.70	60074DR7	120 x 20 cm
Dryback 0.55	60074DR5	120 x 20 cm
Dryback 0.40	60074DR4	120 x 20 cm
Flex 1.0	60074FL1	120 x 20 cm
Flex 0.55	60074FL5	120 x 20 cm
Click Pro 0.55	60074CLS	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	DR7	DR5	DR4	FL1	FL5	CLS
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	10	13	8
M² in box	2,88m²	3,36m²	3,6m²	2,4m²	3,12m²	1,81m²



60074 | black rustic oak



grey raw timber



white raw timber



brown raw timber

60152 grey raw timber		60151 white raw timber		60150 brown raw timber		
Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size
Dryback 0.70	60152DR7	120 x 20 cm	60151DR7	120 x 20 cm	60150DR7	120 x 20 cm
Dryback 0.55	60152DR5	120 x 20 cm	60151DR5	120 x 20 cm	60150DR5	120 x 20 cm
Dryback 0.40	60152DR4	120 x 20 cm	60151DR4	120 x 20 cm	60150DR4	120 x 20 cm
Flex 1.0	60152FL1	120 x 20 cm	60151FL1	120 x 20 cm	60150FL1	120 x 20 cm
Flex 0.55	60152FL5	120 x 20 cm	60151FL5	120 x 20 cm	60150FL5	120 x 20 cm
Click Pro 0.55	60152CLS	121,2 x 18,7 cm	60151CLS	121,2 x 18,7 cm	60150CLS	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	DR7	DR5	DR4	FL1	FL5	CLS
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	yes	yes	yes	yes	yes	yes
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	10	13	8
M² in box	2,88m²	3,36m²	3,6m²	2,4m²	3,12m²	1,81m²



60151 | white raw timber



burned oak



petrified oak

Allura	63420 burned oak		63418 petrified oak	
	Art. Number	Size	Art. Number	Size
Dryback 0.70	63420DR7	120 x 20 cm	63418DR7	120 x 20 cm
Dryback 0.55	63420DR5	120 x 20 cm	63418DR5	120 x 20 cm
Dryback 0.40	63420DR4	120 x 20 cm	63418DR4	120 x 20 cm
Flex 1.0	63420FL1	120 x 20 cm	63418FL1	120 x 20 cm
Flex 0.55	63420FL5	120 x 20 cm	63418FL5	120 x 20 cm
Click Pro 0.55	63420CLS	121,2 x 18,7 cm	63418CLS	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	DR7	DR5	DR4	FL1	FL5	CLS
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	10	13	8
M² in box	2,88m²	3,36m²	3,6m²	2,4m²	3,12m²	1,81m²



63420 | burned oak



oyster seagrass



natural seagrass

Allura	61253 oyster seagrass		61255 natural seagrass	
	Art. Number	Size	Art. Number	Size
Dryback 0.70	61253DR7	100 x 15 cm	61255DR7	100 x 15 cm
Dryback 0.55	61253DR5	100 x 15 cm	61255DR5	100 x 15 cm
Dryback 0.40	61253DR4	100 x 15 cm	61255DR4	100 x 15 cm
Flex 1.0	61253FL1	100 x 20 cm	61255FL1	100 x 20 cm
Flex 0.55	61253FL5	100 x 20 cm	61255FL5	100 x 20 cm
Click Pro 0.55	61253CLS	121,2 x 18,7 cm	61255CLS	121,2 x 18,7 cm
Puzzle 0.70	61253PZ7	96 x 96 cm		

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Puzzle 0.70
Article nr. suffix	DR7	DR5	DR4	FL1	FL5	CLS	PZ7
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided	
Pcs in box	20	23	25	10	13	8	1
M² in box	3m²	3,45m²	3,75m²	2m²	2,6m²	1,81m²	0,92m²



61253 | oyster seagrass



weathered rustic pine



natural rustic pine



bleached rustic pine

	60085 weathered rustic pine		60082 natural rustic pine		60084 bleached rustic pine	
Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size
Dryback 0.70	60085DR7	120 x 20 cm	60082DR7	120 x 20 cm	60084DR7	120 x 20 cm
Dryback 0.55	60085DR5	120 x 20 cm	60082DR5	120 x 20 cm	60084DR5	120 x 20 cm
Dryback 0.40	60085DR4	120 x 20 cm	60082DR4	120 x 20 cm	60084DR4	120 x 20 cm
Flex 1.0	60085FL1	120 x 20 cm	60082FL1	120 x 20 cm	60084FL1	120 x 20 cm
Flex 0.55	60085FL5	120 x 20 cm	60082FL5	120 x 20 cm	60084FL5	120 x 20 cm
Click Pro 0.55	60085CL5	121,2 x 18,7 cm	60082CL5	121,2 x 18,7 cm	60084CL5	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	DR7	DR5	DR4	FL1	FL5	CLS
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	yes	yes	yes	yes	yes	yes
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	10	13	8
M² in box	2,88m²	3,36m²	3,6m²	2,4m²	3,12m²	1,81m²



60084 | bleached rustic pine



classic beech

60026 classic beech						
Allura	Art. Number	Size				
Dryback 0.70	60026DR7	100 x 15 cm				
Dryback 0.55	60026DR5	100 x 15 cm				
Dryback 0.40	60026DR4	100 x 15 cm				
Flex 1.0	60026FL1	100 x 20 cm				
Flex 0.55	60026FL5	100 x 20 cm				
Click Pro 0.55	60026CLS	121,2 x 18,7 cm				

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	DR7	DR5	DR4	FL1	FL5	CLS
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel						4 sided
Pcs in box	20	23	25	10	13	8
M² in box	3m²	3,45m²	3,75m²	2m²	2,6m²	1,81m²



60026 | classic beech



honey elegant oak



whitewash elegant oak

Allura	60065 honey elegant oak		60064 whitewash elegant oak	
	Art. Number	Size	Art. Number	Size
	Dryback 0.70	60065DR7120 x 20 cm	60064DR7	120 x 20 cm
	Dryback 0.55	60065DR5120 x 20 cm	60064DR5	120 x 20 cm
	Dryback 0.40	60065DR5120 x 20 cm	60064DR4	120 x 20 cm
	Flex 1.0	60065FL1120 x 20 cm	60064FL1	120 x 20 cm
	Flex 0.55	60065FL5120 x 20 cm	60064FL5	120 x 20 cm
		600654CL5121,2 x 18,7 cm	60064CL5	121,2 x 18,7 cm
		60065EA7120 x 19 cm	60064EA7	120 x 19 cm
		60065PZ796 x 96 cm	60064PZ7	96 x 96 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70	Puzzle 0.70
Article nr. suffix	DR7	DR5	DR4	FL1	FL5	CL5	EA7	PZ7
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no	no
Bevel						4 sided	4 sided	
Pcs in box	12	14	15	10	13	8	10	1
M² in box	2,88m²	3,36m²	3,6m²	2,4m²	3,12m²	1,81m²	2,28m²	0,92m²



60064 | whitewash elegant oak



white sand



taupe sand

	62488 white sand		62485 taupe sand	
Allura	Art. Number	Size	Art. Number	Size
Dryback 0.70	62488DR7	50 x 50 cm	62485DR7	50 x 50 cm
Dryback 0.55	62488DR5	50 x 50 cm	62485DR5	50 x 50 cm
Dryback 0.40	62488DR4	50 x 50 cm	62485DR4	50 x 50 cm
Flex 1.0	62488FL1	50 x 50 cm	62485FL1	50 x 50 cm
Flex 0.55	62488FL5	50 x 50 cm	62485FL5	50 x 50 cm
Click Pro 0.55	62488CL5	60 x 31,7 cm	62485CL5	60 x 31,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Article no. suffix	DR7	DR5	DR4	FL1	FL5	CL5
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	
Pcs in box	12	14	15	10	13	10
M² in box	3m²	3,5m²	3,75m²	2,5m²	3,25m²	1,9m²



62488 | white sand



mist texture



taupe texture

62534 mist texture						
Allura	Art. Number	Size				
Dryback 0.70	62534DR7	50 x 50 cm				
Dryback 0.55	62534DR5	50 x 50 cm				
Dryback 0.40	62534DR4	50 x 50 cm				
Flex 1.0	62534FL1	50 x 50 cm				
Flex 0.55	62534FL5	50 x 50 cm				
Click Pro 0.55	62534CL5	60 x 31,7 cm				

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Article nr. suffix	DR7	DR5	DR4	FL1	FL5	CL5
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel						
Pcs in box	12	14	15	10	13	10
M² in box	3m²	3,5m²	3,75m²	2,5m²	3,25m²	1,9m²



63438 | taupe texture




silver stream

63776 silver stream						
Allura	Art. Number	Size				
Dryback 0.70	63776DR7	50 x 50 cm				
Dryback 0.55	63776DR5	50 x 50 cm				
Dryback 0.40	63776DR4	50 x 50 cm				
Flex 1.0	63776FL1	50 x 50 cm				
Flex 0.55	63776FL5	50 x 50 cm				
Click Pro 0.55	63776CL5	60 x 31,7 cm				

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Article nr. suffix	DR7	DR5	DR4	FL1	FL5	CL5
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel						
Pcs in box	12	14	15	10	13	10
M² in box	3m²	3,5m²	3,75m²	2,5m²	3,25m²	1,9m²



63776 | silver stream




nickel metal brush

63625 nickel metal brush							
Allura	Art. Number	Size					
Dryback 0.70	63625DR7	50 x 50 cm					
Dryback 0.55	63625DR5	50 x 50 cm					
Dryback 0.40	63625DR4	50 x 50 cm					
Flex 1.0	63625FL1	50 x 50 cm					
Flex 0.55	63625FL5	50 x 50 cm					
Click Pro 0.55	63625CL5	60 x 31,7 cm					
Puzzle 0.70	63625PZ7	96 x 96 cm					

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Puzzle 0.70
Article nr. suffix	DR7	DR5	DR4	FL1	FL5	CL5	PZ7
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no
Bevel							
Pcs in box	12	14	15	10	13	10	1
M² in box	3m²	3,5m²	3,75m²	2,5m²	3,25m²	1,9m²	0,92m²



63625 | nickel metal brush



grey stone

63468 grey stone		
Allura	Art. Number	Size
Dryback 0.70	63468DR7	50 x 50 cm
Dryback 0.55	63468DR5	50 x 50 cm
Dryback 0.40	63468DR4	50 x 50 cm
Flex 1.0	63468FL1	50 x 50 cm
Flex 0.55	63468FL5	50 x 50 cm
Click Pro 0.55	63468CL5	60 x 31,7 cm
Ease 0.70	63468EA7	48 x 48 cm
Puzzle 0.70	63468PZ7	96 x 96 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70	Puzzle 0.70
Article nr. suffix	DR7	DR5	DR4	FL1	FL5	CL5	EA7	PZ7
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no	no
Bevel							4 sided	
Pcs in box	12	14	15	10	13	10	10	1
M² in box	3m²	3,5m²	3,75m²	2,5m²	3,25m²	1,9m²	2,3 m²	0,92m²



63468 | grey stone



black marble



white marble

63454 black marble						
Allura	Art. Number	Size				
Dryback 0.70	63454DR7	50 x 50 cm				
Dryback 0.55	63454DR5	50 x 50 cm				
Dryback 0.40	63454DR4	50 x 50 cm				
Flex 1.0	63454FL1	50 x 50 cm				
Flex 0.55	63454FL5	50 x 50 cm				
Click Pro 0.55	63454CL5	60 x 31,7 cm				

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Article nr. suffix	DR7	DR5	DR4	FL1	FL5	CL5
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel						
Pcs in box	12	14	15	10	13	10
M² in box	3m²	3,5m²	3,75m²	2,5m²	3,25m²	1,9m²

63455 black marble			63451 white marble	
Allura	Art. Number	Size	Art. Number	Size
Dryback 0.70	63455DR7	100 x 100 cm	63451DR7	100 x 100 cm
Dryback 0.55	63455DR5	100 x 100 cm	63451DR5	100 x 100 cm
Flex 1.0	63455FL1	100 x 100 cm	63451FL1	100 x 100 cm
Flex 0.55	63455FL5	100 x 100 cm	63451FL5	100 x 100 cm

	Dry back 0.70	Dry back 0.55	Flex 1.0	Flex 0.55
Article nr. suffix	DR7	DR5	FL1	FL5
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	5 mm / 1 mm	4 mm / 0,55 mm
IR embossing	no	no	no	no
Bevel				
M²	on pallet	on pallet	on pallet	on pallet



63450 | white marble



grigio concrete



natural concrete



charcoal concrete



nero concrete

Allura	62523 grigio concrete		62522 natural concrete		62418 charcoal concrete		62419 nero concrete	
	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Dryback 0.70	62523DR7	50 x 50 cm	62522DR7	50 x 50 cm	62418DR7	50 x 50 cm	62419DR7	50 x 50 cm
Dryback 0.55	62523DR5	50 x 50 cm	62522DR5	50 x 50 cm	62418DR5	50 x 50 cm	62419DR5	50 x 50 cm
Dryback 0.40	62523DR4	50 x 50 cm	62522DR4	50 x 50 cm	62418DR4	50 x 50 cm	62419DR4	50 x 50 cm
Flex 1.0	62523FL1	50 x 50 cm	62522FL1	50 x 50 cm	62418FL1	50 x 50 cm	62419FL1	50 x 50 cm
Flex 0.55	62523FL5	50 x 50 cm	62522FL5	50 x 50 cm	62418FL5	50 x 50 cm	62419FL5	50 x 50 cm
Click Pro 0.55	62523CL5	60 x 31,7 cm	62522CL5	60 x 31,7 cm	62418CL5	60 x 31,7 cm	62419CL5	60 x 31,7 cm
Ease 0.70	62523EA7	48 x 48 cm	62522EA7	48 x 48 cm	62418EA7	48 x 48 cm	62419EA7	48 x 48 cm
Puzzle 0.70	62523PZ7	96 x 96 cm	62522PZ7	96 x 96 cm	62418PZ7	96 x 96 cm	62419PZ7	96 x 96 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70	Puzzle 0.70
Artide nr. suffix	DR7	DR5	DR4	FL1	FL5	CL5	EA7	PZ7
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no	no
Bevel							4 sided	
Pcs in box	12	14	15	10	13	10	10	1
M² in box	3m²	3,5m²	3,75m²	2,5m²	3,25m²	1,9m²	2,3m²	0,92m²

Allura	62513 grigio concrete		62512 natural concrete		62518 charcoal concrete		62519 nero concrete	
	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Dryback 0.70	62513DR7	100 x 100 cm	62512DR7	100 x 100 cm	62518DR7	100 x 100 cm	62519DR7	100 x 100 cm
Dryback 0.55	62513DR5	100 x 100 cm	62512DR5	100 x 100 cm	62518DR5	100 x 100 cm	62519DR5	100 x 100 cm
Flex 1.0	62513FL1	100 x 100 cm	62512FL1	100 x 100 cm	62518FL1	100 x 100 cm	62519FL1	100 x 100 cm
Flex 0.55	62513FL5	100 x 100 cm	62512FL5	100 x 100 cm	62518FL5	100 x 100 cm	62519FL5	100 x 100 cm

	Dry back 0.70	Dry back 0.55	Flex 1.0	Flex 0.55
Artide nr. suffix	DR7	DR5	FL1	FL5
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	5 mm / 1 mm	4 mm / 0,55 mm
IR embossing	no	no	no	no
Bevel				
M²	on pallet	on pallet	on pallet	on pallet



62522 | natural concrete



iron cement



light cement



smoke cement



grey cement

	63428 iron cement		63426 light cement		63432 smoke cement		63430 grey cement	
Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Dryback 0.70	63428DR7	50 x 50 cm	63426DR7	50 x 50 cm	63432DR7	50 x 50 cm	63430DR7	50 x 50 cm
Dryback 0.55	63428DR5	50 x 50 cm	63426DR5	50 x 50 cm	63432DR5	50 x 50 cm	63430DR5	50 x 50 cm
Dryback 0.40	63428DR4	50 x 50 cm	63426DR4	50 x 50 cm	63432DR4	50 x 50 cm	63430DR4	50 x 50 cm
Flex 1.0	63428FL1	50 x 50 cm	63426FL1	50 x 50 cm	63432FL1	50 x 50 cm	63430FL1	50 x 50 cm
Flex 0.55	63428FL5	50 x 50 cm	63426FL5	50 x 50 cm	63432FL5	50 x 50 cm	63430FL5	50 x 50 cm
Click Pro 0.55	63428CL5	60 x 31,7 cm	63426CL5	60 x 31,7 cm	63432CL5	60 x 31,7 cm	63430CL5	60 x 31,7 cm
Ease 0.70	63428EA7	48 x 48 cm					63430EA7	48 x 48 cm
Puzzle 0.70	63428PZ7	96 x 96 cm					63430PZ7	96 x 96 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70	Puzzle 0.70
Artide nr. suffix	DR7	DR5	DR4	FL1	FL5	CL5	EA7	PZ7
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no	no
Bevel							4 sided	
Pcs in box	12	14	15	10	13	10	10	1
M² in box	3m²	3,5m²	3,75m²	2,5m²	3,25m²	1,9m²	2,3m²	0,92m²

	63429 iron cement		63427 light cement		63433 smoke cement		63431 grey cement	
Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Dryback 0.70	63429DR7	100 x 100 cm	63427DR7	100 x 100 cm	63433DR7	100 x 100 cm	63431DR7	100 x 100 cm
Dryback 0.55	63429DR5	100 x 100 cm	63427DR5	100 x 100 cm	63433DR5	100 x 100 cm	63431DR5	100 x 100 cm
Flex 1.0	63429FL1	100 x 100 cm	63427FL1	100 x 100 cm	63433FL1	100 x 100 cm	63431FL1	100 x 100 cm
Flex 0.55	63429FL5	100 x 100 cm	63427FL5	100 x 100 cm	63433FL5	100 x 100 cm	63431FL5	100 x 100 cm

	Dry back 0.70	Dry back 0.55	Flex 1.0	Flex 0.55
Artide nr. suffix	DR7	DR5	FL1	FL5
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	5 mm / 1 mm	4 mm / 0,55 mm
IR embossing	no	no	no	no
Bevel				
M²	on pallet	on pallet	on pallet	on pallet



63429 | iron cement

OTHER ALLURA DESIGNS



white giant oak
60286 | 180 x 32 cm |  **DR**



light timber
63416 | 150 x 15 cm |  **DR**



natural weathered oak
60187 | 150 x 28 cm |  **DR**



light ash
63400 | 150 x 15 cm |  **DR**



light rustic oak
60078 | 120 x 20 cm |  **DR**



bronzed oak
63422 | 120 x 20 cm |  **DR**



classic timber
63414 | 150 x 15 cm |  **DR**



anthracite weathered oak
60185 | 150 x 28 cm |  **DR**



smoked ash
63404 | 150 x 15 cm |  **DR**



brown ash
63402 | 150 x 15 cm |  **DR**



chocolate collage oak
60376 | 120 x 20 cm |  **DR**



charcoal solid oak
60387 | 100 x 15 cm |  **DR**
60389 | HP 90 x 15 cm | 

OTHER ALLURA DESIGNS



dark graphic wood
63516 | 120 x 20 cm

DR




light graphic wood
63517 | 120 x 20 cm

DR



grey marble
63452 | 50 x 50 cm
63453 | 100 x 100 cm
63552 | Cl 50 x 50 cm | ☐

DR




lead stone
63470 | 50 x 50 cm

DR | PZ




silver metal brush
63624 | 50 x 50 cm

DR




coal stone
63472 | 50 x 50 cm

DR



grey marbled stone
63456 | 100 x 100 cm

DR | PZ




graphite marbled stone
63466 | 100 x 100 cm

DR




black marbled stone
63458 | 100 x 100 cm

DR | PZ




grey terrazzo
63486 | 50 x 50 cm
63586 | Cl 50 x 50 cm | ☐

DR



blue terrazzo
63492 | 50 x 50 cm
63592 | Cl 50 x 50 cm | ☐

DR



pink terrazzo
63488 | 50 x 50 cm
63588 | Cl 50 x 50 cm | ☐

DR



graphite weave
63604 | 50 x 50 cm | ↯

DR | PZ



cool concrete dots
63434 | 50 x 50 cm

DR



light fused concrete
63440 | 50 x 50 cm

DR




dark vintage gymfloor
63510 | 100 x 15 cm

DR



light vintage gymfloor
63511 | 100 x 15 cm

DR



azur
63482 | 50 x 50 cm
63582 | Cl 50 x 50 cm | ☐

DR



mustard
63484 | 50 x 50 cm
63584 | Cl 50 x 50 cm | ☐

DR



pink coral
63474 | 50 x 50 cm
63574 | Cl 50 x 50 cm | ☐

DR



grey slate
62408 | 50 x 50 cm

DR



warm concrete dots
63436 | 50 x 50 cm

DR



dark fused concrete
63444 | 50 x 50 cm

DR



denim
63480 | 50 x 50 cm
63580 | Cl 50 x 50 cm | ☐

DR



khaki
63478 | 50 x 50 cm
63578 | Cl 50 x 50 cm | ☐

DR



burgundy
63476 | 50 x 50 cm
63576 | Cl 50 x 50 cm | ☐

DR

54

ALLURA FLOORING COMBINATIONS

This Allura collection is unique, offering 51 items which are available in all installation formats; glue down, tackified and loose lay. This allows combining in projects where different subfloors or different areas require a different installation method but you can still choose the same design. For truly integrated flooring solutions our Allura LVT collection can also be combined with other flooring products from our portfolio. Here you see a short overview.



63400 light ash | 63404 smoked ash | 133001 amber



63400 light ash | 63404 smoked ash | Flotex Planks Box-cross | 133001 amber



63444 dark fused concrete | 63440 light fused concrete | 5714 shark grey

allura & flotex

Whether you want Flotex as a highlight feature in your floor design or really combine it in your design, you can choose. Flotex is available in sheet, planks and tiles. The planks have the same installation height as our Allura Flex (FL1), allowing a smooth transition from one to the other without the need for transition strips. Flotex is a unique textile floor covering that combines the hard wearing and durable characteristics of a resilient floor with the quality, warmth and comfort of a carpet. Flotex is a strong and hygienic floor, and offers superior cleaning performance to other textile flooring.

allura & tessera

In areas where you need improved acoustics and comfort underfoot or where you want to highlight certain areas like a breakout room, you can play with Allura and Tessera. Use your imagination and design the ultimate office, leisure or hospitality project with these two products. Carpet tiles are renowned for their aesthetic styling and outstanding performance in the most demanding heavy traffic environments. Forbo's Tessera flooring offers a wide portfolio in both tile and plank sizes. Different tufting techniques like cut and loop piles or random lay. batchless, create different looks.

allura & coral

Every floor needs protection from dirt and moisture from outside. With our Coral entrance flooring collection this can be an integrated design area that complements your entrance and integrates with the floor behind it. Entrance flooring is fundamental to modern building design. A well designed entrance flooring system will prevent dirt and moisture from being tracked in and thereby prolongs the life of interior flooring, reduces cleaning & maintenance costs and the potential for slip injuries.

