

Technical specifications

Eternal meets the requirements of EN ISO 10582

			Eternal	Eternal Next
Ž	Total thickness	EN ISO 24346	2.0 mm	2.5 mm
	Surface finish		PUR Pearl / Satin / Wood	PUR Pearl / Satin
X	Wear layer thickness	EN ISO 24340	0.70 mm	0.70 mm
	Wear layer binder content	EN ISO 10582	Type 1	Type 1
	Collection size		85	12
ůů.	Domestic use	EN ISO 10874	Class 23	Class 23
iii.	Commercial use	EN ISO 10874	Class 34	Class 34
iii.	Light industrial use	EN ISO 10874	Class 43	Class 43
<u> </u>	Roll width	EN ISO 24341	2.0 m	2.0 m
	Roll length	EN ISO 24341	≤ 25 m	≤ 25 m
ß	Total weight	EN ISO 23997	2800 g/m²	3600 g/m ²
K 7	Dimensional stability	EN ISO 23999	≤ 0.1 %	≤ 0.05 %
25	Slip resistance (ramp test)	DIN 51130	R10	R10
	Castor chair continuous use	ISO 4918	Pass	Pass
	Residual indentation Typical value	EN ISO 24343-1	≤ 0.05 mm ~ 0.02 mm	≤ 0.10 mm ~ 0.04 mm
7	Colour fastness to light	EN ISO 105-B02 method 3	≥6	≥ 6
	Indoor air emissions: TVOC after 28 days	ISO 16516	≤ 0.02 mg/m³	≤ 0.01 mg/m³
\$ 0	Resistance to chemicals	EN ISO 26987	Very good	Very good
3	Flexibility	EN ISO 24344	Ø 10 mm	Ø 10 mm
LCA	Life Cycle Assessment		LCA is the foundation for securing the	lowest environmental impact
	Creating better environments			
イ	Renewable electricity		Eternal is manufactured using 100% ele	ectricity from renewable sources
G	Recycled content (mass)		30.5%	24%
	Eternal meets the requirements of EN 14041		EN 14041 C C 0200105-4-08-306	EN 14041 CE 0200106-DoP-410
L	Reaction to fire	EN 13501-1	B _n -s1, L, CS	B _n -s1, L, CS
~	Slip resistance	EN 13893	µ≥ 0.30	μ≥ 0.30
≥0,30 ↑ ↑ ↑ ↑	Thermal conductivity	EN 12524	0.25 W/mK	0.25 W/mK
	<u> </u>			

All Forbo Flooring Systems' sales organisations worldwide have a certified Quality Management System in accordance with ISO 9001.

All Forbo Flooring Systems' manufacturing operations have a certified Environmental Management System in accordance with ISO 14001.

The Life Cycle Assessment (LCA) of Forbo Flooring Systems' products is documented in individual Environmental Product Declarations (EPD's) which can be found on all of our websites.



Find us on

f **?** in **• o**

