


CI/SfB | (43) | Tn | | January 2020



Textile Carpet Tiles & Planks

tessera®



LOOP PILE CARPETTILES

Carpet tiles with a standard loop pile construction are designed to maintain their good looks in the most demanding heavy traffic areas of buildings, such as corridors and reception areas.



Multi-height loop pile carpet tiles offer distinctive in-built texture and contemporary styling coupled with a robust and durable construction.



tessera® cloudscape tessera® cloudscape merge

tessera® chroma



tessera® earthscape NEW




tessera® layout & outline



Our new Forbo Direct scheme offers delivery of 26 of the most popular Tessera Layout & Outline carpet tile colours within 5 working days!*

tessera® nexus



tessera[®] inline

tessera® arran

tessera® teviot

tessera® create space 1

tessera[®] create space 2

tessera® barcode

tessera® diffusion















^{*}T&C's apply, visit www.forbo-flooring.co.uk/forbodirect for details.







Tessera Cloudscape, as the name suggests, is an all over organic carpet tile design that takes inspiration from the ever-changing vista of cloud formations and tonal colour progressions in the sky above us.

Cloudscape's 16 tonal colourways, bearing evocative names such as cumulus blue, dawn chorus and summer storm, range from very dark to very pale and cover a wide range of LRV requirements. Tiles can be laid in monolithic or non-directional fashion and their long term appearance retention is assured as they are manufactured using 100% solution dyed polyamide 6 yarns for class 33 durability and colourfastness.







Collection size

Impact sound

1 1 ? ~· 1 1 ·~ i

3411 | cirrus sky

Recycled content

Tufted multi-height loop pile carpet tile

4.4mm ± 0.5mm 665gsm ± 10% 100% polyamide 6

16 (4m² per box

 $\Delta L_{W} = 26 \text{ dB}$

61%

B₆₁-s1

EN 13501-1




























tessera® cloudscape merge

Tessera Cloudscape

Tessera Cloudscape Merge creates an interesting transition from one area to another. Reinforcing the organic structure of Tessera Cloudscape and the tonal progression of colours creating an environment helping us to reconnect.

Cloudscape Merge is available on all of the 16 Cloudscape colours and as the 'Merge' tiles are manufactured from products in the order for your interior flooring, the 'Merge' is batch matched to the main flooring.

The minimum order quantity is only 2 boxes and the lead time is approximately 3 weeks.

To order Cloudscape Merge speak to your local Business Area Manager and quote the colourway numbers of the Cloudscape products you'd like to combine.







MIAN .	BREEAM ratio	
Service of the servic	Commercial	Education

Tessera Cloudscape – Carpet Tiles (EN1307)							
Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria	
A	A	А	В	A	A+	'	

Our recommended adhesive is 542 Eurofix Tack Plus. Full technical specifications are available at www.forbo-flooring.it/Download Please note: Digital representations may vary from the actual product.

tessera® chroma












Chroma is the quality by which we communicate colour. It is how we define a colour's purity, its intensity or saturation. In this way it provides a measure by which we can create a relationship between colours, allowing them to bring balance and harmony to a space.










LRV 27 3607 | mineral







5 pathway	LRV 13	3610 thatch	LRV 17
3 quinoa	LRV 9	3611 treacle	LRV 8



LRV 19

LRV 7 3619 | jungle

3612 | estuary

3615 | nautical





3625 | calypso

Please note: Digital representations may vary from the actual product.





LRV 7 3620 | evergreen

LRV 10 3616 | eucalyptus LRV 16 3617 | botanical

tessera® earthscape





Seeing things from above creates freedom bringing new and unexpected perspectives. As the distance from the ground level increases, patterns and textures in the landscape emerge and areas of colour reveal themselves upon the canvas of the earth.







Our recommended adhesive is 542 Eurofix Tack Plus. Full technical specifications are available at **www.forbo-flooring.it/Download** Please note: Digital representations may vary from the actual product.






Featuring a contemporary palette of 32 colours with eight co-ordinated striped designs, the Layout and Outline ranges offer a multitude of creative and inspiring combinations in any flooring scheme.

The dynamic colour palette of Layout is hugely versatile featuring a comprehensive choice of modern neutrals in combination with diverse and directional brighter shades. Colours can be used independently or in combination to achieve a myriad of interior styles.


Outline is a subtly textured striped loop pile carpet tile and each colourway is perfectly matched to two Layout colours. Combinations of Outline and Layout allow complete freedom of expression, creating connections, highlights and transitions to enhance any style of scheme.

*Available in plank format – see page 36.









Layout 2105 | aniseed LRV 9



Outline 3104 | souffle


Layout 2107 | brulee* LRV 7

Outline 3101 | colabottle*

Layout 2102 | brownie LRV 8


Layout 2103 | balsamic* LRV 13 Layout 2119 | maraschino* LRV 7 Outline 3107 | bubblegum*

Tile and plank formats






Tessera Layout & Outline












Layout 2126 | purplexed LRV 8



Layout 2131 | mango* LRV 18 Layout 2127 | flambe LRV 13




Layout 2120 | apple* LRV 20 Layout 2116 | kryptonite LRV 9



Outline 3106 | fruitsalad

2740	0 70	ST 30	
Tiles			
Layout			
† † † †	† →	↑ → ↑	1 1 1
Outline			
+ ↓	↑ → → ↑		↑ → ↑ → ↑ –









REEAM ratings essera Layout & Outline – Carpet Tiles (EN1307)								
Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria		
Α	A	А	А	A	A+	· ·		

Our recommended adhesive is 542 Eurofix Tack Plus. Full technical specifications are available at www.forbo-flooring.it/Download Please note: Digital representations may vary from the actual product.




26 of the most popular Tessera Layout and Outline carpet tile colours are normally available on stock for up to about 500 m².










Layout 2113 | nougat LRV 22

Layout 2109 | shard LRV 17

Layout 2108 | calcium* LRV 13













Layout 2119 | maraschino* LRV 7

Outline 3102 | soda*


Layout 2117 | surf






















Tufted low loop pile carpet tile 50cm x 50cm Total thickness Pile height 2.9mm ± 0.5mm Pile weight 580gsm ± 10% 100% polyamide 6 100% solution dyed Application ISO 10140-3 $\Delta L_W = 27 \text{ dB}$ Recycled content Œ EN 14041 Reaction to fire EN 13501-1 B_{ff}-s1





Merging a metallic web overlay with a sophisticated striated ground, Tessera Nexus creates a network of connections in 9 contemporary colourways.


Tessera Nexus can easily be combined with Allura Flex vinyl tiles using the same adhesive, without the need for transition strips, additional profiles, or inconvenient build-up of the subfloor.



Description	Tufted mult	i-height loop pile carpet tile
Dimensions		50cm x 50cm
Total thickness		6.3mm ± 10%
Pile height		3.1mm ± 0.5mm
Pile weight		790gsm ± 10%
Yarn		100% Invista Antron® Lumena polyamide 6.6
Dye method		100% solution dyed
Collection size		9 (4m² per box)
Application	EN 1307	Class 33
Impact sound reduction	ISO 10140-3	$\Delta L_W = 25 \text{ dB}$
Recycled content		59%
C€	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1




3503 | engage



LRV 12 3507 | share









Tessera Nexus 3506 | feedback + 3503 | engage



LRV 12 3502 | co-lab

essera Nexu	ngs I s – Carpet Til	es (EN1307)				
Commercial	Education	Health	Domestic	Retail (Durability)		Meets S criteria
В	A	A	В	В	A+	~

Our recommended adhesive is 542 Eurofix Tack Plus. Full technical specifications are available at www.forbo-flooring.it/Download

LRV 9 3505 | refresh


Please note: Digital representations may vary from the actual product.


Featuring a contemporary yet concise palette of 10 useable colourways, Inline combines soft geometric structure with intermittent linearity. The strong use of differential texture creates a natural, randomised appearance enabling monolithic installation. Tessera Inline can also be co-ordinated with Allura Flex loose lay LVTs or other Forbo products to add elements of colour, interest and value to a variety of interior schemes.
















LRV 8 876 | celestial





Description	Tufted multi-	height loop pile carpet tile
Dimensions		50cm x 50cm
Total thickness		6.5mm ± 10%
Pile height		3.9mm ± 0.5mm
Pile weight		605gsm ± 10%
Yarn		100% polyamide 6
Dye method		100% solution dyed
Collection size		10 (4m² per box)
Application	EN 1307	Class 33
Impact sound reduction	ISO 10140-3	$\Delta L_{W} = 25 \text{ dB}$
Recycled content		63%
C€	EN 14041	
Reaction to fire	EN 13501-1	B _{el} -s1

t	1	1	-	1	-
t	1	-	1	→	1

Our recommended adhesive is 542 Eurofix Tack Plus. Full technical specifications are available at www.forbo-flooring.it/Download

Please note: Digital representations may vary from the actual product.

ORCIAN)	BREEAM ratings Tessera Inline – Carpet Tiles (EN1307)									
-	Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets			
	A	А	А	A	A	A+	\ \			

The rich tapestry of landscape that forms the unique Scottish island of Arran has influenced artists for generations. The quality of light and the huge variety of natural colours create a complex palette that changes with each season. From the muted hues of autumn bracken to the vibrant tones of the summer heather, Arran has a beauty that inspires.

tessera® arran
















LRV 20

1518 | foggy day












1509 | noir

Description

Dimensions

Total thickness





E	ORCIAN)
	-
	PROPERTY.

1525 | mountain mist LRV 13

ressera Arran – Carpet Tiles (EN1307)								
Commercial	Education	Health	Domestic	Retail (Durability)	Re (Fas			
В	В	А	В	В				


Our recommended adhesive is 542 Eurofix Tack Plus Full technical specifications are available at www.forbo-flooring.it/Download Please note: Digital representations may vary from the actual product.

tessera® teviot (basis)




With over 10 million square metres already installed, Teviot is Tessera's most popular low level loop pile carpet tile and without doubt one of the best selling carpet tiles in the UK. Suitable for every type of commercial installation, Teviot can be specified with confidence throughout the building, wherever an attractive and particularly hardwearing modular floor covering is required.

Manufactured from 100% Aquafil polyamide, and boasting a high castor chair rating, it has the resilience and durability needed to contend with the heavy wheeled traffic conditions often found in busy office environments.













108 | granite

109 | bronze

LRV 6 364 | brown

LRV 9

384 | sable

LRV 14


104 | charcoal


LRV 5 354 | dark grey

357 | mid grey

18 Carpet Tiles











374 | raspberry

LRV 9



LRV 9 352 | navy









LRV 6 362 | red



Description	Tufted low loop pile carpet tile		
Dimensions		50cm x 50cm	
Total thickness		5.7mm ± 10%	
Pile height		2.8mm ± 0.5mm	
Pile weight		520gsm ± 10%	
Yarn		100% Aquafil polyamide 6	
Dye method		100% space dyed	
Collection size		48 (5m² per box)	
Application	EN 1307	Class 33	
Impact sound reduction	ISO 10140-3	$\Delta L_{W} = 23 \text{ dB}$	
Recycled content		65%	
CE	EN 14041		
Reaction to fire	EN 13501-1	B _{fl} -s1	





- Moreo				
BREEAM	/ ratings			
Tessera	Teviot - (arnet	Tiles (FI	V130

Tessera Tevio	essera Teviot – Carpet Tiles (EN1307)					
Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
Α	А	A+	A	A	A+	'

Carpet Tiles 19

Our recommended adhesive is 542 Eurofix Tack Plus. Full technical specifications are available at www.forbo-flooring.it/Download Please note: Digital representations may vary from the actual product.

127 | deep ocean

LRV 7

386 | foliage

tessera® create space 1






An exceptionally flexible range of 18 commercial colourways, Create Space 1 is suitable for any commercial space, large or small. Styled for today's interiors, Create Space 1 lends itself to single colourway installations, feature area designs and bespoke creative schemes.



1806 | goldstone LRV 20











1813 | nickel

EN 13501-1

LRV 9 1802 | ashen

Tufted low level loop pile carpet tile

5.5mm + 10%

2.7mm ± 0.5mm

500gsm ± 10%

100% ECONYL®/Altochroma

1812 | iolite

Description

Total thickness


Pile height

Pile weight

Application

1815 | hematite


Yarn



LRV 11









Tessera Create Space 1 1800 | ebo + 1809 | persimmon + 1805 | perid



DID YOU KNOW

ECONYI







808 Distre	LKV 4
	2232
	5682
	000
	200

1800 | ebonite

BREEAM ration Tessera Crea		Carpet Tiles (EN1307)			
Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Me
A	A+	A+	A	A	A+	
0		542 56T	al Dive			


Full technical specifications are available at www.forbo-flooring.it/Download Please note: Digital representations may vary from the actual product.

tessera[®] create space 2




Featuring a versatile geometric striped design and a contemporary palette of 15 colourways, Create Space 2 adds stylish and creative interest to any size flooring scheme. Create Space 2 carpet tiles are designed to provide the maximum flexibility in any installation as they can be fitted in a variety of styles including monolithic, tesselated, half-drop or non-directional, which reduces installation waste to less than 2%.


























2814 | heliotrope





BREEAM ratings Tessera Create Space 2 – Carpet Tiles (EN1307)						
Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
А	A+	A+	A	A	A+	·

Our recommended adhesive is 542 Eurofix Tack Plus. Full technical specifications are available at www.forbo-flooring.it/Download Please note: Digital representations may vary from the actual product.

Tessera Diffusion **2002** | paradigm shift


tessera® barcode

Barcode challenges the uniformity and rigidity of conventional linear low level loop pile tiles and, with its confident bands of contrasting colours in varying widths, delivers a more eclectic and exuberant look that is right on trend for today's commercial environments.



LRV 9 314 | time line


LRV 13
















318 goal line	LRV 11	309 party line	LRV 7
Description	Tufted low level loop pile carpet tile		
Dimensions		50cm x 50cm	
Total thickness		6.0 mm ± 10%	
Pile height	3.0 mm ± 0.5 mm		
Pile weight	580gsm ± 10%		
Yarn		100% Aquafil polyam	ide 6
Dye method		100% solution dyed	
Collection size		18 (4m² per box)	
Application	EN 1307	Class 33	
Impact sound reduction	ISO 140-8	$\Delta L_W = 22 \text{ dB}$	
Recycled content		64%	
C€	EN 14041		
Reaction to fire	EN 13501-1	B _{fl} -s1	





	RCLH	3
-	-	ø,

LRV 10

312 | starting line

BREEAM ration Tessera Barco		Tiles (EN1307	")			
Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets :
А	A	A+	А	A	A+	·

tessera® diffusion

Diffusion reflects an evolution towards softer more organic geometry observed in nature. Inspired by crystalline structures, the fractal shapes fade in and out creating appealing contemporary floor spaces.





2000 | space quest

Description

Dimensions Total thickness

Pile height

Dye method

Collection size

Reaction to fire

Application Impact sound reduction

CE



Tufted multi-height loop pile carpet tile

50cm x 50cm

6.5mm ± 10%

3.7mm ± 0.5mm 570gsm ± 10%


Refresh™ by Universal Fibers™ 100% polyamide 6.6

100% solution dyed 10 (4m² per box)


Class 33

ISO 10140-3 $\Delta L_W = 22 \text{ dB}$

EN 14041 EN 13501-1 B_{fl}-s1









2008 | forest trail LRV 13

i	BREEAM ratings	
	THE PARTY NAMED IN COLUMN TWO IS NOT THE PARTY N	

Tessera Diffusion – Carpet Tiles (EN1307)						
Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
A	А	А	A	А	A+	~

Our recommended adhesive is 542 Eurofix Tack Plus.

Full technical specifications are available at www.forbo-flooring.it/Download Please note: Digital representations may vary from the actual product.

RANDOM LAY. BATCHLESS CARPET TILES



Random lay

A random lay tile is cleverly designed so that it may be laid in any direction to produce a totally individual installation. Using this method also reduces installation waste to less than 2%.


Batchless

Different production consignments of 'batchless' tiles can be used together without the usual risk of visible batch variation. An additional benefit is that spare stocks do not have to be carried.

Tessera's random lay. batchless tile range has been made possible through the use of advanced CMC Infinity tufting technology.

tessera® mix









An innovative random lay. batchless carpet tile, Tessera Mix delivers a seamless installation appearance every time. Its soft geometric shapes cleverly disguise the tile edges and fitting direction and create its classic modern appearance.

Mix combines tone and shade within an angular framework through the controlled use of multi-pile height construction creating a distinctive, attractive and highly complementary flooring solution.

Designed for use in commercial, hospitality and public interiors, Mix is available in 15 contemporary colourways.

Random lay & batchless

Random lay for speed, reduced wastage and convenience

Mix is a multi-directional tile designed to be laid in a completely random fashion. Installation time is minimised as there are

no direction rules to follow. There is no need to check the pile direction as any tile of the correct size can be used, minimising fitting waste to less than 2%.


The overall Mix aesthetic is created at installation as geometric shapes are broken and joined randomly creating the final seamless design.

Batchless for economy and flexibility

Effective batchless Mix tiles can be ordered as required in quantities as low as a single box, removing the need to order and store spares.

For large installations there is no need to calculate batch sized areas, simply request the quantity required for the project thereby minimising the amount of batch waste.


Mix is ideal for offices and public spaces that may need to adapt in the future, as partitions are moved around, new tiles can be added as required prolonging the life cycle of the flooring.














961 | gravel

963 | obsidian







970 jade	LRV 7
	7/54

escription	Tufted multi-height loop pile carpet tile, Random lay.batchless				
imensions		50cm x 50cm			
otal thickness		5.9mm ± 10%			
ile height		3.0mm ± 0.5mm			
ile weight		650gsm ± 10%			
'arn		100% Invista Antron® Lumena polyamide 6.6			
ye method		100% solution dyed			
ollection size		15 (5m² per box)			
pplication	EN 1307	Class 33			
mpact sound eduction	ISO 10140-3	$\Delta L_{W} = 24 \text{ dB}$			
ecycled content		61%			
:€	EN 14041				
eaction to fire	EN 13501-1	B _{fl} -s1			
? ~-					

966 | sahara



Tessera Mix 963 | obsidian



LRV 3 968 | amethyst

Tessera Mix	3	(EN1307)				
Commercial	Education	Health		Retail (Durability)		
Α	l A	A	l R	l A	A+	1

Our recommended adhesive is 542 Eurofix Tack Plus.
Full technical specifications are available at www.forbo-flooring.it/Download
Please note: Digital representations may vary from the actual product.

LOOP PILE PLANK CARPET TILES





Plank formats allow for maximum flexibility when creating stand out designs. Eyecatching floor designs can be created by using planks on their own or in combination with regular 50cm x 50cm carpet tiles.






tessera® seagrass











The current trend for flexibility in office environments suggests that if workspaces were more inviting and more relaxed in feel people would work better, integrate more and be happier in work; therefore spending more quality time there. This de-formalisation of the office brings a need for design that embraces the person and is calming, familiar and less structured. By taking inspiration from craft textiles and hand weaves, with Tessera In-touch, we have created a product that aims to reflect the gentle shift from work-life to life-work balance and promote the harmony between the two.




Description	Tufted multi-	Tufted multi-height loop pile carpet tile			
Dimensions		100cm x 25cm			
Total thickness		7.4mm ± 10%			
Pile height		4.2mm ± 0.5mm			
Pile weight		840gsm ± 10%			
Yarn		100% Invista Antron Lumena polyamide 6.6			
Dye method		100% solution dyed			
Collection size		10 (4m² per box)			
Application	EN 1307	Class 33			
Impact sound reduction	ISO 10140-3	$\Delta L_W = 27 \text{ dB}$			
Recycled content		59%			
CE	EN 14041				
Reaction to fire	EN 13501-1	B _{el} -s1			













LRV 10 3303 | calligraphy LRV 10



























BREEAM ratings
Tessera Mix – Carnet Tiles (FN1307)


lessela Mix – Calpet files (Livisor)								
Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria		
В	А	А	В	В	A+	~		

Our recommended adhesive is 542 Eurofix Tack Plus. Full technical specifications are available at www.forbo-flooring.it/Download Please note: Digital representations may vary from the actual product.






The linearity of Seagrass makes it possible to create striking floor designs when these planks are laid herringbone or in the more traditional half drop style. When laid alongside Allura Flex the difference in textures makes for a very striking interior.





Description	Tufted multi-	height loop pile carpet tile
Dimensions		100cm x 20cm
Total thickness		6.6mm ± 10%
Pile height		3.8mm ± 0.5mm
Pile weight		752gsm ± 10%
Yarn		100% Invista Antron® Lumena polyamide 6.6
Dye method		100% solution dyed
Collection size		12 (3m² per box)
Application	EN 1307	Class 33
Impact sound reduction	ISO 10140-3	$\Delta L_{W} = 28 \text{ dB}$
Recycled content		60%
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{ff} -s1





















LRV 8 3227 | teal LRV 10



| BREEAM ratings | Tessera Seagrass – Carpet Tiles (EN1307)

Please note: Digital representations may vary from the actual product.

Our recommended adhesive is 542 Eurofix Tack Plus. Full technical specifications are available at www.forbo-flooring.it/Download

Following on from the success of our Tessera Layout and Outline carpet tile collection, the Layout and Outline planks range also provides a contemporary and co-ordinated colour palette with the added benefit of a plank format.

We've introduced a total of 18 carpet tiles in a new 100cm x 25cm plank format, which provides the maximum flexibility for creating stunning floor designs. Available in 14 sophisticated and bright colourways, Layout planks are offered in a very versatile palette.


A contemporary two-colour striped pattern, Outline planks combine flexibility with design over 4 engaging colourways.

Contains 62% recycled content by weight.

All colours also available in tile format – see page 12.



Description	Tufted low lo	op pile carpet tile
Dimensions		100cm x 25cm
Total thickness		5.8mm ± 10%
Pile height		2.9mm ± 0.5mm
Pile weight		580gsm ± 10%
Yarn		100% polyamide 6
Dye method		100% solution dyed
Collection size		Layout 14 Outline 4 4.5m² per box
Application	EN 1307	Class 33
Impact sound reduction	ISO 10140-3	$\Delta L_{W} = 27 \text{ dB}$
Recycled content		62%
C€	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1























Layout 2119PL | maraschino LRV 7

Layout 2130PL | icepop LRV 12

| BREEAM ratings | Tescera Lavout & Outline Planks – Carpet Tiles (EN1307)

ressera Layout & Outiline Flanks – Carpet files (EN1307)								
Commercial	Education	Health		Retail (Durability)		Meets Ska criteria		
Α	A	A	Α	A	A+	· ·		

Our recommended adhesive is 542 Eurofix Tack Plus. Please note: Digital representations may vary from the actual product.

CUT AND LOOP CARPET TILES

Cut and loop pile tiles feature a clever hybrid construction that offers all the robustness of a conventional loop pile product but with the superior aesthetics and more luxurious feel of a cut pile carpet tile.

Tessera offers cut and loop pile tiles in various aesthetic styles, suited to all types of office environments.

tessera® alignment



tessera® contour





tessera® alignment

Alignment is a sophisticated and cleverly textured cut and loop carpet tile designed to complement the most contemporary commercial interiors. Multi-height loops give this distinctive floor covering a bold directional theme which is tempered by the introduction of intersecting random blocks of rich cut pile. The result is a highly effective broadloom appearance and a unique linear style.
















































| BREEAM ratings

ressera Anglinient Carpet incs (EN1507)								
Commercial	Education	Health		Retail (Durability)				
В	A	А	В	В	A+	~		

Our recommended adhesive is 542 Eurofix Tack Plus. Full technical specifications are available at www.forbo-flooring.it/Download Please note: Digital representations may vary from the actual product.

tessera® contour

Influenced by lines in architecture and relieved by softer more natural elements, Contour offers a geometric framework across a palette of 13 naturally inspired colourways.

The cut and loop pile construction provides the gentle, striated form and with 67% recycled content, Contour also offers a low environmental impact. The yarn is solution dyed Refresh™ by Universal fibres ensuring premium quality and improved cleanability and longevity.









Non-directional





LRV 18 1906 | rising ash



1903 | white spruce LRV 32 1913 | fresh leaves



1912 | pastures new LRV 16 1902 | neutral buff LRV 15 1900 | painted bark LRV 12









HIE		
M G		
Water Street		
B		
	16.77	Milit
LRV 6	1907	de

Tufted multi b					
Turtea muiti-n	height cut and loop pile carpet tile				
	50cm x 50cm				
	6.3mm ± 10%				
	3.5mm ± 0.5mm				
earing)	580gsm ± 10%				
	Refresh™ by Universal Fibers™ 100% polyamide 6.6				
	100% solution dyed				
	13 (4m² per box)				
EN 1307	Class 33				
ISO 10140-3	$\Delta L_W = 23 \text{ dB}$				
	67%				
EN 14041					
EN 13501-1	B _{fi} -s1				
	earing) EN 1307 ISO 10140-3 EN 14041				



	-	-	8	
H		v		ı

BREEAM ratings

Tessera Contour – Carpet Tiles (EN1307)								
Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria		
Α	A	A	A	А	A+	· ·		

Our recommended adhesive is 542 Eurofix Tack Plus. Full technical specifications are available at www.forbo-flooring.it/Download Please note: Digital representations may vary from the actual product.







PROJECT:
New Bridewell Student Accommodation Bristol

DESIGNER: Jasper Sanders and Partners FLOORING MATERIAL: Tessera Layout and Outline 2117 | surf + 2125 | tonic + 2015 | aniseed + 2128 | custard

See page 12 for the full Layout & Outline range.





COMMISSIONED BY: University of Cumbria

FLOORING MATERIAL: Tessera Cloudscape **3413** | monsoon cloud + **3400** | nimbus grey









PROJECT: Zebra Technologies LOCATION: Bourne End, Buckinghamshire

FLOORING MATERIAL: Tessera Layout & Outline 2117 | surf + 2125 | tonic + Tessera Clarity 7910115 | Peacock + Allura Flex 60187 | natural weathered oak + 60387 | charcoal solid oak

DESIGNER: Oktra

See page 12 for the full Layout & Outline range.



Forbo Flooring Systems is part of the Forbo Group, a global leader in flooring and movement systems, and offers a full range of flooring products for commercial and affordable housing and new build markets. High quality linoleum, vinyl, textile, flocked and entrance flooring products combine functionality, colour and design, offering total flooring solutions for any environment.

Forbo Resilienti S.r.l. Centro Commerciale San Felice Lotto 2 - int. 5 20090 Segrate MI

Tel: +39 02 75 31 488 Fax: +39 02 75 32 340 email: info.flooring.it@forbo.com www.forbo-flooring.it

Find us on









