

ALLURA COLLECTION BROCHURE

creating better environments

forbo
FLOORING SYSTEMS



63658 | grigio twine, 63659 | shell twine, 63732 | light cement trapezoid, 63788 | peach marble trapezoid, 63688 | peach marble, 63682 | ochre marble

CONTENT

Collection introductions - 03

Allura flex collection - 04

GIANT OAK	WAXED OAK; BLACKENED OAK
OAK	SPECKLED CERAMIC
SERENE OAK	STRATA
TIMBER	CEMENT
LIGHT TIMBER GRADIENT	TWINE
TWINE	CONCRETE
ELEGANT OAK	NATURAL STONE
COLLAGE OAK	ASH
BLEACHED RUSTIC PINE / WHITE RAW TIMBER	MARBLE / MARBLE TRAPEZOID
PURE OAK; STEAMED OAK	SKY
AUTUMN OAK	CLOUDS


Allura decibel collection - 27

HARVEST OAK	SLABSTONE
AUTHENTIC OAK	STROMBOLI
SMOOTH OAK	EMPERADOR
ANTIQUE OAK	SCOTT
SERENE OAK	ASH
TWINE	SKY

allura® flex II | 알루라 플렉스 (Loose Lay)

		15 x 75 15 x 100 20 x 120 20 x 150	25 x 75 28 x 150 50 x 50 50 x 100 100 x 100
두께 4mm 상지층 0.55mm	사이즈 다양		


- 연질형 쿠션폼과 점착제를 사용하여 안착시키는 루즈레이(Loose Lay) 타입 시공방식 / NO 점착제
- 유해물질 방출 ZERO, 프탈레이트 FREE
시공 후에도 냄새, 휘발성 유기화합물(VOC) 방출 걱정 ZERO
- 유지보수나 타일 교체도 손쉽게 할 수 있어, 사무실이나 임대공간에 추천



allura® decibel | 알루라 데시벨 (Loose Lay)

		16.6 x 100 20 x 100 20 x 120	20 x 150 50 x 50 50 x 75 100 x 100
두께 4mm 상지층 0.8mm	사이즈 다양		

- 연질형 쿠션폼과 점착제를 사용하여 안착시키는 루즈레이(Loose Lay) 타입 시공방식
- 19dB 충격음 감소 효과, 우수한 소음 저감 성능
아파트나 다층 구조의 건물에 매우 적합
- 우수한 치수 안정성과 강한 내구성





63641 | light serene oak

allura® flex II

GIANT OAK - allura® flex II

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	60288FL1	150 x 28 cm	60284FL1	150 x 28 cm	60280FL1	150 x 28 cm
Flex 0.55	60288FL5	150 x 28 cm	60284FL5	150 x 28 cm	60280FL5	150 x 28 cm




60288 | light giant oak



60284 | natural giant oak



60280 | grey giant oak



60288 | light giant oak, 60284 | natural giant oak



60288 | light giant oak, 60284 | natural giant oak

OAK - allura®flex II



60300 | central oak



60305 | light honey oak



60300 | central oak



60302 | deep country oak



60306 | rustic anthracite oak

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	60305FL1	150 x 28 cm	60300FL1	150 x 28 cm	60302FL1	150 x 28 cm	60306FL1	150 x 28 cm
Flex 0.55	60305FL5	150 x 28 cm	60300FL5	150 x 28 cm	60302FL5	150 x 28 cm	60306FL5	150 x 28 cm



60300 | central oak

SERENE OAK - allura®flex II

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	63641FL1	150 x 20 cm	63643FL1	150 x 20 cm	63645FL1	150 x 20 cm
Flex 0.55	63641FL5	150 x 20 cm	63643FL5	150 x 20 cm	63645FL5	150 x 20 cm



63641 | light serene oak



63643 | natural serene oak



63645 | dark serene oak



63643 | natural serene oak



63641 | light serene oak

TIMBER - allura® flex II

• 63406 & 63706 / 63412 & 63712 디자인 동일

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	63406FL1	120 x 20 cm	63412FL1	120 x 20 cm	63533FL1	120 x 20 cm	63535FL1	120 x 20 cm	63408FL1	120 x 20 cm
Flex 0.55	63406FL5	120 x 20 cm	63412FL5	120 x 20 cm	63533FL5	120 x 20 cm	63535FL5	120 x 20 cm		



63712 | blond timber



63406 | bleached timber



63412 | blond timber




63533 | light timber



63535 | natural timber



63408 | grey washed timber



63706 | bleached timber, 63712 | blond timber



63706 | bleached timber

63712 | blond timber

Allura	Art. Number	Size	Art. Number	Size
Flex 1.0	63706FL1	75 x 15 cm	63712FL1	75 x 15 cm
Flex 0.55	63706FL5	75 x 15 cm	63712FL5	75 x 15 cm

LIGHT TIMBER GRADIENT - allura® flex II

Allura	Art. Number	Size
Flex 1.0	63534FL1	120 x 20 cm



63534 | light timber gradient

Gradient is random and runs length of the plank.



63534 | light timber gradient, 63533 | light timber

TWINE - allura® flex II




63751 | light twine, 63655 | dark twine


• 63651 & 63751 / 63653 & 63753 / 63655 & 63755 디자인 동일

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	63651FL1	150 x 20 cm	63653FL1	150 x 20 cm	63655FL1	150 x 20 cm
Flex 0.55	63651FL5	150 x 20 cm	63653FL5	150 x 20 cm	63655FL5	150 x 20 cm


63751 light twine			63753 natural twine			63755 dark twine		
Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	63751FL1	75 x 25 cm	63753FL1	75 x 25 cm	63755FL1	75 x 25 cm	63755FL1	75 x 25 cm
Flex 0.55	63751FL5	75 x 25 cm	63753FL5	75 x 25 cm	63755FL5	75 x 25 cm	63755FL5	75 x 25 cm



63651 | light twine



63653 | natural twine



63655 | dark twine

ELEGANT OAK - allura® flex II

• 60065 & 60165 / 60068 & 60168 디자인 동일

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	60064FL1	120 x 20 cm	60065FL1	120 x 20 cm	60068FL1	120 x 20 cm
Flex 0.55	60064FL5	120 x 20 cm	60065FL5	120 x 20 cm	60068FL5	120 x 20 cm



60064 | whitewash elegant oak



60065 | honey elegant oak



60068 | amber elegant oak



60064 | whitewash elegant oak

60165 | honey elegant oak

60168 | amber elegant oak

Allura	Art. Number	Size	Art. Number	Size
Flex 1.0	60165FL1	75 x 15 cm	60168FL1	75 x 15 cm
Flex 0.55	60165FL5	75 x 15 cm	60168FL5	75 x 15 cm



60168 | amber elegant oak

COLLAGE OAK - allura® flex II

Allura	Art. Number	Size	Art. Number	Size
Flex 1.0	60374FL1	120 x 20 cm	60375FL1	120 x 20 cm
Flex 0.55	60374FL5	120 x 20 cm	60375FL5	120 x 20 cm



60374 | natural collage oak



60375 | grey collage oak



60374 | natural collage oak, 60375 | grey collage oak, 63675 | oxidized strata

BLEACHED RUSTIC PINE

Allura	Art. Number	Size
Flex 1.0	60084FL1	120 x 20 cm
Flex 0.55	60084FL5	120 x 20 cm



60084 | bleached rustic pine




60084 | bleached rustic pine

WHITE RAW TIMBER - allura® flex II

Allura	Art. Number	Size
Flex 1.0	60151FL1	120 x 20 cm
Flex 0.55	60151FL5	120 x 20 cm



60151 | white raw timber



60151 | white raw timber

PURE OAK; STEAMED OAK – allura® flex II

Allura	Art. Number	Size	Art. Number	Size
Flex 1.0	60295FL1	120 x 20 cm	60293FL1	120 x 20 cm
Flex 0.55	60295FL5	120 x 20 cm	60293FL5	120 x 20 cm



60295 | pure oak 60293 | steamed oak



60293 | steamed oak



60293 | steamed oak

AUTUMN OAK – allura® flex II

Allura	Art. Number	Size	Art. Number	Size
Flex 1.0	60350FL1	100 x 15 cm	60356FL1	100 x 15 cm
Flex 0.55	60350FL5	100 x 15 cm	60356FL5	100 x 15 cm



60350 | white autumn oak 60356 | grey autumn oak



60350 | white autumn oak



60350 | white autumn oak

WAXED OAK; BLACKENED OAK - allura® flex II

Allura	Art. Number	Size	Art. Number	Size
Flex 1.0	60063FL1	100 x 15 cm	60061FL1	100 x 15 cm
Flex 0.55	60063FL5	100 x 15 cm	60061FL5	100 x 15 cm



60063 | waxed oak



60061 | blackened oak



60063 | waxed oak, 60061 | blackened oak

SPECKLED CERAMIC - allura® flex II

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	63722FL1	100 x 50 cm	63724FL1	100 x 50 cm	63726FL1	100 x 50 cm
Flex 0.55	63722FL5	100 x 50 cm	63724FL5	100 x 50 cm	63726FL5	100 x 50 cm



63722 | pale speckeld ceramic



63724 | rust speckeld ceramic



63726 | iron speckled ceramic




63722 | pale speckeld ceramic



63722 | pale speckeld ceramic, 63724 | rust speckeld ceramic

STRATA - allura® flex II

Allura	Art. Number	Size	Art. Number	Size
Flex 1.0	63675FL1	100 x 100 cm	63673FL1	100 x 100 cm
Flex 0.55	63675FL5	100 x 100 cm	63673FL5	100 x 100 cm



63675 | oxidized strata 63673 | corroded strata



63675 | oxidized strata



63675 | oxidized strata, 63722 | pale speckled ceramic, 60356 | grey autumn oak

CEMENT - allura® flex II

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	63634FL1	50 x 50 cm	63636FL1	50 x 50 cm	63632FL1	50 x 50 cm	63638FL1	50 x 50 cm
Flex 0.55	63634FL5	50 x 50 cm	63636FL5	50 x 50 cm	63632FL5	50 x 50 cm	63638FL5	50 x 50 cm



63634 | sand cement 63636 | canyon cement 63632 | light cement 63638 | rock cement



63632 | light cement



63632 | light cement

TWINE - allura® flex II

Allura	Art. Number	Size	Art. Number	Size
Flex 1.0	63659FL1	75 x 25 cm	63658FL1	75 x 25 cm
Flex 0.55	63659FL5	75 x 25 cm	63658FL5	75 x 25 cm



63659 | shell twine



63658 | grigio twine



63632 | light cement, 63658 | grigio twine

CONCRETE - allura® flex II

• 62513 & 62523 / 62512 & 62522 / 62418 & 62518 디자인 동일

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	62523FL1	50 x 50 cm	62522FL1	50 x 50 cm	62418FL1	50 x 50 cm
Flex 0.55	62523FL5	50 x 50 cm	62522FL5	50 x 50 cm	62418FL5	50 x 50 cm



62523 | grigio concrete



62522 | natural concrete



62418 | charcoal concrete



62512 | natural concrete

62513 grigio concrete			62512 natural concrete			62518 charcoal concrete		
Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	62513FL1	100 x 100 cm	62512FL1	100 x 100 cm	62518FL1	100 x 100 cm		
Flex 0.55	62513FL5	100 x 100 cm	62512FL5	100 x 100 cm	62518FL5	100 x 100 cm		



62512 | natural concrete

NATURAL STONE - allura®flex II

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	63691FL1	100 x 50 cm	63693FL1	100 x 50 cm	63695FL1	100 x 50 cm



63691 | pink natural stone



63693 | cool natural stone



63695 | warm natural stone



63691 | pink natural stone



63695 | warm natural stone

ASH - allura®flex II


Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	63661FL1	75 x 15 cm	63662FL1	75 x 15 cm	63663FL1	75 x 15 cm	63664FL1	75 x 15 cm	63665FL1	75 x 15 cm	63666FL1	75 x 15 cm



63661 | natural ash



63662 | ochre ash



63663 | terra ash



63664 | sage ash



63665 | forest ash



63666 | indigo ash



63662 | ochre ash, 63663 | terra ash, 63666 | indigo ash

MARBLE

MARBLE TRAPEZOID - allura® flex II

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	63688FL1	50 x 50 cm	63682FL1	50 x 50 cm	63686FL1	50 x 50 cm	63684FL1	50 x 50 cm




63788 | peach marble trapezoid, 63786 | terra marble trapezoid, 63663 | terra ash




63688 | peach marble



63682 | ochre marble



63686 | terra marble



63684 | forest marble



63684 | forest marble

SKY - allura® flex II

• 63845 & 63745 / 63841 & 63741 / 63843 & 63743 디자인 동일

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	63845FL1	75 x 25 cm	63841FL1	75 x 25 cm	63843FL1	75 x 25 cm

63745 magical sky			63741 calming sky			63743 dreamy sky		
Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Flex 1.0	63745FL1	100 x 50 cm	63741FL1	100 x 50 cm	63743FL1	100 x 50 cm		



63841 | calming sky



63845 | magical sky



63841 | calming sky



63843 | dreamy sky



63845 | magical sky

CLOUDS - allura® flex II

• 63849 & 63749 / 63847 & 63747 디자인 동일

Allura	Art. Number	Size	Art. Number	Size
FFlex 1.0	63849FL1	75 x 25 cm	63847FL1	75 x 25 cm

63749 blue clouds			63747 grey clouds	
Allura	Art. Number	Size	Art. Number	Size
Flex 0.55	63749FL1	100 x 50 cm	63747FL1	100 x 50 cm



63849 | blue clouds



63847 | grey clouds



63843 | dreamy sky, 63749 | blue clouds, 3405 | Tessera cloudscape sunset sky, 3407 | Tessera cloudscape april shower



63666 | indigo ash, 63749 | blue clouds, 60084 | bleached rustic pine



9668 | stormy sky, 9717 | deep blue ash, 9718 | sage green ash, 5503 | sun-bleached serene oak

allura® decibel

HARVEST OAK - allura®decibel

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Decibel 0.80	5113AD8	100 x 16,6 cm	5103AD8	100 x 16,6 cm	5104AD8	100 x 16,6 cm	5101AD8	100 x 16,6 cm



5113 | Summer harvest oak



5103 | golden harvest oak



5113 | summer harvest oak



5113 | Summer harvest oak



5104 | rustic harvest oak



5101 | Winter harvest oak



5103 | golden harvest oak

AUTHENTIC OAK - allura®decibel

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Decibel 0.80	5201AD8	100 x 20 cm	5203AD8	100 x 20 cm	5204AD8	100 x 20 cm	5202AD8	100 x 20 cm	5224AD8	100 x 20 cm



5201 | pale authentic oak



5203 | honey authentic oak



5204 | classic authentic oak



5202 | smoked authentic oak



5202 | smoked authentic oak



5224 | deep authentic oak



5203 | honey authentic oak



5204 | classic authentic oak

SMOOTH OAK - allura® decibel

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size
Decibel 0.80	5313AD8	120 x 20 cm	5303AD8	120 x 20 cm	5301AD8	120 x 20 cm



5313 | golden smooth oak 5303 | dune smooth oak 5301 | smoke smooth oak



5301 | smoke smooth oak



5313 | golden smooth oak

ANTIQUE OAK - allura® decibel

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size
Decibel 0.80	5403AD8	100 x 16,6 cm	5404AD8	100 x 16,6 cm	5424AD8	100 x 16,6 cm



5403 | light honey antique oak 5404 | natural antique oak 5424 | taupe antique oak



5404 | natural antique oak



5404 | natural antique oak

SERENE OAK - allura® decibel

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size
Decibel 0.80	5503AD8	100 x 20 cm	5513AD8	100 x 20 cm	5524AD8	100 x 20 cm

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size
Decibel 0.80	5503LAD8	150 x 20 cm	5513LAD8	150 x 20 cm	5524LAD8	150 x 20 cm



5503 / 5503L | sun-bleached serene oak 5513 / 5513L | weathered serene oak 5524 / 5524L | espresso serene oak



5513 | weathered serene oak



5513 | weathered serene oak

TWINE - allura® decibel

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Decibel 0.80	6714AD8	100 x 20 cm	6724AD8	100 x 20 cm	6712AD8	100 x 20 cm	6709AD8	100 x 20 cm



6714 | honey twine 6724 | taupe twine



6709 | fossil twine



6712 | smoke twine 6709 | fossil twine




6709 | fossil twine



6714 | honey twine

SLABSTONE - allura® decibel

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Decibel 0.80	6604AD8	50 x 50 cm	6601AD8	50 x 50 cm	6602AD8	50 x 50 cm	6609AD8	50 x 50 cm
Allura								
Decibel 0.80			6601LAD8	100 x 100 cm			6609LAD8	100 x 100 cm



6604 | silt slabstone 6601 / 6601L | fog slabstone 6602 | smoke slabstone 6609 / 6609L | charcoal slabstone



6601 | fog slabstone



6602 | smoke slabstone

STROMBOLI - allura® decibel

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Decibel 0.80	6903AD8	75 x 50 cm	6913AD8	75 x 50 cm	6901AD8	75 x 50 cm	6902AD8	75 x 50 cm



6903 | limestone stromboli 6913 | burgundy stromboli



6913 | burgundy stromboli



6901 | quartz stromboli 6902 | basalt stromboli




6903 | limestone stromboli



6902 | basalt stromboli, 5301 | smoke smooth oak

EMPERADOR - allura® decibel

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Decibel 0.80	9024AD8	75 x 50 cm	9011AD8	75 x 50 cm	9019AD8	75 x 50 cm	9008AD8	75 x 50 cm




9024 | lively beige emperador 9011 | light grey emperador 9019 | dark grey emperador 9008 | jade emperador



9008 | jade emperador 9024 | lively beige emperador

SCOTT - allura® decibel

Allura	Art. Number	Size	Art. Number	Size
Decibel 0.80	9557AD8	50 x 50 cm	9558AD8	50 x 50 cm



9557 | traditional scott 9558 | natural scott



9558 | natural scott




9558 | natural scott

ASH - allura® decibel

Allura	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Decibel 0.80	9715AD8	100 x 20 cm	9716AD8	100 x 20 cm	9718AD8	100 x 20 cm	9717AD8	100 x 20 cm



9715 | saffron ash



9716 | ruby ash



9716 | ruby ash 9557 | traditional scott



9718 | sage green ash



9717 | deep blue ash



9718 | sage green ash



9716 | ruby ash, 9715 | saffron ash, 9557 | traditional scott

SKY - allura® decibel

Allura	Art. Number	Size	Art. Number	Size
Decibel 0.80	9666AD8	100 x 20 cm	9668AD8	100 x 20 cm



9666 | evening sky



9666 | evening sky



9668 | stormy sky



9668 | stormy sky, 9717 | deep blue ash, 9718 | sage green ash, 5513 | weathered serene oak

Technical specifications

Allura Flex® meets requirements of EN 651 / Allura decibel meets requirements of EN ISO 10582

		Allura Flex® 1.00	Allura Flex® 0.55	Allura Decibel 0.80
	Total thickness	EN-ISO 24346	5 mm	4 mm
	Wear layer thickness	EN-ISO 24340	1 mm	0.55 mm
	Domestic use	EN-ISO 1087	Class 23	Class 23
	Commercial use	EN-ISO 10874	Class 34	Class 34
	Total weight	ISO 23997	6300 g/m²	3600 g/m²
	Wear layer binder content	EN-ISO 10582	Type 1	Type 1
	Castor chair continuous use	ISO 4918	Pass	Pass
	Slip resistance (ramp test)	DIN 51130	R10	R10
	Acoustical impact noise reduction	EN-ISO 717-2	14 dB	19dB
	Residual indentation <i>Typical value</i>	EN ISO 24343-1	≤ 0.20 mm ~ 0.10 mm	0.11mm
	Colour fastness to light	EN ISO 105-B02 methode 3	≥ 6	≥ 7
	Resistance to chemicals	EN-ISO 26987	Very good	Good
	Dimension stability	EN-ISO 23999	≤ 0.05%	≤ 0.05%
	Allura meets the requirements of EN 14041:2004	EN 14041:2004 CE 0200131-DoP-209	EN 14041:2004 CE 0200131-DoP-209	EN 14041 CE 0200880-DoP-908
	Reaction to fire	EN 13501-1	B _{f1} -s1,L,CS	C _{f1} -s1
	Slip resistance	EN 13893	μ ≥ 0.30	μ > 0.30
	Thermal conductivity	EN 12524	0.25 W/mK	0.25 W/mK
	Body voltage	EN 1815	≤ 2.0 kV	≤ 2.0 kV



Forbo
웹사이트



Forbo
공식 인스타



Forbo
레퍼런스 인스타



Forbo
카카오키휴



FLOORING SYSTEMS

포보코리아(주)

서울시 송파구 송파대로 167 문정역 테라타워 B동 1511호

TEL. 02) 3443-0644 | www.forbo-flooring.kr