eurocol

Page 1/9

Revision: 29.09.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.09.2023

Version number 9.0 (replaces version 8.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 418 Euroflex Lino Polaris
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Adhesives
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Forbo Eurocol Deutschland GmbH August-Röbling-Straße 2 99091 Erfurt GERMANY

Tel.: +49 361 730 41 0 Fax: +49 (0)361 73041-92

E-Mail: Elisabeth.Reinhardt@forbo.com

www.forbo-eurocol.de

· Further information obtainable from:

Laboratory

Elisabeth Reinhardt

Elisabeth.Reinhardt@forbo.com

· 1.4 Emergency telephone number:

Poison information center for the states of Mecklenburg-Western Pomerania, Saxony, Saxony-Anhalt and Thuringia:

+49-361-730730

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH 208: Contains Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

GE

Printing date 29.09.2023 Version number 9.0 (replaces version 8.0) Revision: 29.09.2023

Trade name: 418 Euroflex Lino Polaris

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 1317-65-3 EINECS: 207-439-9	calcium carbonate substance with a Community workplace exposure limit	50-100%
CAS: 107-21-1 EINECS: 203-473-3 Reg.nr.: 01-2119456816-28	ethanediol STOT RE 2, H373; � Acute Tox. 4, H302	≤2.5%
CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317:C ≥ 0.05 %	≥0-<0.05%
CAS: 55965-84-9 Reg.nr.: 01-2120764691-48-XXXX	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	≥0.00025-<0.001

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

preservation agents (BENZISOTHIAZOLINONE, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1))

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After skin contact:

After contact with skin, wash immediately with plenty of soap and water. Take off all contaminated clothing immediately and wash before wearing again. In case of skin irritation, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

Printing date 29.09.2023 Version number 9.0 (replaces version 8.0) Revision: 29.09.2023

Trade name: 418 Euroflex Lino Polaris

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Alcohol-resistant foam. Water spray. Carbon dioxide. Extinguishing powder.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Recommended storage temperature: 10-30°C
- · Storage class (TRGS): 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingre	edients with limit values that require monitoring at the workplace:	
	1317-65-3 calcium carbonate	
WEL	Long-term value: 10* 4** mg/m³ *inhalable dust; **respirable	
· DNE	Ls	
107-2	107-21-1 ethanediol	

107-21-1 e	107-21-1 ethanediol	
Dermal	DNEL Long-term – dermal, systemic effects	106 mg/kg_bw/d (Worker)
		53 mg/kg_bw/d (general public)
Inhalative	DNEL long-term - inhalation local effects	35 mg/m³ (Worker)
		7 mg/m³ (general public)

(Contd. on page 4)

Printing date 29.09.2023 Version number 9.0 (replaces version 8.0) Revision: 29.09.2023

Trade name: 418 Euroflex Lino Polaris

(Contd. of page 3)

· PNECs

107-21-1 ethanediol

PNEC short term, fresh water	10 mg/l (Aquatic organisms)
PNEC short term, sea water	1 mg/l (Aquatic organisms)
PNEC short term, sewage plant	199.5 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	37 mg/kg (Aquatic organisms)
PNEC short term soil	1.53 mg/kg (teresstric organisms)
PNEC short term sea water sediment	3.7 mg/kg (Aquatic organisms)
PNEC short term, intermittent releases	10 mg/l (Aquatic organisms)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- General Information

Physical state
Colour:
Ddour:
Light

· Odour threshold: Not determined. · Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range 100 °C

· Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

(Contd. on page 5)

Printing date 29.09.2023 Version number 9.0 (replaces version 8.0) Revision: 29.09.2023

Trade name: 418 Euroflex Lino Polaris

	(Contd. of page
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	6.5
Viscosity:	
Kinematic viscosity	Not determined.
Viscosity at 100°C:	
Dynamic at 20 °C:	32,000 mPas
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.43 g/cm^3
Relative density	Not determined.
Density (@15°C)	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Appearance. Form:	Viscous
I orm. Important information on protection of health and	
environment, and on safety.	ı
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosive properties. Solvent content:	Froduct does not present an explosion nazara.
	4.35 %
VOC (EC)	4.55 %
Change in condition	Not determined
Evaporation rate	Not determined.
Information with regard to physical hazard classe	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
	Void
CIVILISING SAILIES	7 0 000
Oxidising solids Organic paravidas	Void
Oxidising solids Organic peroxides Corrosive to metals	Void Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

Printing date 29.09.2023 Version number 9.0 (replaces version 8.0) Revision: 29.09.2023

Trade name: 418 Euroflex Lino Polaris

(Contd. of page 5)

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	values relevant for classification:	
ATE (Acu	te Toxicity Estimates)	
Oral	LD50	20,080 mg/kg
1317-65-3	calcium carbonate	
Oral	LD50	6,450 mg/kg (rat)
107-21-1	ethanediol	
Dermal	LD50	>3,500 mg/kg (rat)
Inhalative	LC50(4h) o. Zuordnung	1,995 mg/l (mud)
55965-84	9 Reaction mass of: 5-chloro-2-methyl-4-isothia 2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	zolin-3-one [EC no. 247-500-7] and 2-methy
Oral	LD50	66 mg/kg (rat)
	Acute Toxicity Estimate of ingredient (ATE) oral	100 mg/kg
Dermal	Acute Toxicity Estimate of ingredient (ATE) oral LD50	100 mg/kg >141 mg/kg (rat)
Dermal		
	LD50	>141 mg/kg (rat)
	LD50 Acute toxicity estimates	>141 mg/kg (rat) 200 mg/kg

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

12.1 Toxicity	
· Aquatic toxicity:	
107-21-1 ethanediol	
LC50 (96h) mg/ltr.	72,830 mg/ltr (Fish, minnows)
EC50 (48h)	100 mg/l (daphnia)
EC50 (96h) mg/ltr	6,500-13,000 mg/ltr (Pseudokirchneriella subcapitata)
2634-33-5 1,2-benzisothiazol-3(2H)-one	
LC50 (96h) mg/ltr.	1.6-2.18 mg/ltr (rainbow trout) (OECD 203)

(Contd. on page 7)

Printing date 29.09.2023 Version number 9.0 (replaces version 8.0) Revision: 29.09.2023

Trade name: 418 Euroflex Lino Polaris

		(Contd. of page 6)
EC50 (48h)	2.94-3.27 mg/l (Daphnia magna) (OECD 202)	
EC50 (72h)	0.11 mg/l (Scenedesmus quadricauda) (OECD 201)	
	0.11 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
EC10 (72h)	0.04 mg/ltr. (Scenedesmus quadricauda) (OECD 201)	
NOEC	0.21 mg/l (rainbow trout) (OECD 215)	

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential

1310-73-2 sodium hydroxide -3,88

- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, IMDG, IATA	not regulated	
, ,	noi reguiatea	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
14.4 Packing group		
ADR, IMDĞ, İATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	to IMO	
instruments	Not applicable.	

(Contd. on page 8)

Printing date 29.09.2023 Version number 9.0 (replaces version 8.0) Revision: 29.09.2023

Trade name: 418 Euroflex Lino Polaris

(Contd. of page 7)

· UN "Model Regulation":

not regulated

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · VOC (EU) 56.5 g/l
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

· Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- *H410 Very toxic to aquatic life with long lasting effects.*
- *H411* Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

· Department issuing SDS: Quality Management department

· Contact:

Laboratory

Elisabeth Reinhardt

Elisabeth.Reinhardt@forbo.com

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 9)

Printing date 29.09.2023

Version number 9.0 (replaces version 8.0)

Trade name: 418 Euroflex Lino Polaris

(Contd. of page 8)

Revision: 29.09.2023

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

- GI