created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 560683008

CLASSIFICATION: 09 65 33 Conductive Resilient Flooring

PRODUCT DESCRIPTION: Colorex SD | EC is a homogeneous product sliced from a pressed vinyl block to assure a highly flexible tile of dense construction. Colorex SD | EC is dimensionally stable, extremely hard wearing, and has a completely non-directional pattern. When Colorex SD | EC is installed in conjunction with our conductive adhesive and grounding strap, it has the below electrical resistance: SD: 1 x 10⁶ - 10⁸ ohms surface to ground, EC: 5 x 10⁴ - 1 x 10⁶ ohms surface to ground. Gauge - 2.0 mm (0.080"); Tile Size - 61.5 cm x 61.5 cm (24.2" x 24.2"); 56.94 square feet per carton; 14 tiles per carton; 51 lbs. per carton.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- C 100 ppm
- ⊙ 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities Evaluation

- Completed
- C Partially Completed
- Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

⊙ Yes ○ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

COLOREX SD | EC [PVC (POLYVINYL CHLORIDE) LT-P1 | MAM LIMESTONE (CALCIUM CARBONATE) BM-3dg DOTP (BIS(2-ETHYLHEXYL) TEREPHTHALATE) BM-3dq TITANIUM DIOXIDE BM-1* CAN | END | MAM CARBON BLACK BM-1* | CAN | EYE | MAM | PHY FERRIC OXIDE, YELLOW LT-UNK* PIGMENT RED 144 LT-UNK PIGMENT BLUE 15 BM-3 PARAFFIN LT-UNK | MAM FATTY ACIDS, C16-18, ZINC SALTS LT-UNK CALCIUM STEARATE LT-UNK CONDUCTIVE CHIPS BM-1* | CAN | EYE | MAM | PHY]

Number of Greenscreen BM-4/BM3 contents ... 3

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Percentage (%) ranges for ingredients are used as a means of keeping the exact formulations proprietary.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

LCA: Environmental Product Declaration (EPD) by UL

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2024-05-09 PUBLISHED DATE: 2024-05-10 EXPIRY DATE: 2027-05-09

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

COLOREX SD | EC

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.

OTHER PRODUCT NOTES:

PVC (POLYVINYL CHLORIDE)

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-09 7:36:3	
%: 40.0000 - 50.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		•	respiratory irritation [Specific target gle exposure - Category 3]
MAM	GHS - Japan		repeated exposure	nage to organs through prolonged or [Specific target organs/systemic toxicity exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precautiona	ry List
			Precautionary list o avoidance	f substances recommended for
RESTRICTED LIST	Cradle to Cradle Products Innova (C2CPII)	tion Institute	C2C Certified v4 Pr List (RSL) - Effectiv	roduct Standard Restricted Substances re July 1, 2022
			Core Restrictions	
RESTRICTED LIST	International Living Future Institut	e (ILFI)	Living Building Cha Chemicals - Effective	illenge 4.0 - Red List of Materials & ve April 1, 2024
			Red List substance V4.0 projects	s to avoid in Living Building Challenge

SUBSTANCE NOTES:

LIMESTONE (CALCIUM CARBONATE)

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-05-09 7:40:14

%: 34.0000 - 38.0000 GreenScreen: BM-3dg RC: PreC NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

 ${\tt SUBSTANCE\ NOTES:\ 72\%\ of\ the\ Limestone\ (Calcium\ Carbonate)\ used\ in\ Colorex\ SD\ |\ EC\ is\ post-industrial\ recycled\ material.}$

DOTP (BIS(2-ETHYLHEXYL) TEREPHTHALATE)

ID: **6422-86-2**

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-09 7:37	
%: 10.0000 - 14.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institut	e (GSPI)	GSPI - Six Classes	s Precautionary List
			Some Solvents	
SUBSTANCE NOTES:				

TITANIUM DIOXIDE				ID: 13463-67-7
HAZARD DATA SOURCE: Pha	aros Chemical and Materials L	ibrary	HAZARD S	SCREENING DATE: 2024-05-09 7:40:49
%: 0.0000 - 4.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**
CAN	IARC	Group 2b - Possibly carcinogenic to humans**
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

CARBON BLACK ID: 2174005-17-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-05-09 7:41:21

%: 0.0000 - 4.0000

GreenScreen: BM-1

RC: None

NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	IARC	Group 2b - Possibly carcinogenic to humans**
EYE	GHS - New Zealand	Eye irritation category 2**
CAN	GHS - New Zealand	Carcinogenicity category 2**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

FERRIC OXIDE, YELLOW ID: 51274-00-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD	SCREENING DATE: 2024-05-09 7:46:53
%: 0.0000 - 4.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

PIGMENT RED 144 ID: 5280-78-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-05-09 7:47:35
%: 0.0000 - 4.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

haros Chemical and Materials Libr	ary	HAZARD	SCREENING DATE: 2024-05-09 7:48:14
GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
LIST NAME AND SOURCE		WARNINGS	
		No war	rnings found on HPD Priority Hazard Lists
LIST NAME AND SOURCE		NOTIFICATION	
	Agency (US	US EPA - DfE Sat	fer Chemicals Ingredients list (SCIL)
,		Colorants - Green	Circle (Verified Low Concern)
	GreenScreen: BM-3 LIST NAME AND SOURCE LIST NAME AND SOURCE	LIST NAME AND SOURCE LIST NAME AND SOURCE US Environmental Protection Agency (US	GreenScreen: BM-3 RC: None NANO: No LIST NAME AND SOURCE WARNINGS No war LIST NAME AND SOURCE NOTIFICATION US Environmental Protection Agency (US EPA - DfE Sat EPA)

PARAFFIN				ID: 8002-74-2
HAZARD DATA SOURCE: I	Pharos Chemical and Materials Library		HAZA	ARD SCREENING DATE: 2024-05-09 7:42:07
%: 0.0000 - 3.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		•	cause respiratory irritation [Specific target response - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	NC
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

FATTY ACIDS, C16-18, ZINC SALTS				ID: 91051-01-3		
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	у	HAZA	RD SCREENING DATE: 2024-05-09 7:42:30		
%: 0.0000 - 3.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
None found			No	warnings found on HPD Priority Hazard Lists		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

CALCIUM STEARATE

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-05-09 7:42:47

%: 0.0000 - 3.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Processing regulator
HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

CONDUCTIVE CHIPS ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-05-09 7:46:00	
%: 0.0000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Conductor
HAZARD TYPE	LIST NAME AND SOURCE	<u> </u>	WARNINGS	
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen**	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**	
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route**	
CAN	IARC		Group 2b - Possibly carcinogenic to humans**	
EYE	GHS - New Zealand		Eye irritation category 2**	
CAN	GHS - New Zealand		Carcinogenicity category 2**	
CAN	GHS - Japan		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**	
PHY	GHS - Japan		H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]**	

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

CERTIFICATE URL:

ISSUE DATE: 2023-07-09 00:00:00 EXPIRY DATE: 2026-07-09 00:00:00

ISSUE DATE: 2023-07-01 00:00:00

EXPIRY DATE: 2028-07-01 00:00:00

CERTIFIER OR LAB: Berkeley

Analytical

CERTIFICATION AND COMPLIANCE NOTES:

LCA

Environmental Product Declaration (EPD) by UL

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

CERTIFIER OR LAB: UL

Environment

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

FORBO C 930 ADHESIVE

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo C 930 Adhesive is the standard recommended adhesive for conductive installations of Colorex SD | EC. Refer to Forbo's C 930 Technical Data Sheet for full installation recommendations and requirements.

FORBO T 940 ADHESIVE

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo T 940 Adhesive is the standard recommended adhesive for non-conductive installations of Colorex SD | EC. Refer to Forbo's T 940 Technical Data Sheet for full installation recommendations and requirements.

FORBO SUSTAIN 1195 ADHESIVE

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Sustain 1195 can be used as an alternate adhesive for nonconductive Colorex SD | EC installations. Refer to Forbo's Sustain 1195 Technical Data Sheet for full installation recommendations and requirements.

FORBO 660 ADHESIVE

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo 660 can be used as an alternate adhesive for non-conductive Colorex SD | EC installations. Refer to Forbo's 660 Adhesive Technical Data Sheet for full installation recommendations and requirements.

COPPER GROUNDING STRAP

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: A copper grounding strap is required in conjunction with the Forbo C930 Adhesive if the customer needs a conductive floor.

FORBO WALL BASE

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Wall Base is an optional accessory for use with Colorex SD | EC. Forbo Wall Base is produced in roll form and constructed from high grade resins, thermoplastic binders, fillers, and pigments.

FORBO ADHESIVE REMOVER

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Cleaning Product

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Adhesive Remover is a recommended cleaning product for use with Colorex SD | EC.

FORBO NEUTRAL PH CLEANER

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Cleaning Product

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Neutral pH Cleaner is a recommended cleaning product for use with Colorex SD | EC.

FORBO HEAVY DUTY CLEANER

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Cleaning Product

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Heavy Duty Cleaner is a recommended cleaning product for use with Colorex SD | EC.

COLOREX INNER CORNER PROFILE

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The Colorex Inner Corner Profile is an optional accessory for use with Forbo Colorex SD | EC.

COLOREX OUTER CORNER PROFILE

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The Colorex Outer Corner Profile is an optional accessory for use with Forbo Colorex SD | EC.

COLOREX SKIRTING STRIP

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The Colorex Skirting Strip is an optional accessory for use with Forbo

Colorex SD | EC.

Section 5: General Notes

Colorex SD | EC contains no Isocyanates.

MANUFACTURER INFORMATION

MANUFACTURER: Forbo Flooring Systems

ADDRESS: 8 Maplewood Drive

Hazleton, PA 18202 COUNTRY: United States WEBSITE: www.forboflooringNA.com

CONTACT NAME: Jeff Miller

TITLE: Sustainability & Documentation Administrator

PHONE: **570-450-0319**EMAIL: jeff.miller@forbo.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and