

FLOTEX ACCESSORIES DATA SHEET

ADHESIVES MANDATORY

	Adhesives	Weight	Consumption/ m ²	Spreader	Waiting time	Opening time	Observation
FLOTEX Sheet	522 Eurosafe Tack						522 for all Flotex sheet ranges. Heat reactivatable. 622 is a technical
	622 Eurostar Tack	13 kg	250 g	A2	20 min	40 min	adhesive with the same properties as 522, but more environmentally friendly, GREEN (EC1+).
	528 Eurostar All Round	13 kg	250 g	A2	15 min	40 min	Multi-purpose EC1 construction adhesive.
	644 Eurostar Multi Plus	12 kg	190 - 220 g	A2	10 min	40 min	Fiber-reinforced universal adhesive, GREEN (EC1+), high-performance.
Flotex Tiles Flotex Strips	542 Eurofix Tack Plus	10 kg	100 g	A1/ roller	30 min (absorbent support) 60 min (waterproof support)	Keeps its properties in time	Standard installation with fixative, possible with 528 eurostar all round adhesive for full bonding.
Flotex Next	840 Eurotape Doubletack	Dimensions: 50 mm x 50 m 90 mm x 50 m 240 mm x 25 m	0,5 mt				Double-sided adhesive tape with elastic, dimensionally stable woven backing, very high initial and final adhesion.
	792 Modul-up Junction Tape	100 mm x 50 m	0,5 mt				For old asbestos- containing substrates.




FLOTEX ACCESSORIES DATA SHEET


SKIRTINGS SUGGESTED

Soft complete skirting for old and new support

Flexible finishing profile for corner support and finishing. Its flexibility makes it suitable for both new and old subfloors.

Box of 20 lengths of 2.5 m namely 50 m/box






22 mm

PVC recover skirting

Solid-colored rigid PVC skirting. Specially designed to adapt to different baseboard thicknesses and heights:

- up to 14 mm thickness
- up to 100 mm high (two parts, each 20 mm long, can be broken off)

Box of 20 lengths of 2,5 m namely 50 m/box







FLOTEX ACCESSORIES DATA SHEET

Flotex® Borders

Flotex® decorative strips

This strip is designed to make a skirting or a joint between different patterns.

This decorative strip matches perfectly with all patterns in the Flotex Colour collection but it can also be used with Linear and Vision Flotex® collection.

Height available: 11cm (211xxx) or 22 cm (232xxx).

Box of 15 m



RAMP SUGGESTED

Aluminum ramp to be screwed

Ref.: 265F4

Screw-on aluminum ramp for covering 5 to 7 mm Flotex-type flooring in strips and tiles.

Box of 10 lengths of 2.70m namely 27m per box



