eurocol

Page 1/8

Safety data sheet according to UK REACH

Printing date 22.07.2024

Version number 6 (replaces version 5)

Revision: 22.07.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier · Trade name: 945 Europlan Solid
 Article number: 945 UFI: E4M2-V0NW-200M-SAFP 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / preparation Repair mortar
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Forbo Eurocol Nederland B.V. Industrieweg 1-2 NL-1521 NA Wormerveer Holland Tel. +31 75 6271620 E-mail address: info.eurocol@forbo.com Website: www.eurocol.com 1.4 Emergency telephone number: In case of emergency please contact the Dutch National Poison Control, telephone number: 0031-(0)88- 755 8000 (This number is only accessible to the physician treating the patient and only in case of accidental poisoning).
SECTION 2: Hazards identification
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.
• 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. • Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling:
- Portland cement clinker • Hazard statements
- H315 Causes skin irritation.
- H318 Causes serious eye damage.

(Contd. on page 2)

Printing date 22.07.2024

Version number 6 (replaces version 5)

Revision: 22.07.2024

Trade name: 945 Europlan Solid

	(Contd. of page 1)
H317 May cause	an allergic skin reaction.
H335 May cause	respiratory irritation.
Precautionary s	tatements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261	Avoid breathing dust.
P280	Wear protective gloves.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P404	Store in a closed container.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other hazard	ls
[·] Results of PBT a	and vPvB assessment
BRT. Not applied	blo.

- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Determination of endocrine-disrupting properties
- The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of cement, fillers and additives.
- [•] Dangerous components:

Portland cement clinker CAS: 65997-15-1 EINECS: 266-043-4 📀 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT ŠE 3, H335

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

After inhalation:

- In case of unconsciousness place patient stably in side/recovery position for transportation.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Rinse mouth with water and then drink plenty of water, consult physician immediately.
- Information for doctor: Product reacts with moisture into alkaline mixture.
- [•] 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

>5-10%

Printing date 22.07.2024

Version number 6 (replaces version 5)

Revision: 22.07.2024

(Contd. of page 2)

Trade name: 945 Europlan Solid

· Additional information Product itself does not burn.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid formation of dust. Avoid contact with eyes and skin.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- [•] 6.3 Methods and material for containment and cleaning up:
- Pick up mechanically, dry vacuum powder.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Prevent formation of dust. Ensure sufficient ventilation and avoid formation of dust. Do not inhale dust. Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in cool, dry conditions in well sealed packaging.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

[·] Ingredients with limit values that require monitoring at the workplace:

65997-15-1 Portland cement clinker

WEL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

• Additional information: The lists valid during manufacture were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Do not inhale dust.

⁻ Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Use suitable respiratory protective device (filter P2) in case of insufficient ventilation.

(Contd. on page 4)

Printing date 22.07.2024

Version number 6 (replaces version 5)

Revision: 22.07.2024

Trade name: 945 Europlan Solid

(Contd. of page 3)

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material is dependent on the penetration times, rates of diffusion and degradation.

Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further aspects of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be established by the manufacturer of the protective gloves and has to be observed.

- For prolonged contact gloves made of the following materials are suitable: *Chloroprene and butylrubber.*
- · Eye/face protection

Tightly sealed goggles

Body protection: Protective work clothing

9.1 Information on basic physical and chemic	cal properties	
General Information		
Physical state	Solid	
Colour:	Grey	
Odour:	Weak	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and boiling	ng	
range	Undetermined.	
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable.	
Decomposition temperature:	Not determined.	
pH at 20 °C	>11	
Viscosity:		
Kinematic viscosity	Not applicable.	
Dynamic:	Not applicable.	
Solubility		
water:	Slightly soluble.	
Partition coefficient n-octanol/water (log valu	e) Not determined.	
Vapour pressure:	Not applicable.	
Density and/or relative density		
Density at 20 °C:	1.2 g/cm³	
Relative density	Not determined.	

Printing date 22.07.2024

Version number 6 (replaces version 5)

Revision: 22.07.2024

Trade name: 945 Europlan Solid

	(Contd. of page
Vapour density Particle characteristics See section 3.	Not applicable.
9.2 Other information	
Appearance:	
Form:	Powder
Important information on protection of he	alth
and environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	0.0 %
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical haz classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

 \cdot 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Printing date 22.07.2024

Version number 6 (replaces version 5)

Revision: 22.07.2024

Trade name: 945 Europlan Solid

(Contd. of page 5)

- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- **Respiratory or skin sensitisation** Product can cause irritation on the longer term dermatitis. This impact is caused by alcality of the product in water and on mechanical damage of the skin.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- [•] 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- ¹12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised. Do not discharge into the sewer.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

⁻ Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Warm water, if necessary together with cleansing agents.

(Contd. on page 7)

GB

Printing date 22.07.2024

Version number 6 (replaces version 5)

Revision: 22.07.2024

Trade name: 945 Europlan Solid

(Contd. of page 6)

14.1 UN number or ID number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR	Void	
IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accordi	ing to	
IMO instruments	Not applicable.	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- [·] Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

⁻ Relevant phrases

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

· Department issuing SDS: R&D department

(Contd. on page 8)

Printing date 22.07.2024

Version number 6 (replaces version 5)

Revision: 22.07.2024

Trade name: 945 Europlan Solid

(Contd. of	page
Contact: Ing. T.W. Breeuwer	
Date of previous version: 25.07.2022	
Version number of previous version: 5	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Cor the International Transport of Dangerous Goods by Rail)	ncernii
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation	
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concer	ning ti
International Carriage of Dangerous Goods by Road)	
MDG: International Maritime Code for Dangerous Goods	
ATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
* Data compared to the previous version altered.	