

Flotex Planks

LRV & DSDC product accreditation

Design	Colour number	Colour name	NCS	LRV Y (BS8493)	DSDC Rating*	DSDC Comments
Triad	121001	Zinc	8005 - G20Y	8	X	Rated not suitable for use
	131001	Red	4040-R	8	X	
	131002	Blue	S 6020 - R90B	7	X	
	131003	Green	S 6020 - G50Y	10	X	
	131004	Amber	S 6020 - Y10R	12	X	
	131005	Platinum	S 7502 - G	9	X	
	131006	Silver	S 7502 - G	8	X	
	131007	Steel	S 7502 - G	9	X	
	131008	Shadow	S 7005 - B20G	6	X	
	131010	Taupe	S 6502 - Y	11	X	
	131011	Red line	S 7502 - G	9	X	
	131012	Blue line	S 7502 - G	8	X	
	131013	Green line	S 7502 - G	8	X	
	131014	Amber line	S 7502 - G	8	X	
	131015	Stone	S 5005 - G80Y	8	X	
131017	Anthracite	S 8000 - N	5	X		
Box Cross	133002	Pearl	3502-B	25	X	Rated not suitable for use
	133004	Biscuit	6005-Y20R	20	X	
	133005	Linen	6010-G50Y	20	X	
	133007	Granite	7502-G	7	X	
	133008	Blueberry	8010-R90B	4	X	
	133009	Petrol	7020-B10G	7	X	
	133010	Seal	8005-G50Y	7	X	
	133011	Anthracite	8502-B	4	X	
	133016	Crimson	NCS S 8005-Y80R & NCS S 5040-Y70R	6	X	

Flotex Planks

LRV & DSDC product accreditation

Design	Colour number	Colour name	NCS	LRV Y (BS8493)	DSDC Rating*	DSDC Comments
Frameweave	142001	Pave	S 4500-N + S 8500-N	10	X	Not yet rated
	142002	Ink	S 5005-B20G + S 8505-B20G	7	X	
	142003	Sepia	S 5005-Y50R + S 8005-Y20R	12	X	
	142004	Citrine	S 4040-Y10R + S 7020-G90Y	14	X	
	142005	Anchor	S 5502-R + S 8505-R80B	6	X	
	142006	Capri	S 4020-B + S 8010-R90B	7	X	
	142007	Ember	S 4030-Y40R + S 7020-Y80R	9	X	
	142008	Pesto	S 5030-G50Y + S 8010-G50Y	9	X	
	142009	Lignite	S 5500-N + S 8505-R80B	6	X	
	142010	Harbour	S 5010-R70B + S 8010-R70B	6	X	
	142011	Flame	S 5030-Y90R + S 8005-R20B	5	X	
	142012	Verdant	S 6020-G50Y + 8005-G20Y	31	X	
	142013	Graphene	S 6502-B + S 8505 - R80B	4	X	
	142014	Marine	S 5030-R80B + S 8010-R70B	5	X	
	142015	Violet	S 4030-R50B + S 8010-R50B	6	X	
	142016	Pine	S 5020-G + S 8010-B90G	7	X	
Concrete	139001	Cloud	S 6005-G80Y	18	2	Rated unsuitable as mottled effect too strong
	139002	Thunder	S 7502-Y	11	X	
	139003	Smoke	S 6502-Y	16	X	
	139004	Storm	S 7502-Y	11	X	
	139011	Aqua	S 5500-N + S 3010-G	16	X	
	139012	Sunset	S 5500-N + S 3030-Y30R	15	X	
	139013	Spa	S 5500 N + S 3010-R90B	15	X	
	139014	Lichen	S 5500-N + S 3020-G50Y	15	X	

Flotex Planks



LRV & DSDC product accreditation

Design	Colour number	Colour name	NCS	LRV Y (BS8493)	DSDC Rating*	DSDC Comments
Marble	143002	Marquina	S 8502-B + S 5502-B	5	X	Not yet rated
	143001	Carrara	S 3502-B + S 6502-B	26	X	
	143003	Pietra	S 8502-R + S 6502-Y	5	X	
	143004	Diano	S 3005-Y20R + S 6010-Y10R	26	X	
Seagrass	111006	liquorice	NCS S 8005-Y80R	5	1b	Rated 1b as not completely plain
	111005	walnut	NCS S 7005-Y50R	8	1b	
	111004	charcoal	NCS S 7500-N	9	1b	
	111033	almond	NCS S 4502-Y	12	1b	
	111002	cement	NCS S 6502-G	13	1b	
	111001	pearl	NCS S 4502-G	26	1b	
Ombre	149003	Tropic	S 6502-R	11	X	Not yet rated
	149001	Boreal	S 5010-G50Y	15	X	
	149002	Horizon	S 5020-R80B	10	X	
	149004	Moraine	S 6005-Y20R	14	X	
	149005	Estuary	S 6005-R80B	13	X	
	149006	Glacier	S 6010-R70B	11	X	
	149007	Arctic	S 6502-B	11	X	
	149008	Tundra	S 6010-Y70R	13	X	
Montage	147001	Boreal	S 6020-G50Y + S 4020-G50Y + S 3010-G50Y	9	X	Not yet rated
	147002	Horizon	S 7010-R90B + S 5020-R80B + S 4005-G50Y	6	X	
	147003	Tropic	S 7502-Y + S 5005-Y50R + S 6005-Y80R	7	X	
	147004	Moraine	S 7005-Y20R + S 6010-Y10R + S 5000-N	8	X	
	147005	Estuary	S 7005-R80B + S 6005-B80G + S 4020-R90B	8	X	
	147006	Glacier	S 7010-R70B + S 5010-R70B + S 6010-R90B	7	X	
	147007	Arctic	S 7005-B20G + S 5000-N + S 5502-R	8	X	
	147008	Tundra	S 7010-Y50R + S 5010-Y50R + S 6005-Y50R	8	X	

Flotex Planks

LRV & DSDC product accreditation

Design	Colour number	Colour name	NCS	LRV Y (BS8493)	DSDC Rating*	DSDC Comments
Converge	141001	Prism	S 7502-B + S 8502-B	5	X	Not yet rated
	141002	Aurora	S 7502-B + S 8502-B + S 7010-R70B + S 7020-R90B	5	X	
	141003	Zenith	S 7502-B + S 8502-B + S 7020-B + S 6020-G30Y + S 7010-B90G + S 7010-B30G	5	X	
	141004	Sunbeam	S 8502-B + S 7502-B + S 7010-Y90R + S 7010-Y30R + S 7010-Y10R	6	X	
	141005	Radiant	S 6020-R + S 6020-Y90R + S 7502-B + S 8502-B	6	X	
	141006	Arc	S 8005-R80B + S 5000-N	8	X	
	141007	Pinnacle	S 7005-Y20R + S 7010-Y10R + S 7005-Y80R + S 8502-B + S 7502-B	5	X	
Refract	137001	Obsidian	S 5502-B + S 6502-B + S 8502-B	6	X	Not yet rated
	137002	Firoza	S 6010-R90B + S 6020-R90B + S 7020-R90B	6	X	
	137003	Sapphire	S 4010-R70B + S 7010-R90B + S 8505-R80B	5	X	
	137004	Quartz	S 5502-R + S 6005-Y80R + S 9000-N	5	X	
	137005	Topaz	S 4010-Y30R + S 6005-Y20R + S 8502-R	5		
	137006	Malachite	S 4010-G30Y + S 6010-G30Y + S 8005-G20Y	8	X	
Wood	151001	black wood	S 6502-R	8	2	Rated 2 due to stronger grain
	151002	grey wood	S 5010-G50Y	13	1b	
	151003	silver wood	S 5020-R80B	31	1b	
	151006	antique wood	S 6005-Y20R	9	2	
	151004	American wood	S 6005-R80B	15	1b	
	151005	red wood	S 6010-R70B	9	2	Rated 2 due to stronger grain
	151007	english wood	S 6502-B	13		Not yet rated
	151008	rustic wood	S 6010-Y70R	13	2	Not yet rated

	2016-074 FORBO FLOORING	
	DSDC RATING KEY	
	NOV-16	
*RATING	*RATING DESCRIPTION	
Class 1a	<p>Flooring within this rating is plain and can be used indiscriminately. That said, bear in mind the need to contrast flooring and walls, skirtings, doors/frames, furniture and sanitary ware.</p> <p>Contrast is the key word.</p> <p>We recommend a minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.</p>	
Class 1b	<p>Flooring within this rating is semi-plain (minimal texture or fleck/pattern, wood effect with no knots) and in general, can be used throughout.</p> <p>Natural patterns such as timber and stone may be used in most areas due to their familiarity but with a degree of caution.</p> <p>Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.</p>	
Class 2	<p>Flooring within this rating has some pattern and needs to be used with caution. The natural patterns such as timber and stone in this range are more figured/patinated and although still familiar they need to be used with more caution than the above range.</p> <p>Bear in mind minimum contrast of 30 units LRV (Light Reflectance Value) between the critical surfaces mentioned above.</p>	

For an environment to be considered 'dementia-inclusive' or 'dementia-friendly', careful consideration must be given to the entire specification, not just the flooring.

As with many design features, individual needs and preferences should also be considered. What is fine for one person, may not be the case for another.

For more information and to download our 'Designing for dementia care' brochure visit www.forbo-flooring.co.uk/care