created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 2497770920960 CLASSIFICATION: 09 65 16 Resilient Sheet Flooring

PRODUCT DESCRIPTION: Forbo Marmoleum Sheet is a homogeneous floor covering made from natural ingredients including linseed oil, rosin binders, wood flour, limestone, and dry pigments, which are mixed and then calendared onto a natural jute backing. Topshield is a high-performance finish. Its double UV cured double layer technology delivers extraordinary performance and clear and vibrant colors that remain over time. Topshield creates a 'ready to use' Marmoleum that requires no initial maintenance or polymer application. The surface can be repaired or refreshed in cases of accidents or after years of intensive use. Gauge - 2.0mm (0.080") to 2.5mm (1/10"); Width - 79" (2m); Length - 105'; Roll Size - 77 square yards;



# Section 1: Summary

# **Basic Method / Product Threshold**

### CONTENT INVENTORY

# **Inventory Reporting Format**

- C Nested Materials Method
- Basic Method
- **Threshold Disclosed Per**
- Material
- Product

### **Threshold Level**

- C 100 ppm
- ⊙ 1,000 ppm
- C Per GHS SDS
- Other

### Residuals/Impurities Evaluation

- Completed
- C Partially Completed
- Not Completed

### Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Yes ○ No.

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

MARMOLEUM SHEET [ WOOD FLOUR (HEMICELLULOSE) NoGS WOOD FLOUR (LIGNIN) NoGS LINSEED OIL NOGS LIMESTONE (CALCIUM CARBONATE) BM-3dg RECYCLED FORBO LINOLEUM SCRAP NoGS JUTE (LIGNIN) NoGS JUTE (PECTIN) LT-UNK JUTE (HEMICELLULOSE) NoGS GUM ROSIN LT-P1 | SKI | MAM | AQU | REP | RES BLUE PS 5.1-87 BM-3 TITANIUM DIOXIDE BM-1\* | CAN | END | MAM ZINC OXIDE BM-1 | END | MUL | AQU | MAM | REP MAGNESIUM OXIDE BM-3dg | CAN | MAM TOPSHIELD PRO (URETHANE ACRYLATE) NoGS TOPSHIELD PRO (POLYESTER ACRYLATE) LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 4

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

### **INVENTORY AND SCREENING NOTES:**

(%) ranges for ingredients are used as a means of keeping the exact formulations proprietary.

\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -

Classroom & Office scenario

LCA: Environmental Product Declaration (EPD) by UL Material Declaration: ILFI Declare - Red List Free

## **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

**VERIFICATION #:** 

**SCREENING DATE: 2024-05-03** PUBLISHED DATE: 2024-05-03 EXPIRY DATE: 2027-05-03

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

### **MARMOLEUM SHEET**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.

OTHER PRODUCT NOTES:

WOOD FLOUR (LIGNIN)

### **WOOD FLOUR (HEMICELLULOSE)**

ID: 9034-32-6

ID: 9005-53-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-03 14:11:		
%: 0.0000 - 32.0000	GreenScreen: NoGS	RC: PreC	NANO: <b>No</b>	SUBSTANCE ROLE: Filler	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warn	ings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No I	istings found on Additional Hazard Lists	

SUBSTANCE NOTES: Wood flour is a pre-consumer recycled bio-based waste product.

11002 ( 20011 ( 21011111)				15.000 00 1	
	HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2024-05-03 14:11:04	
	%: 0.0000 - 32.0000	GreenScreen: NoGS	RC: PreC	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
	HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	None found			No warı	nings found on HPD Priority Hazard Lists
	ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
	None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Wood flour is a pre-consumer recycled bio-based waste product.

LINSEED OIL ID: 8001-26-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-05-03 14:11:04

%: 24.0000 - 31.0000	GreenScreen: NoGS	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warn	ings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

# LIMESTONE (CALCIUM CARBONATE)

ID: 1317-65-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2024-05-03 14:11:05
%: 19.0000 - 22.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

# RECYCLED FORBO LINOLEUM SCRAP

ID: 8001-26-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SO	CREENING DATE: 2024-05-03 14:11:05	
%: 0.0000 - 15.0000	GreenScreen: NoGS	RC: Both	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Scrap closed-loop recycled Marmoleum is used as an additional filler in the production of new Marmoleum. Sourced internally (pre-consumer) or globally (post-consumer from logistics, installation, and End Of Life\*).

JUTE (LIGNIN) ID: 9005-53-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-05-03 14:11:05

%: 0.0000 - 10.0000

GreenScreen: NoGS

RC: None

NANO: No SUBSTANCE ROLE: Carrier

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

JUTE (PECTIN)				ID: <b>9000-69-5</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2024-05-03 14:11:05
%: 0.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

JUTE (HEMICELLULOSE)	ID: <b>9034-</b> 3				
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	CREENING DATE:	2024-05-03 14:11:06
%: 0.0000 - 10.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE F	ROLE: Carrier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	nings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Ad	dditional Hazard Lists
SUBSTANCE NOTES:					

GUM ROSIN				ID: <b>8050-09-7</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Li	ibrary	HAZARD S	CREENING DATE: 2024-05-03 14:11:06
%: 0.0000 - 6.0000	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

HAZARD DATA SOURCE: I	Pharos Chemical and Materials Libra	arv	HAZARD S	CREENING DATE:	2024-05-03 14:11:06
TAZATO DATA GOOTIOL.	That do Ottomiour and Materials Elsis	ui y	117/27/112	OTTEENING BATE.	2024 00 00 14.11.00
%: 0.0000 - 5.0000	GreenScreen: BM-3	RC: None	NANO: <b>No</b>	SUBSTANCE R	ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	rnings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
POSITIVE LIST	US Environmental Protection EPA)	Agency (US	US EPA - DfE Sat	fer Chemicals Ingred	dients list (SCIL)
	,		Colorants - Green	Circle (Verified Low	(Concern)

TITANIUM DIOXIDE				ID: <b>13463-67-7</b>
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-03 14:11:06		
%: 0.0000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**
CAN	IARC	Group 2b - Possibly carcinogenic to humans**
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)  Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: \*\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

ZINC OXIDE ID: 1314-13-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-05-03 14:11:06

%: 0.0000 - 5.0000

GreenScreen: BM-1

RC: None

NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
SUBSTANCE NOTES:		

SUBSTANCE NOTES:

MAGNESIUM OXIDE ID: 1309-48-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-05-03 14:11:06
%: 0.0000 - 5.0000 GreenScreen: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

CARBON BLACK PEARLS 120 ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-03 14:11:0				
%: <b>0.0000 - 5.0000 ALT</b>	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
CAN	US CDC - Occupational Card	US CDC - Occupational Carcinogens		cinogen**		
CAN	MAK	MAK		o 3B - Evidence of carcinogenic effects or classification**		
CAN	CA EPA - Prop 65		Carcinogen - spec	cific to chemical form or exposure route**		
CAN	IARC	IARC		Group 2b - Possibly carcinogenic to humans**		
EYE	GHS - New Zealand	GHS - New Zealand		Eye irritation category 2**		
CAN	GHS - New Zealand	GHS - New Zealand		Carcinogenicity category 2**		
CAN	GHS - Japan	GHS - Japan		of causing cancer [Carcinogenicity -		
MAM	GHS - Japan	GHS - Japan		H372 - Causes damage to organs through prolonged repeated exposure [Specific target organs/systemic to following repeated exposure - Category 1]**		e [Specific target organs/systemic toxicity
PHY	GHS - Japan	GHS - Japan		ng;; may catch fire [Self-heating nixtures - Category 1]**		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	LIST NAME AND SOURCE				
None found			No	listings found on Additional Hazard Lists		

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Blue PS 5.1-87.

BLACK PJ3013 ID: 1317-61-9

<sup>\*\*</sup>Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

HAZARD DATA SOURCE: Ph	naros Chemical and Materials Library	у	HAZARD S	CREENING DATE: 2024-05-03 14:11:07
%: 0.0000 - 5.0000 ALT	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group but not sufficient f	o 3B - Evidence of carcinogenic effects or classification**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Blue PS 5.1-87.

SICOPLAST V BLUE 68-8110 ID: 147-14-8

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	haros Chemical and Materials Library		CREENING DATE: 2024-05-03 14:11:07
%: <b>0.0000 - 5.0000 ALT</b>	GreenScreen: BM-3	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST	US Environmental Protection (EPA)	Agency (US	US EPA - DfE Saf	fer Chemicals Ingredients list (SCIL)
	EFA)		Colorants - Green	Circle (Verified Low Concern)

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Blue PS 5.1-87.

YELLOW 132026				ID: <b>77804-81-0</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	у	HAZARD S	CREENING DATE: 2024-05-03 14:11:07
%: <b>0.0000 - 5.0000 ALT</b>	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Blue PS 5.1-87.

<sup>\*\*</sup>Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

BAYFERROX RED 130 ID: 1309-37-1

HAZARD DATA SOURCE: Ph	aros Chemical and Materials Librar	у	HAZARD S	SCREENING DATE: 2024-05-03 14:11:0
%: 0.0000 - 5.0000 ALT	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK	MAK Carcinogen Group but not sufficient for		o 3B - Evidence of carcinogenic effects or classification**
MAM	GHS - Japan		H372 - Causes damage to organs through prolong repeated exposure [Specific target organs/system following repeated exposure - Category 1]**	
MAM	GHS - Japan			amage to organs [Specific target oxicity following single exposure -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Blue PS 5.1-87.

IRGALITE RED K 4170 FP C20 ID: 7023-61-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2024-05-03 14:11:07	
%: 0.0000 - 5.0000 ALT	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Blue PS 5.1-87.

## **CROMOPHTAL RED K 3830 C20**

ID: **57971-99-0** 

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-03 14:11:08		
%: <b>0.0000 - 5.0000 ALT</b>	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists

<sup>\*\*</sup>Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Blue PS 5.1-87.

RED 147008-C20 ID: 2786-76-7 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-05-03 14:11:07 RC: None %: 0.0000 - 5.0000 ALT GreenScreen: LT-UNK NANO: **No** SUBSTANCE ROLE: Pigment HAZARD TYPE LIST NAME AND SOURCE **WARNINGS** None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION** 

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Blue PS 5.1-87.

### OMNICOLOR-ORANGE DW23132006-PN

None found

ID: **15793-73-4** 

No listings found on Additional Hazard Lists

HAZARD DATA SOURCE: Ph	aros Chemical and Materials Libr	os Chemical and Materials Library		CREENING DATE: 2024-05-03 14:11:08
%: <b>0.0000 - 5.0000 ALT</b>	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances H Waters	lazardous to	Class 2 - Hazard t	to Waters
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	Cradle to Cradle Products Innovation Institute (C2CPII)		Product Standard Restricted Substances rive July 1, 2022
			Core Restrictions	

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Blue PS 5.1-87.

IOX YELLOW 02 ID: 51274-00-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-05-03 14:11:08

%: 0.0000 - 5.0000 ALT GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Blue PS 5.1-87.

**YELLOW PS 2.1-26** ID: 5567-15-7 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-05-03 14:11:08 RC: None %: 0.0000 - 5.0000 ALT GreenScreen: LT-P1 NANO: **No** SUBSTANCE ROLE: Pigment WARNINGS HAZARD TYPE LIST NAME AND SOURCE EYE GHS - New Zealand Eye irritation category 2 AQU GHS - New Zealand Hazardous to the aquatic environment - chronic category 3 ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION** RESTRICTED LIST Cradle to Cradle Products Innovation Institute C2C Certified v4 Product Standard Restricted Substances (C2CPII) List (RSL) - Effective July 1, 2022 Core Restrictions

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Blue PS 5.1-87.

### **TOPSHIELD PRO (URETHANE ACRYLATE)**

ID: 68987-79-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-03 14:11:08		
%: 0.0000 - 1.0000	GreenScreen: NoGS	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Coating	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	nings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additional Hazard Lists	
SUBSTANCE NOTES:					

### **TOPSHIELD PRO (POLYESTER ACRYLATE)**

ID: 73378-73-1

<sup>\*\*</sup>Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-03 14:11:08		
%: 0.0000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wari	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES:

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### **VOC EMISSIONS** CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2021-09-17 00:00:00 EXPIRY DATE: 2024-09-17 00:00:00 CERTIFIER OR LAB: Berkeley

Analytical

# **Environmental Product Declaration (EPD) by UL**

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

**CERTIFICATE URL:** 

**LCA** 

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2024-03-01 00:00:00

EXPIRY DATE: 2029-03-01 00:00:00

CERTIFIER OR LAB: UL

Environment

### **MATERIAL DECLARATION**

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES:

### **ILFI Declare - Red List Free**

ISSUE DATE: 2024-05-01 00:00:00 EXPIRY DATE: 2025-05-01 00:00:00 CERTIFIER OR LAB: ILFI

# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### **FORBO SUSTAIN 1195 ADHESIVE**

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Sustain 1195 is the standard recommended adhesive for Marmoleum Sheet installations. Refer to Forbo's Sustain 1195 Technical Data Sheet for full installation recommendations and requirements.

# **FORBO SUSTAIN 100 ADHESIVE**

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Sustain 100 can be used as an alternate adhesive for Marmoleum Sheet installations. Refer to Forbo's Sustain 100 Technical Data Sheet for full installation recommendations and requirements.

# **FORBO L 885 ADHESIVE**

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo L 885 can be used as an alternate adhesive for Forbo Marmoleum Sheet installations. Refer to Forbo's L 885 Technical Data Sheet for full installation recommendations and requirements.

### **FORBO 660 ADHESIVE**

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo 660 can be used as an alternate adhesive for Forbo Marmoleum Sheet installations. Refer to Forbo's 660 Technical Data Sheet for full installation recommendations and requirements.

### **FORBO ARMORCOVE**

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo ArmorCove is the recommended coving system for use with Forbo Marmoleum Sheet. It is a fully integrated coving system that is comprised of a 1-piece aluminum cove-former, full vertical backing and cap, with Marmoleum as the finished surface. It is puncture-proof and water resistant. Refer to Forbo's ArmorCove Technical Data Sheet for full installation recommendations and requirements.

### **FORBO MARMOWELD ETU**

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Marmoweld ETU is the preferred method of welding seams where seamless or monolithic flooring is required. Marmoweld ETU is a color matching paste weld which can also be used to make minor repairs in Forbo Marmoleum products. Refer to Forbo's Marmoweld ETU Technical Data Sheet for full installation recommendations and requirements.

### FORBO MARMOLEUM SECOND LIFE

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Maintenance Product

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Marmoleum Second Life is a unique two-part, field- applied coating that can restore the surface of old, worn or improperly maintained Forbo Marmoleum. Refer to Forbo's Marmoleum Second Life Application Guidelines for full installation recommendations and requirements.

### **FORBO ADHESIVE REMOVER**

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Cleaning Product

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Adhesive Remover is a recommended cleaning product for use with Forbo Marmoleum Sheet.

### FORBO NEUTRAL PH CLEANER

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Cleaning Product

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Neutral pH Cleaner is a recommended cleaning product for use with Forbo Marmoleum Sheet.

## FORBO HEAVY DUTY CLEANER

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Cleaning Product

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Heavy Duty Cleaner is a recommended cleaning product for use with Forbo Marmoleum Sheet.

# **FORBO MATTE FLOOR FINISH**

MANUFACTURER (OR GENERIC): Forbo Flooring Systems

HPD URL: No HPD Available

ACCESSORY TYPE: Maintenance Product

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Matte Floor Finish is an optional maintenance product for use with Forbo Marmoleum Sheet.

# Section 5: General Notes

Products lines that fall under the category of Marmoleum Sheet are the following: Real, Fresco, Vivace, Splash, Terra, Concrete, Walton, Piano and Marmoleum Composition Sheet (MCS).

### **MANUFACTURER INFORMATION**

MANUFACTURER: Forbo Flooring Systems

ADDRESS: 8 Maplewood Drive

Hazleton, PA 18202 COUNTRY: United States WEBSITE: www.forboflooringNA.com

CONTACT NAME: Jeff Miller

TITLE: Sustainability & Documentation Administrator

PHONE: **5704500319** 

EMAIL: jeff.miller@forbo.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### KEY

## **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity **EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

**LT-1** List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

# **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

# **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

