

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.03.2023

Version number 6.0 (replaces version 5.2)

Revision: 17.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
• Trade name: <u>501 Eurostar Tex Pro</u> • 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. • Application of the substance / the mixture Adhesives
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Forbo Eurocol Deutschland GmbH August-Röbling-Straße 2 99091 Erfurt GERMANY
Tel.: +49 361 730 41 0 Fax: +49 (0)361 73041-92 E-Mail: Elisabeth.Reinhardt@forbo.com www.forbo-eurocol.de
 Further information obtainable from: Laboratory Elisabeth Reinhardt Elisabeth.Reinhardt@forbo.com 1.4 Emergency telephone number: Poison information center for the states of Mecklenburg-Western Pomerania, Saxony, Saxony-Anhalt and Thuringia: +49-361-730730
SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008
 The product is not classified, according to the GB CLP regulation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void Precautionary statements P280 Wear protective gloves / eye protection. Additional information: EUH 208: Contains Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment
• PBT: Not applicable. • vPvB: Not applicable.

(Contd. on page 2)

Printing date 16.03.2023

Version number 6.0 (replaces version 5.2)

Revision: 17.02.2023

(Contd. of page 1)

Trade name: 501 Eurostar Tex Pro

Dangerous components:		
CAS: 27138-31-4	oxydipropyl dibenzoate Aquatic Chronic 3, H412	<2.5%
CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: $C \ge 0.05 \%$	<i>≥</i> 0-<0.05%
CAS: 55965-84-9 Reg.nr.: 01-2120764691-48-2		≥0.00025-<0.00159

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing:
- Do not induce vomiting. Rinse out mouth and drink plenty of water. Consult a doctor if symptoms persist.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- Use fire extinguishing methods suitable to surrounding conditions.

Alcohol-resistant foam. Water spray. Carbon dioxide. Extinguishing powder.

(Contd. on page 3)

GB

Printing date 16.03.2023

Version number 6.0 (replaces version 5.2)

Revision: 17.02.2023

Trade name: 501 Eurostar Tex Pro

- 5.2 Special hazards arising from the substance or mixture
- In case of fire, formation of toxic gases possible. In case of fire may be released: CO and CO2

• 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special measures required.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Recommended storage temperature: 5-30°C
- Storage class (TRGS): 12
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Oral	DNEL Long-term - oral, systemic effects	5 mg/kg_bw/day (general public)
	DNEL Acute - oral, systemic effects	80 mg/kg bw/day (general public)
Dermal	DNEL Long-term – dermal, systemic effects	10 mg/kg_bw/d (Worker)
		0.22 mg/kg_bw/d (BEv)
	DNEL Acute - dermal systemic effects	170 mg/kg bw/day (Worker)
		80 mg/kg bw/day (general public)
Inhalative	DNEL Long-term – inhalation, systemic effects	8.8 mg/m³/d (Worker)
		8.69 mg/m³/d (general public)
	DNEL Acute – inhalation, systemic effects	35.08 mg/m³ (Worker)
		8.7 mg/m³ (general public)

(Contd. of page 2)

^{· 8.1} Control parameters

Printing date 16.03.2023

Version number 6.0 (replaces version 5.2)

Revision: 17.02.2023

Trade name: 501 Eurostar Tex Pro

	(Contd. of page 2
PNECs	
27138-31-4 oxydipropyl dibenzoate	
PNEC short term, fresh water	0.0037 mg/l (Aquatic organisms)
PNEC short term, sea water	0.00037 mg/l (Aquatic organisms)
PNEC short term, sewage plant	1 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	1.49 mg/kg (Aquatic organisms)
PNEC short term soil	1 mg/kg (teresstric organisms)
PNEC short term sea water sediment	0.149 mg/kg (Aquatic organisms)
PNEC short term, intermittent releases	0.037 mg/l (Aquatic organisms)
Additional information: The lists valid	during the making were used as basis.
Respiratory protection: Not required. Hand protection The glove material has to be impermea Due to missing tests no recommendation the chemical mixture.	to be adhered to when handling chemicals. ble and resistant to the product/ the substance/ the preparation. on to the glove material can be given for the product/ the preparatio consideration of the penetration times, rates of diffusion and t
and varies from manufacturer to man resistance of the glove material can no application. Penetration time of glove material	es not only depend on the material, but also on further marks of quali ufacturer. As the product is a preparation of several substances, th t be calculated in advance and has therefore to be checked prior to th e found out by the manufacturer of the protective gloves and has to b
SECTION 9: Physical and chen 9.1 Information on basic physical and General Information	chemical properties
Physical state	Fluid
Colour: Odour:	Beige Characteristic
Odour threshold:	Churacleristic Not determined

Not determined.

Undetermined.

- · Odour:
- · Odour threshold:
- Melting point/freezing point:

(Contd. on page 5)

GB

Printing date 16.03.2023

Version number 6.0 (replaces version 5.2)

Revision: 17.02.2023

Trade name: 501 Eurostar Tex Pro

	(Contd. of page
Boiling point or initial boiling point and boiling	
range	100 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	6.5
Viscosity:	
Kinematic viscosity	Not determined.
Viscosity @100°C:	
Dynamic at 20 °C:	27,000 mPas
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.46 g/cm ³
Relative density	Not determined.
Density (@15°C)	Not determined.
Vapour density	Not determined.
- ·	
9.2 Other information	
Appearance:	17.
Form:	Viscous
Important information on protection of health an	a
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	0.00.07
VOC (EC)	0.00 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	25
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
	roiu
Substances and mixtures, which emit flammable	Void
gases in contact with water	
Oxidising liquids	Void Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void Void
Desensitised explosives	

(Contd. on page 6)

Printing date 16.03.2023

Version number 6.0 (replaces version 5.2)

Revision: 17.02.2023

Trade name: 501 Eurostar Tex Pro

(Contd. of page 5)

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

27138-31-4 oxydipropyl dibenzoate

Oral LD50 3,914 mg/kg (rat)

55965-84-9 Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Oral	LD50	66 mg/kg (rat)
	LD50	>141 mg/kg (rat)
Inhalative	LC50 (4h)	0.17 mg/l (rat)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

• Aquatic toxicity:			
27138-31-4 oxydip	27138-31-4 oxydipropyl dibenzoate		
LC50 (96h) mg/ltr.	3.7 mg/ltr (Fish)		
EC50 (48h)	19.3 mg/l (daphnia)		
EL50 (48h)	4.9 mg/l (algae)		
2634-33-5 1,2-ben	2634-33-5 1,2-benzisothiazol-3(2H)-one		
LC50 (96h) mg/ltr.	1.6-2.18 mg/ltr (rainbow trout) (OECD 203)		
EC50 (48h)	2.94-3.27 mg/l (Daphnia magna) (OECD 202)		
EC50 (72h)	0.11 mg/l (Scenedesmus quadricauda) (OECD 201)		
	0.11 mg/l (Pseudokirchneriella subcapitata) (OECD 201)		
	(Contd on page 7)		

(Contd. on page 7)

GB

Printing date 16.03.2023

Version number 6.0 (replaces version 5.2)

Revision: 17.02.2023

Trade name: 501 Eurostar Tex Pro

NOEC 0.21 mg/l (rainbow trout) (OECD 215) • 12.2 Persistence and degradability 64742-53-6 Distillates (petroleum), hydrotreated light naphthenic 2-4 (28d) % • 12.3 Bioaccumulative potential 1310-73-2 sodium hydroxide -3,88 • 12.4 Mobility in soil No further relevant information available. - - • 12.5 Results of PBT and vPvB assessment - PBT: Not applicable. • vPvB: Not applicable. - - • 12.6 Endocrine disrupting properties - - The product does not contain substances with endocrine disrupting properties. - • 12.7 Other adverse effects No further relevant information available. - • Additional ecological information: - • General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. SECTION 13: Disposal considerations • 13.1 Waste treatment methods	EC10 (72h)	0.04 mg/ltr. (Scenedesmus quadricauda) (OECD 201)	(Contd. of page 6)
64742-53-6 Distillates (petroleum), hydrotreated light naphthenic 2-4 (28d) % 12.3 Bioaccumulative potential 1310-73-2 sodium hydroxide -3,88 12.4 Mobility in soil No further relevant information available.	. ,		
 12.3 Bioaccumulative potential 1310-73-2 sodium hydroxide -3,88 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 	· 12.2 Persistence	e and degradability	
 1310-73-2 sodium hydroxide -3,88 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 	64742-53-6 Dis	stillates (petroleum), hydrotreated light naphthenic 2-4 (28d) %	
 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 	· 12.3 Bioaccum	ulative potential	
 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 	1310-73-2 sodi	um hydroxide -3,88	
 PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 	• 12.4 Mobility in	soil No further relevant information available.	
 vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 			
 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 	· PBT: Not applie	cable.	
The product does not contain substances with endocrine disrupting properties. • 12.7 Other adverse effects No further relevant information available. • Additional ecological information: • General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. SECTION 13: Disposal considerations	· vPvB: Not appli	icable.	
The product does not contain substances with endocrine disrupting properties. • 12.7 Other adverse effects No further relevant information available. • Additional ecological information: • General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. SECTION 13: Disposal considerations			
 12.7 Other adverse effects No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. SECTION 13: Disposal considerations			
 Additional ecological information: General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. SECTION 13: Disposal considerations			
General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. SECTION 13: Disposal considerations			
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. SECTION 13: Disposal considerations			
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. SECTION 13: Disposal considerations	Water hazard cl	lass 1 (German Regulation) (Self-assessment): slightly hazardous for water	
	Do not allow u		
	SECTION 1	3: Disposal considerations	
· 13.1 Waste treatment methods			

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	not regulated	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.	
· UN "Model Regulation":	not regulated	
		G

(Contd. on page 8)

Printing date 16.03.2023

Revision: 17.02.2023

Trade name: 501 Eurostar Tex Pro

(Contd. of page 7)

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

• VOC (EU) 0.0 g/l

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

· Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: Quality Management department

· Contact: Laboratory Elisabeth Reinhardt Elisabeth.Reinhardt@forbo.com · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

(Contd. on page 9)

Printing date 16.03.2023

Version number 6.0 (replaces version 5.2)

Revision: 17.02.2023

Trade name: 501 Eurostar Tex Pro

(Contd. of page 8) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 • * Data compared to the previous version altered.