

Safety data sheet according to UK REACH

Printing date 11.02.2025

Version number 7

Revision: 11.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: **640 Eurostar Special**

· Article number: 640

· 1.2 Relevant identified uses of the substance or mixture and uses advised against
No further relevant information available.

· Application of the substance / preparation *Flooring adhesive*

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Forbo Eurocol Nederland B.V.

Industrieweg 1-2

NL-1521 NA Wormerveer Holland

Tel. +31 75 6271620

E-mail address: info.eurocol@forbo.com

Website: www.eurocol.com

· 1.4 Emergency telephone number:

In case of emergency please contact the Dutch National Poison Control, telephone number: 0031-(0)88-755 8000 (This number is only accessible to the physician treating the patient and only in case of accidental poisoning).

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008 *Void*

· Hazard pictograms *Void*

· Signal word *Void*

· Hazard statements *Void*

· Additional information:

Contains 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: *Not applicable.*

· vPvB: *Not applicable.*

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: *Flooring adhesive based on acrylate copolymer and fillers.*

(Contd. on page 2)

Safety data sheet according to UK REACH

Printing date 11.02.2025

Version number 7

Revision: 11.02.2025

Trade name: **640 Eurostar Special**

(Contd. of page 1)

Dangerous components:

150413-26-6	Polyethyleenglycol monoisotridecylethersulfaat, natriumzout	>1-5%
	⚠ Skin Irrit. 2, H315	

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** *No special measures required.*
- **After inhalation:** *Not applicable.*
- **After skin contact:** *Wash with water and soap.*
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a physician.
- **After swallowing:** *Rinse mouth with water and consult physician immediately.*
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** *No further relevant information available.*
- **5.3 Advice for firefighters**
- **Protective equipment:** *No special measures required.*

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** *Not required.*
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Collect product in waste container. Rinse floor with water.
- **6.4 Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** *No special measures required.*
- **Information about fire - and explosion protection:** *No special measures required.*
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** *Store in a cool, but frost-proof location.*

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 11.02.2025

Version number 7

Revision: 11.02.2025

Trade name: **640 Eurostar Special**

(Contd. of page 2)

- **Information about storage in one common storage facility:** *Not required.*

- **Further information about storage conditions:**

Recommended storage temperature between 15 and 25°C.

- **7.3 Specific end use(s)** *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Additional information about design of technical facilities:** *No further data; see section 7.*

- **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs**

bis(2-ethylhexyl)adipaat

Oral	DNEL Acut Systematisch	4.4 mg/m ³ (consumer)
Dermal	DNEL dermal long term	4.4 /mg/m ³ (consumer) 25.5 /mg/m ³ (worker)
Inhalative	DNEL Inhalative long terme	4.4 /mg/m ³ (consumer) 17.8 /mg/m ³ (worker)

8050-25-7 rosin acids, esters with triethylene glycol

Oral	DNEL	15 mg/kg (consumer)
Dermal	DNEL long term	15 mg/kg KG/d (consumer) 25 mg/kg KG/d (Employee)
Inhalative	DNEL	52 mg/m ³ (consumer) 176 mg/m ³ (Employee)

- **PNECs**

8050-25-7 rosin acids, esters with triethylene glycol

PNEC mg/l	0.1 mg/l (Sea Water) 1 mg/l (Fresh Water)
PNEC	0.774 µg/g (Sea Water Sediment) 7.74 µg/g (Fresh Water Sediment)

- **Additional information:** *The lists valid during manufacture were used as basis.*

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

- **Respiratory protection:** *Not required.*

- **Protection of hands:**



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material is dependant on the penetration times, rates of diffusion and degradation.

(Contd. on page 4)

Safety data sheet according to UK REACH

Printing date 11.02.2025

Version number 7

Revision: 11.02.2025

Trade name: **640 Eurostar Special**

(Contd. of page 3)

- **Material of gloves**

Suitable chemical-resistant gloves (EN 374) even with longer direct contact (recommendation: protection index 6, corresponding > 480 minutes permeation time (permeation) according to EN 374) e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and others. Due to several factors that can influence (e.g. temperature), it must be taken into account that the service life of a chemical glove can in practice be considerably shorter than the permeation time indicated by the test.

- **Penetration time of glove material > 480 Minutes.**

- **For prolonged contact gloves made of the following materials are suitable:**

Chloroprene and butylrubber.

Nitrile rubber

- **Eye protection: Goggles recommended during refilling**

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Paste

Colour: Beige

- **Odour:** Characteristic

- **Odour threshold:** Not determined.

- **pH-value at 20 °C:** 7.5

- **Change in condition**

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 100 °C

- **Flash point:** Not applicable.

- **Flammability** Not applicable.

- **Decomposition temperature:** Not determined.

- **Ignition temperature:** Product is not self-igniting.

- **Explosive properties:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

- **Vapour pressure at 20 °C:** 23 hPa

- **Density at 20 °C:** 1.27 g/cm³

- **Relative density** Not determined.

- **Vapour density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with water:**

Fully miscible.

- **Partition coefficient: n-octanol/water:** Not determined.

- **Viscosity:**

Dynamic: Not determined.

Kinematic: Not determined.

- **Solvent content:**

Organic solvents: 0.0 %

(Contd. on page 5)

Safety data sheet according to UK REACH

Printing date 11.02.2025

Version number 7

Revision: 11.02.2025

Trade name: **640 Eurostar Special**

(Contd. of page 4)

VOC(EC%)	0.0 %
-----------------	-------

· 9.2 Other information	No further relevant information available.
--------------------------------	--

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

bis(2-ethylhexyl)adipaat

Oral	LD50	9,110 mg/kg (rat)
------	------	-------------------

Dermal	LD50	8,410 mg/kg (rabbit)
--------	------	----------------------

1310-73-2 sodium hydroxide

Oral	LD50	2,000 mg/kg (rat)
------	------	-------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Possible irritation with prolonged or frequent contact.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Avoid transfer into the environment.
Do not discharge rinse water arising from cleaning tools into sewers or surface water.

(Contd. on page 6)

GB

Safety data sheet according to UK REACH

Printing date 11.02.2025

Version number 7

Revision: 11.02.2025

Trade name: **640 Eurostar Special**

(Contd. of page 5)

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **12.6 Other adverse effects** *No further relevant information available.*

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** *Smaller quantities can be disposed of with household waste.*
- **Uncleaned packaging:**
- **Recommendation:** *Disposal must be made according to official regulations.*
- **Recommended cleansing agents:** *Warm water, if necessary together with cleansing agents.*

SECTION 14: Transport information

- | | |
|--|------------------------|
| · 14.1 UN-Number | |
| · ADR, ADN, IMDG, IATA | <i>Void</i> |
| · 14.2 UN proper shipping name | |
| · ADR, ADN, IMDG, IATA | <i>Void</i> |
| · 14.3 Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | <i>Void</i> |
| · 14.4 Packing group | |
| · ADR, IMDG, IATA | <i>Void</i> |
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | <i>No</i> |
| · 14.6 Special precautions for user | <i>Not applicable.</i> |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | <i>Not applicable.</i> |
| · UN "Model Regulation": | <i>Void</i> |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

· Regulated explosives precursors
--

<i>None of the ingredients is listed.</i>

· Regulated poisons

<i>None of the ingredients is listed.</i>

· Reportable explosives precursors

7631-99-4	sodium nitrate, containing in the dry state more than 16,3 per cent by weight of nitrogen	Listed
-----------	---	--------

(Contd. on page 7)

Safety data sheet according to UK REACH

Printing date 11.02.2025

Version number 7

Revision: 11.02.2025

Trade name: **640 Eurostar Special**

(Contd. of page 6)

Reportable poisons		
1310-73-2	sodium hydroxide	12% of total caustic alkalinity

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*

- **15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H315 Causes skin irritation.

- **Department issuing SDS:** *R&D department*

- **Contact:** *Ing. T.W. Breeuwer*

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

- *** Data compared to the previous version altered.**