




GET BEAUTIFUL, HEALTHY,
HIGH PERFORMING RESULTS
WITH FORBO MCT. GUARANTEED.

mct essentials | elementals ^{topshield™ PRO}

- **MCT Coordinates!** Our new collection features pops of bright color combined with a neutral base to create balance in a range of inspirational colors, ensuring efficiency and harmony of design. MCT's organic marbled texture provides a visual connection with nature bringing the outdoors in, while working well with primaries, secondary and tertiary colors. This new palette opens the door to creative and inspiring installations that define spaces, create paths and improve the environment.
- EZvations adhesive solutions are available for installations with no need for moisture testing.
- Clean and Go – immediate occupancy; no initial maintenance required
- Naturally healthy floor mitigates mold risk and is naturally free from phthalates, pesticides and chemical agents



Learn more at www.forboflooringNA.com




1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

FLOORING SYSTEMS


mct essentials



mct-3136 | concrete 




mct-3274 | alpine




mct-607 | white marble




mct-707 | barley



mct-621 | dove grey 




mct-3888 | stone 




mct-3141 | himalaya




mct-3075 | shell




mct-629 | eiger 




mct-3120 | rosato





mct-3279 | dune 



mct-795 | butter



mct-3048 | graphite 





mct-3252 | sparrow 




mct-3233 | shitake



mct-3278 | mandarin 




mct-2939 | black



mct-3235 | tobacco leaf




mct-3276 | burgundy





mct-3127 | Bleeckerstreet

mct elementals



mct-3055 | fresco blue 




mct-3030 | blue 





mct-3629 | frosty grey





mct-3601 | warm grey




mct-3275 | chinchilla 



mct-3281 | thunder 




mct-3656 | bluebell





mct-3607 | grey dusk



mct-3280 | misty 




mct-3277 | grape 



mct-3654 | poppy red



mct-3657 | hazelnut



mct-3238 | laguna




mct-3282 | moss




mct-3655 | orchid green




mct-3631 | otter



mct-3251 | lemon zest 



mct-3260 | leaf 



mct-3653 | sunflower



mct-3630 | angora

10 REASONS to choose Marmoleum Composition Tile (mct) over Vinyl Composition Tile (vct) and Luxury Vinyl Tile (lvt)

1. Guaranteed low initial installed cost of \$3.90 - \$5.45 ft² USD using Forbo EZon100 adhesive system
(Find Pricing Guarantee at www.forboflooringna.com/mct)
2. Guaranteed Immediate occupancy adhesive system for MCT that eliminates moisture testing and long set up times and can eliminate the need for costly moisture mitigation
3. 30-year system service life
 - Double the system life of VCT/LVT
4. MCT with Topshield pro carries a ten (10) year no maintenance warranty
5. Clean and Go - no initial maintenance required with renewable Topshield pro occupancy ready factory finish providing a low cost of ownership.
 - Requiring no costly stripping and recoating over its life that VCT does.
6. Improved classroom acoustics when compared to VCT, LVT or Stained Concrete
7. Seams that won't shrink open over time like VCT or LVT
8. Naturally healthy floor
 - Mitigates mold risk
 - Naturally PVC and phthalate free
 - Naturally combats MRSA and other strains of bacteria, unlike the open seams of VCT that provide a breeding ground for bacteria/fungi to grow.
9. Dedicated Forbo project support and risk mitigation with "No Punch/Zero Failure" program**
10. Certified to the Triple Bottom Line:
 - Publicly available 3rd Party verified Environmental Product Declaration (EPD's)
 - Publicly available Health Product Declaration (HPD)
 - Declare Red list Free
 - Contributes to several LEED® v4 and WELL credits
 - USDA Certified 100% biobased
 - Meets the California CHPS 01350 for IEQ
 - Manufactured in an ISO 9001 and 14001 certified facility
 - No chlorine gas release during fire
 - Investing in the local economy with installation training
 - IEQ compliant adhesives
 - The most LCA based certifications of any resilient flooring product

